

One Year Prevalence of Alcohol Abuse/ Dependence

Date	Author	Place	Sample	RR	Instrument	DX	Rate
1992	Bourdon ³	USA-5sites	20291	97	DIS	DSMIII	5.9
1994	Kessler ¹⁰	USA-NCS	8098	78	CIDI	DSMIIR	9.7
1996	Grant ⁵	USA-NLAES	42862	78	AUDADIS	DSMIV	7.4
1998	Bijl ²	Netherlands	7076	83	CIDI	DSMIIR	8.3
2001	Andrews ¹	Australia	10641	68-79	CIDI	DSMIV	6
2001	Kringlen ¹¹	Norway	2066	73	CIDI	DSMIIR	10.6
2001	Ogborne ¹³	Canada	9953	74	CIDI	DSMIIR	5
2004	Grant ⁶	USA-NESARC	43093	60	AUDADIS	DSMIV	8.5
2004	Jacobi ⁸	Germany	4181	81	CIDI	DSMIV	4.1
2005	Bromet ⁴	Ukraine	4725	70	CIDI	DSMIV	5.8
2005	Harford ⁷	USA-NHSDA	55561	77	.	DSMIV	5.7
2005	Kessler ⁹	USA-NCSR	9282	88	CIDI	DSMIV	4.4
2007	Neumark ¹²	Israel	4859	71	CIDI	DSMIV	4.3
2007	SAMSHA ¹⁴	USA NSDUH	67802	73	.	DSMIV	7.6

QUARTILES:

1 st	5.2
2 nd	6.0
3 rd	8.1

Selection of studies described in Eaton, Martins, Nestadt, Bienvenu, Clarke, and Alexandre, *Epidemiologic Reviews*, 2008

Reference List

- (1) Andrews G, Henderson S, Hall W. Prevalence, comorbidity, disability and service utilization: overview of the Australian National Mental Health Survey. *British Journal of Psychiatry*. 2001;178:145-153.
- (2) Bijl RV, Ravelli A, van Zessen G. Prevalence of psychiatric disorder in the general population: results of the Netherlands mental health survey and incidence study (NEMESIS). *Social Psychiatry and Psychiatric Epidemiology*. 1998;33:587-595.
- (3) Bourdon KH, Rae DS, Locke BZ, Narrow WE, Regier DA. Estimating the prevalence of mental disorders in U.S. adults from the Epidemiologic Catchment Area Survey
2. *Public Health Rep*. 1992;107(6):663-668.
- (4) Bromet EJ, Gluzman SF, Paniotto VI et al. Epidemiology of psychiatric and alcohol disorders in Ukraine: findings from the Ukraine World Mental Health survey
7. *Soc Psychiatry Psychiatr Epidemiol*. 2005;40(9):681-690.
- (5) Grant BF. DSM-IV, DSM-III-R, and ICD-10 alcohol and drug abuse/harmful use and dependence, United States, 1992: a nosological comparison
1. *Alcohol Clin Exp Res*. 1996;20(8):1481-1488.
- (6) Grant BF, Dawson DA, Stinson FS, Chou SP, Dufour MC, Pickering RP. The 12-month prevalence and trends in DSM-IV alcohol abuse and dependence: United States, 1991-1992 and 2001-2002. *Drug Alcohol Depend*. 2004;74(3):223-34.
- (7) Harford TC, Grant BF, Yi HY, Chen CM. Patterns of DSM-IV alcohol abuse and dependence criteria among adolescents and adults: results from the 2001 National Household Survey on Drug Abuse
1. *Alcohol Clin Exp Res*. 2005;29(5):810-828.
- (8) Jacobi F, Wittchen HU, Holting C et al. Prevalence, co-morbidity and correlates of mental disorders in the general population: results from the German Health Interview and Examination Survey (GHS). *Psychol Med*. 2004;34(4):597-611.
- (9) Kessler RC, Chiu WT, Demler O, Merikangas KR, Walters EE. Prevalence, severity, and comorbidity of 12-month DSM-IV disorders in the National Comorbidity Survey Replication. *Arch Gen Psychiatry*. 2005;62(6):617-27.

- (10) Kessler RC, McGonagle KA, Zhao S et al. Lifetime and 12-month prevalence of DSM-III-R psychiatric disorders in the United States. Results from the National Comorbidity Survey. *Archives of General Psychiatry*. 1994;51(1):8-19.
- (11) Kringlen E, Torgersen S, Cramer V. A Norwegian psychiatric epidemiological study
1. *Am J Psychiatry*. 2001;158(7):1091-1098.
- (12) Neumark YD, Lopez-Quintero C, Grinshpoon A, Levinson D. Alcohol drinking patterns and prevalence of alcohol-abuse and dependence in the Israel National Health Survey. *Isr J Psychiatry Relat Sci*. 2007;44(2):126-135.
- (13) Ogborne AC, DeWit D. Alcohol use, alcohol disorders, and the use of health services: results from a population survey
1. *Am J Drug Alcohol Abuse*. 2001;27(4):759-774.
- (14) Substance Abuse and Mental Health Services Administration. *Results from the 2006 National Survey on Drug Use and Health: National Findings* (Office of Applied Studies, NSDUH Series H-32, DHHS Publication No. SMA 07-4293). 2007.
Ref Type: Report