

Depression Mortality

Date	Author	Place	Age	Sample	Follow-up	OR	Instrument	DX
1988	Davidson <sup>2</sup>	England	65+	1070	3	1.7	AGECAT	
1992	Kua <sup>8</sup>	Singapore	65+	612	5	1.2	AGECAT	
1994	Bruce <sup>1</sup>	New Haven	40+	3560	9	2	DIS	DSMIII
1995	Kouzis <sup>7</sup>	USA-4 sites	18+	15567	1	2.6	DIS	DSMIII
1997	Henderson <sup>5</sup>	Australia	70+	1045	3.6	1.3	CIE	ICD10
1997	Pulska <sup>13</sup> st.1	Finland	60+	1272	6	1.3	2 stage, SS	DSMIII
1998	Penninx <sup>11</sup>	USA	65+	3701		2.3		DSMIV
1998	Pulska <sup>12</sup> st. 2	Finland	65+	882	6	2	2 stage, SS	DSMIII
1999	Saz <sup>14</sup>	Spain	65+	1080	4.5	3	Psychiatrist	DSMIIR
2001	Joukamaa <sup>6</sup>	Finland	30+	7217	17	1.65	GHQ/PSE	ICD8
2005	Gallo <sup>4</sup>	20 PCP's	60+	520	2	1.37	CESD/SCID	DSMIV
2006	Mogga <sup>9</sup>	Ethiopia	15-49	600	3	3.55	CIDI	DSMIV
2007	Eaton <sup>3</sup>	Baltimore ECA	18+	3481	23	0.8	DISIIR	DSMIIR
2008	Murphy <sup>10</sup>	Atlantic Canada	18+	1079	40	1.4	DPAX,Psych	DSMII

QUARTILES:

1st	1.3
2nd	1.7
3rd	2.2

Selection of studies described in Eaton, Martins, Nestadt, Bienvenu, Clarke, and Alexandre, *Epidemiologic Reviews*, 2008

## Reference List

- (1) Bruce ML, Leaf PJ, Rozal GP, Florio L, Hoff RA. Psychiatric status and 9-year mortality data in the New Haven Epidemiologic Catchment Area Study  
9. *Am J Psychiatry*. 1994;151(5):716-721.
- (2) Davidson IA, Dewey ME, Copeland JRM. The relationship between mortality and mental disorder: Evidence from the Liverpool longitudinal study. *International Journal of Geriatric Psychiatry*. 1988;3(2):95-98.
- (3) Eaton WW, Hall AL, Macdonald R, McKibben J. Case identification in psychiatric epidemiology: a review. *Int Rev Psychiatry*. 2007;19(5):497-507.
- (4) Gallo JJ, Bogner HR, Morales KH, Post EP, Ten HT, Bruce ML. Depression, cardiovascular disease, diabetes, and two-year mortality among older, primary-care patients  
9. *Am J Geriatr Psychiatry*. 2005;13(9):748-755.
- (5) Henderson AS, Korten AE, Jacomb PA et al. The course of depression in the elderly: a longitudinal community-based study in Australia. *Psychol Med*. 1997;27(1):119-129.
- (6) Joukamaa M, Heliovaara M, Knekt P, Aromaa A, Raitasalo R, Lehtinen V. Mental disorders and cause-specific mortality  
2. *Br J Psychiatry*. 2001;179:498-502.
- (7) Kouzis A, Eaton WW, Leaf PJ. Psychopathology and mortality in the general population  
5. *Soc Psychiatry Psychiatr Epidemiol*. 1995;30(4):165-170.
- (8) Kua EH. A community study of mental disorders in elderly Singaporean Chinese using the GMS-AGECAT package  
17. *Aust N Z J Psychiatry*. 1992;26(3):502-506.

- (9) Mogga S, Prince M, Alem A et al. Outcome of major depression in Ethiopia: population-based study  
1. *Br J Psychiatry*. 2006;189:241-246.
- (10) Murphy JM, Burke JD, Jr., Monson RR et al. Mortality associated with depression : A forty-year perspective from the Stirling County Study  
1. *Soc Psychiatry Psychiatr Epidemiol*. 2008.
- (11) Penninx B, Guralnik J, Ferrucci L, Simonsick E, Deeg D, Wallace R. Depressive symptoms and physical decline in community-dwelling older persons. *JAMA*. 1998;279(21):1720-1726.
- (12) Pulska T, Pahkala K, Laippala P, Kivela SL. Major depression as a predictor of premature deaths in elderly people in Finland: a community study  
8. *Acta Psychiatr Scand*. 1998;97(6):408-411.
- (13) Pulska T, Pahkala K, Laippala P, Kivela SL. Six-year survival of depressed elderly Finns: a community study  
9. *Int J Geriatr Psychiatry*. 1997;12(9):942-950.
- (14) Saz P, Launer LJ, Dia JL, De-La-Camara C, Marcos G, Lobo A. Mortality and mental disorders in a Spanish elderly population  
1. *Int J Geriatr Psychiatry*. 1999;14(12):1031-1038.