

Prepared for the Bill & Melinda Gates Foundation

Scaling Up Health Technologies

BIBLIOGRAPHY

Duff Gillespie
Sabrina Karklins
Andreea Creanga
Sadaf Khan
NaHyun Cho

May 2007



JOHNS HOPKINS
BLOOMBERG
SCHOOL of PUBLIC HEALTH

The Bill and Melinda Gates Institute
For Population and Reproductive Health

Bibliography

Repositioning nutrition as central to development: a strategy for large-scale action. 2006:246.

Priorities in health. 2006:217.

Meeting of the immunization Strategic Advisory Group of Experts, Geneva, 10-11 April 2006: conclusions and recommendations. Wkly Epidemiol Rec 2006 May 26;81(21):210-20.

What are the priorities in malaria research? PLoS Med 2006 Jan;3(1):e83.

Scaling up Insecticide-treated Netting Programmes in Africa: A Strategic Framework for Coordinated National Action. 2005 August 31.

Severe falciparum malaria. World Health Organization, Communicable Diseases Cluster. Trans R Soc Trop Med Hyg 2000 Apr;94 Suppl 1:S1-90.

Evaluation of an algorithm for the treatment of persistent diarrhoea: a multicentre study. International Working Group on Persistent Diarrhoea. Bull World Health Organ 1996;74(5):479-89.

Magnesium sulphate is the drug of choice for eclampsia. Safe Mother 1995;(18)(18):3, 13.

Which anticonvulsant for women with eclampsia? Evidence from the Collaborative Eclampsia Trial. Lancet 1995 Jun 10;345(8963):1455-63.

Potential interventions for the prevention of childhood pneumonia in developing countries: a meta-analysis of data from field trials to assess the impact of vitamin A supplementation on pneumonia morbidity and mortality. The Vitamin A and Pneumonia Working Group. Bull World Health Organ 1995;73(5):609-19.

Antimalaria Drug Policies: Data Requirements, Treatment of Uncomplicated Malaria and Management of Malaria in Pregnancy. Report of an Informal Consultation. 1994.

Prevention of neural tube defects: results of the Medical Research Council Vitamin Study. MRC Vitamin Study Research Group. Lancet 1991 Jul 20;338(8760):131-7.

Persistent diarrhoea in children in developing countries: memorandum from a WHO meeting. Bull World Health Organ 1988;66(6):709-17.

Use and interpretation of anthropometric indicators of nutritional status. WHO Working Group. Bull World Health Organ 1986;64(6):929-41.

Water with sugar and salt. Lancet 1978 Aug 5;2(8084):300-1.

A positive effect on the nutrition of Philippine children of an oral glucose-electrolyte solution given at home for the treatment of diarrhoea. Report of a field trial by an international study group. *Bull World Health Organ* 1977;55(1):87-94.

The Global Plan to STOP TB 2006-2015. In: p.42-9.

Mario C Raviglione. *The Lancet* ;367(9514):895-.

New warning for mifepristone and misoprostol. *The Lancet* ;366(9483):344-.

Aaby P, Biai S, Veirum JE, Sodemann M, Lisse I, Garly ML, et al. DTP with or after measles vaccination is associated with increased in-hospital mortality in Guinea-Bissau. *Vaccine* 2006 Oct 18.

Aaby P, Garly ML, Bale C, Martins C, Jensen H, Lisse I, et al. Survival of previously measles-vaccinated and measles-unvaccinated children in an emergency situation: an unplanned study. *Pediatr Infect Dis J* 2003 Sep;22(9):798-805.

Aaby P, Jensen H. Do measles vaccines have non-specific effects on mortality? *Bull World Health Organ* 2005 Mar;83(3):238.

Aaby P, Jensen H, Samb B, Cisse B, Sodemann M, Jakobsen M, et al. Differences in female-male mortality after high-titre measles vaccine and association with subsequent vaccination with diphtheria-tetanus-pertussis and inactivated poliovirus: reanalysis of West African studies. *Lancet* 2003 Jun 28;361(9376):2183-8.

Aaby P, Jensen H, Simondon F, Whittle H. High-titer measles vaccination before 9 months of age and increased female mortality: do we have an explanation? *Semin Pediatr Infect Dis* 2003 Jul;14(3):220-32.

Aaby P, Jensen H, Walraven G. Age-specific changes in the female-male mortality ratio related to the pattern of vaccinations: an observational study from rural Gambia. *Vaccine* 2006 May 29;24(22):4701-8.

Aaby P, Vessari H, Nielsen J, Maleta K, Benn CS, Jensen H, et al. Sex differential effects of routine immunizations and childhood survival in rural Malawi. *Pediatr Infect Dis J* 2006 Aug;25(8):721-7.

Aaserud M, Lewin S, Innvaer S, Paulsen EJ, Dahlgren AT, Trommald M, et al. Translating research into policy and practice in developing countries: a case study of magnesium sulphate for pre-eclampsia. *BMC Health Serv Res* 2005 Nov 1;5:68.

Abi-Said D, Annegers JF, Combs-Cantrell D, Suki R, Frankowski RF, Willmore LJ. A case-control evaluation of treatment efficacy: the example of magnesium sulfate prophylaxis against eclampsia in patients with preeclampsia. *J Clin Epidemiol* 1997 Apr;50(4):419-23.

Adam T, Lim SS, Mehta S, Bhutta ZA, Fogstad H, Mathai M, et al. Cost effectiveness analysis of strategies for maternal and neonatal health in developing countries. *BMJ* 2005 Nov 12;331(7525):1107.

Adewole IF, Oladokun A, Okewole AI, Omigbodun AO, Afolabi A, Ekele B, et al. Magnesium sulphate for treatment of eclampsia: the Nigerian experience. *Afr J Med Med Sci* 2000 Sep-Dec;29(3-4):239-41.

Adongo PB, Kirkwood B, Kendall C. How local community knowledge about malaria affects insecticide-treated net use in northern Ghana. *Trop Med Int Health* 2005 Apr;10(4):366-78.

Aguayo VM, Baker SK, Crespin X, Hamani H, Mamadou Taibou A. Maintaining high vitamin A supplementation coverage in children: lessons from Niger. *Food Nutr Bull* 2005 Mar;26(1):26-31.

Aguayo VM, Kone D, Bamba SI, Diallo B, Sidibe Y, Traore D, et al. Acceptability of multiple micronutrient supplements by pregnant and lactating women in Mali. *Public Health Nutr* 2005 Feb;8(1):33-7.

Aguilar, Am, et al. Mortality survey in Bolivia. The final report: investigating and identifying the causes of death for children under five. 1998.

Ahmed R. Magnesium sulphate as an anticonvulsant in the management of eclampsia. *J Coll Physicians Surg Pak* 2004 Oct;14(10):605-7.

Ahorlu CK, Dunyo SK, Afari EA, Koram KA, Nkrumah FK. Malaria-related beliefs and behaviour in southern Ghana: implications for treatment, prevention and control. *Trop Med Int Health* 1997 May;2(5):488-99.

Aikawa R, Jimba M, Nguen KC, Zhao Y, Binns CW, Lee MK. Why do adult women in Vietnam take iron tablets? *BMC Public Health* 2006 Jun 6;6:144.

Aimakhu CO, Olayemi O. Maternal haematocrit and pregnancy outcome in Nigerian women. *West Afr J Med* 2003 Jan-Mar;22(1):18-21.

Ako-Nai AK, Lamikanra AB, Onipede AO. Incidence of pathogenic microorganisms in clinical specimens from hospitals in south-western Nigeria. *East Afr Med J* 1995 Jul;72(7):436-41.

Ali M, Atkinson D, Underwood P. Determinants of use rate of oral rehydration therapy for management of childhood diarrhoea in rural Bangladesh. *J Health Popul Nutr* 2000 Sep;18(2):103-8.

Allen LH. Multiple micronutrients in pregnancy and lactation: An overview. *American Journal of Clinical Nutrition* 2005;81(5):1206S-12S.

Almedom AM, Tesfamichael B, Yacob A, Debretsion Z, Teklehaimanot K, Beyene T, et al. Maternal psychosocial well-being in Eritrea: application of participatory methods and tools of

investigation and analysis in complex emergency settings. *Bull World Health Organ* 2003;81(5):360-6.

Altinkaynak S, Ertekin V, Guraksin A, Kilic A. Effect of several sociodemographic factors on measles immunization in children of Eastern Turkey. *Public Health* 2004 Dec;118(8):565-9.

Altman D, Carroli G, Duley L, Farrell B, Moodley J, Neilson J, et al. Do women with pre-eclampsia, and their babies, benefit from magnesium sulphate? The Magpie Trial: a randomised placebo-controlled trial. *Lancet* 2002 Jun 1;359(9321):1877-90.

Amant F, Spitz B, Timmerman D, Corremans A, Van Assche FA. Misoprostol compared with methylergometrine for the prevention of postpartum haemorrhage: a double-blind randomised trial. *Br J Obstet Gynaecol* 1999 Oct;106(10):1066-70.

Amant F, Swijgers L, Van Assche FA. The use of misoprostol in the prevention of postpartum hemorrhage. *Contemporary Reviews in Obstetrics and Gynaecology* 2000;12(1):41-6.

Anderson T. Prostaglandins for the prevention of PPH. *Pract Midwife* 2005 Jul-Aug;8(7):43-5.

Anderson T. Prophylactic syntometrine vs oxytocin in the third stage of labour. *The practising midwife* 1998;1(10):40-1.

Andrade AL, Martelli CM. Globalisation of Hib vaccination--how far are we? *Lancet* 2005 Jan 1-7;365(9453):5-7.

Angeles-Agdeppa I, Paulino LS, Ramos AC, Etorma UM, Cavalli-Sforza T, Milani S. Government-industry partnership in weekly iron-folic acid supplementation for women of reproductive age in the Philippines: impact on iron status. *Nutr Rev* 2005 Dec;63(12 Pt 2):S116-25.

Antman EM, Lau J, Kupelnick B, Mosteller F, Chalmers TC. A comparison of results of meta-analyses of randomized control trials and recommendations of clinical experts. Treatments for myocardial infarction. *JAMA* 1992 Jul 8;268(2):240-8.

Arguelles MH, Orellana ML, Castello AA, Villegas GA, Masini M, Belizan AL, et al. Measles virus-specific antibody levels in individuals in Argentina who received a one-dose vaccine. *J Clin Microbiol* 2006 Aug;44(8):2733-8.

Arifeen SE, Mahub AQ. A survey of slums in Dhaka metropolitan area, 1991. 1993.

Aristegui J, Dal-Re R, Diez-Delgado J, Mares J, Casanovas JM, Garcia-Corbeira P, et al. Comparison of the reactogenicity and immunogenicity of a combined diphtheria, tetanus, acellular pertussis, hepatitis B, inactivated polio (DTPa-HBV-IPV) vaccine, mixed with the Haemophilus influenzae type b (Hib) conjugate vaccine and administered as a single injection, with the DTPa-IPV/Hib and hepatitis B vaccines administered in two simultaneous injections to infants at 2, 4 and 6 months of age. *Vaccine* 2003 Sep 8;21(25-26):3593-600.

- Aristegui J, Usonis V, Coovadia H, Riedemann S, Win KM, Gatchalian S, et al. Facilitating the WHO expanded program of immunization: the clinical profile of a combined diphtheria, tetanus, pertussis, hepatitis B and Haemophilus influenzae type b vaccine. *Int J Infect Dis* 2003 Jun;7(2):143-51.
- Armstrong-Schellenberg J, Minja H, Mponda H, Kikumbih N, Mushi A, Nathan R, et al. Re-treatment of mosquito nets with insecticide. *Trans R Soc Trop Med Hyg* 2002;96:368-9.
- Arthur P, Kirkwood B, Ross D, Morris S, Gyapong J, Tomkins A, et al. Impact of vitamin A supplementation on childhood morbidity in northern Ghana. *Lancet* 1992 Feb 8;339(8789):361-2.
- Ashwood-Smith H, Coombes Y, Kaimila M, Bokosi M, Lungu K. Availability and use of sulphadoxine-pyrimethamine (SP) in pregnancy in Blantyre District. *Malawi Medical Journal* 2002;14:18-11.
- Atallah AN, Hofmeyr GJ, Duley L. Calcium supplementation during pregnancy for preventing hypertensive disorders and related problems. *Cochrane Database Syst Rev* 2002;(1)(1):CD001059.
- Audet S, Virata-Theimer ML, Beeler JA, Scott DE, Frazier DJ, Mikolajczyk MG, et al. Measles-virus-neutralizing antibodies in intravenous immunoglobulins. *J Infect Dis* 2006 Sep 15;194(6):781-9.
- Aurangzeb B, Nisar YB, Hazir T, Burki F, Hassan M. Clinical outcome in children hospitalized with complicated measles. *J Coll Physicians Surg Pak* 2005 Sep;15(9):547-51.
- Ayisi JG, van Eijk AM, Newman RD, ter Kuile FO, Shi YP, Yang C, et al. Maternal malaria and perinatal HIV transmission, western Kenya. *Emerg Infect Dis* 2004 Apr;10(4):643-52.
- Ayisi JG, van Eijk AM, ter Kuile FO, Kolczak MS, Otieno JA, Misore AO, et al. The effect of dual infection with HIV and malaria on pregnancy outcome in western Kenya. *AIDS* 2003 Mar 7;17(4):585-94.
- Azais-Braesco V, Pascal G. Vitamin A in pregnancy: requirements and safety limits. *Am J Clin Nutr* 2000 May;71(5 Suppl):1325S-33S.
- Azria E, Tsatsaris V, Goffinet F, Kayem G, Mignon A, Cabrol D. Magnesium sulfate in obstetrics: current data. *J Gynecol Obstet Biol Reprod (Paris)* 2004 Oct;33(6 Pt 1):510-7.
- Babaniyi OA. Oral rehydration of children with diarrhoea in Nigeria: a 12-year review of impact on morbidity and mortality from diarrhoeal diseases and diarrhoeal treatment practices. *J Trop Pediatr* 1991 Mar;37(2):57-63.
- Badri M, Maartens G, Mandalia S, Bekker LG, Penrod JR, Platt RW, et al. Cost-effectiveness of highly active antiretroviral therapy in South Africa. *PLoS Med* 2006 Jan;3(1):e4.

Bahl R, Bhandari N, Hambidge KM, Bhan MK. Plasma zinc as a predictor of diarrheal and respiratory morbidity in children in an urban slum setting. *Am J Clin Nutr* 1998 Aug;68(2 Suppl):414S-7S.

Bairagi R, Chowdhury MK, Kim YJ, Curlin GT, Gray RH. The association between malnutrition and diarrhoea in rural Bangladesh. *Int J Epidemiol* 1987 Sep;16(3):477-81.

Bakr AF, Karkour T. Effect of predelivery vaginal antiseptics on maternal and neonatal morbidity and mortality in Egypt. *J Womens Health (Larchmt)* 2005 Jul-Aug;14(6):496-501.

Balint O, Anand K. Infectious and parasitic diseases in Zambian children. *Trop Doct* 1979 Jul;9(3):99-103.

Baltazar JC, Nadera DP, Victora CG. Evaluation of the national control of diarrhoeal disease programme in the Philippines, 1980-93. *Bull World Health Organ* 2002;80(8):637-43.

Baltussen R, Floyd K, Dye C. Cost effectiveness analysis of strategies for tuberculosis control in developing countries. *BMJ* 2005;331:1364.

Bang AT, Bang RA, Baitule SB, Reddy MH, Deshmukh MD. Effect of home-based neonatal care and management of sepsis on neonatal mortality: field trial in rural India. *Lancet* 1999 Dec 4;354(9194):1955-61.

Bang AT, Bang RA, Stoll BJ, Baitule SB, Reddy HM, Deshmukh MD. Is home-based diagnosis and treatment of neonatal sepsis feasible and effective? Seven years of intervention in the Gadchiroli field trial (1996 to 2003). *J Perinatol* 2005 Mar;25 Suppl 1:S62-71.

Bang AT, Reddy HM, Bang RA, Deshmukh MD. Why do neonates die in rural Gadchiroli, India? (Part II): estimating population attributable risks and contribution of multiple morbidities for identifying a strategy to prevent deaths. *J Perinatol* 2005 Mar;25 Suppl 1:S35-43.

Bang AT, Reddy HM, Deshmukh MD, Baitule SB, Bang RA. Neonatal and infant mortality in the ten years (1993 to 2003) of the Gadchiroli field trial: effect of home-based neonatal care. *J Perinatol* 2005 Mar;25 Suppl 1:S92-107.

Banks BA, Cnaan A, Morgan MA, Parer JT, Merrill JD, Ballard PL, et al. Multiple courses of antenatal corticosteroids and outcome of premature neonates. North American Thyrotropin-Releasing Hormone Study Group. *Am J Obstet Gynecol* 1999 Sep;181(3):709-17.

Baqui AH, Jamil K, Jahangir NM, Nahar Q, Paljor N, Silimperi DR. Urban surveillance system--Dhaka: methods and procedure. 1994.

Baqui AH, Black RE, El Arifeen S, Yunus M, Chakraborty J, Ahmed S, et al. Effect of zinc supplementation started during diarrhoea on morbidity and mortality in Bangladeshi children: community randomised trial. *BMJ* 2002 Nov 9;325(7372):1059.

Baqui AH, Black RE, El Arifeen S, Yunus M, Zaman K, Begum N, et al. Zinc therapy for diarrhoea increased the use of oral rehydration therapy and reduced the use of antibiotics in Bangladeshi children. *J Health Popul Nutr* 2004 Dec;22(4):440-2.

Bardenheier B, Yusuf H, Schwartz B, Gust D, Barker L, Rodewald L. Are parental vaccine safety concerns associated with receipt of measles-mumps-rubella, diphtheria and tetanus toxoids with acellular pertussis, or hepatitis B vaccines by children? *Arch Pediatr Adolesc Med* 2004 Jun;158(6):569-75.

Barker K. Diffusion of innovations: A world tour. *Journal of Health Communication* 2004;9(SUPPL. 1):131-7.

Basualdo W, Arbo A. Invasive *Haemophilus influenzae* type b infections in children in Paraguay. *Arch Med Res* 2004 Mar-Apr;35(2):126-33.

Bedford H. Measles and the importance of maintaining vaccination levels. *Nurs Times* 2004 Jun 29-Jul 6;100(26):52-5.

Belfort MA, Anthony J, Saade GR, Allen JC, Jr, Nimodipine Study Group. A comparison of magnesium sulfate and nimodipine for the prevention of eclampsia. *N Engl J Med* 2003 Jan 23;348(4):304-11.

Belizan JM, Villar J, Gonzalez L, Campodonico L, Bergel E. Calcium supplementation to prevent hypertensive disorders of pregnancy. *N Engl J Med* 1991 Nov 14;325(20):1399-405.

Bell JG, Keen CL, Lonnerdal B. Effect of infant cereals on zinc and copper absorption during weaning. *Am J Dis Child* 1987 Oct;141(10):1128-32.

Berger J, Thanh HT, Cavalli-Sforza T, Smitasiri S, Khan NC, Milani S, et al. Community mobilization and social marketing to promote weekly iron-folic acid supplementation in women of reproductive age in Vietnam: impact on anemia and iron status. *Nutr Rev* 2005 Dec;63(12 Pt 2):S95-108.

Bern C, Martines J, de Zoysa I, Glass RI. The magnitude of the global problem of diarrhoeal disease: a ten-year update. *Bull World Health Organ* 1992;70(6):705-14.

Bernatoniene J, Finn A. Advances in pneumococcal vaccines: advantages for infants and children. *Drugs* 2005;65(2):229-55.

Bero LA, Grilli R, Grimshaw JM, Harvey E, Oxman AD, Thomson MA. Closing the gap between research and practice: an overview of systematic reviews of interventions to promote the implementation of research findings. The Cochrane Effective Practice and Organization of Care Review Group. *BMJ* 1998 Aug 15;317(7156):465-8.

Berrington JE, Cant AJ, Matthews JN, O'Keefe M, Spickett GP, Fenton AC. *Haemophilus influenzae* type b immunization in infants in the United Kingdom: effects of

diphtheria/tetanus/acellular pertussis/Hib combination vaccine, significant prematurity, and a fourth dose. *Pediatrics* 2006 Apr;117(4):e717-24.

Bertley FM, Ibrahim SA, Libman M, Ward BJ. Measles vaccination in the presence of maternal antibodies primes for a balanced humoral and cellular response to revaccination. *Vaccine* 2004 Dec 9;23(4):444-9.

Bertrand JT. Diffusion of innovations and HIV/AIDS. *J Health Commun* 2004;9 Suppl 1:113-21.

Beun MH, Wood SK. Acceptability and use of clean home delivery kits in Nepal: a qualitative study. *J Health Popul Nutr* 2003 Dec;21(4):367-73.

Bhandari N, Bahl R, Hambidge KM, Bhan MK. Increased diarrhoeal and respiratory morbidity in association with zinc deficiency--a preliminary report. *Acta Paediatr* 1996 Feb;85(2):148-50.

Bhatia JC. Levels and causes of maternal mortality in southern India. *Stud Fam Plann* 1993 Sep-Oct;24(5):310-8.

Bhuiyan AB, Mukherjee S, Acharya S, Haider SJ, Begum F. Evaluation of a Skilled Birth Attendant pilot training program in Bangladesh. *Int J Gynaecol Obstet* 2005 Jul;90(1):56-60.

Bhutta ZA, Bird SM, Black RE, Brown KH, Gardner JM, Hidayat A, et al. Therapeutic effects of oral zinc in acute and persistent diarrhea in children in developing countries: pooled analysis of randomized controlled trials. *Am J Clin Nutr* 2000 Dec;72(6):1516-22.

Bhutta ZA, Black RE, Brown KH, Gardner JM, Gore S, Hidayat A, et al. Prevention of diarrhea and pneumonia by zinc supplementation in children in developing countries: pooled analysis of randomized controlled trials. Zinc Investigators' Collaborative Group. *J Pediatr* 1999 Dec;135(6):689-97.

Bhutta ZA, Darmstadt GL, Hasan BS, Haws RA. Community-based interventions for improving perinatal and neonatal health outcomes in developing countries: a review of the evidence. *Pediatrics* 2005 Feb;115(2 Suppl):519-617.

Biddlecom A, Bankole A, Patterson K. Vaccine for cervical cancer: reaching adolescents in sub-Saharan Africa. *Lancet* 2006 Apr 22;367(9519):1299-300.

Biggar RJ, Miotti PG, Taha TE, Mtimavalye L, Broadhead R, Justesen A, et al. Perinatal intervention trial in Africa: effect of a birth canal cleansing intervention to prevent HIV transmission. *Lancet* 1996 Jun 15;347(9016):1647-50.

Bilous J, Eggers R, Gasse F, Jarrett S, Lydon P, Magan A, et al. A new global immunisation vision and strategy. *Lancet* 2006 May 6;367(9521):1464-6.

Biritwum RB, Isomura S, Assoku A, Torigoe S. Growth and diarrhoeal disease surveillance in a rural Ghanaian pre-school child population. *Trans R Soc Trop Med Hyg* 1986;80(2):208-13.

Black N, Donald A. Evidence based policy: proceed with care Commentary: research must be taken seriously. *BMJ* 2001 August 4;323(7307):275-9.

Black RE. Persistent diarrhea in children of developing countries. *Pediatr Infect Dis J* 1993 Sep;12(9):751,61; discussion 762-4.

Black RE, Brown KH, Becker S. Malnutrition is a determining factor in diarrheal duration, but not incidence, among young children in a longitudinal study in rural Bangladesh. *Am J Clin Nutr* 1984 Jan;39(1):87-94.

Black RE, Merson MH, Rahman AS, Yunus M, Alim AR, Huq I, et al. A two-year study of bacterial, viral, and parasitic agents associated with diarrhea in rural Bangladesh. *J Infect Dis* 1980 Nov;142(5):660-4.

Black RE, Morris SS, Bryce J. Where and why are 10 million children dying every year? *Lancet* 2003 Jun 28;361(9376):2226-34.

Black S, Shinefield H, Fireman B, Lewis E, Ray P, Hansen JR, et al. Efficacy, safety and immunogenicity of heptavalent pneumococcal conjugate vaccine in children. Northern California Kaiser Permanente Vaccine Study Center Group. *Pediatr Infect Dis J* 2000 Mar;19(3):187-95.

Blair PS, Sidebotham P, Berry PJ, Evans M, Fleming PJ. Major epidemiological changes in sudden infant death syndrome: a 20-year population-based study in the UK. *Lancet* 2006 Jan 28;367(9507):314-9.

Bloland PB, Kazembe PN, Oloo AJ, Himonga B, Barat LM, Ruebush TK. Chloroquine in Africa: critical assessment and recommendations for monitoring and evaluating chloroquine therapy efficacy in sub-Saharan Africa. *Trop Med Int Health* 1998 Jul;3(7):543-52.

Bolam A, Manandhar DS, Shrestha P, Ellis M, Malla K, Costello AM. Factors affecting home delivery in the Kathmandu Valley, Nepal. *Health Policy Plan* 1998 Jun;13(2):152-8.

Bonair A, Rosenfield P, Tengvald K. Medical technologies in developing countries: issues of technology development, transfer, diffusion and use. *Soc Sci Med* 1989;28(8):769-81.

Borghi J, Ensor T, Neupane BD, Tiwari S. Financial implications of skilled attendance at delivery in Nepal. *Trop Med Int Health* 2006 Feb;11(2):228-37.

Borghi J, Ensor T, Somanathan A, Lissner C, Mills A, Lancet Maternal Survival Series steering group. Mobilising financial resources for maternal health. *Lancet* 2006 Oct 21;368(9545):1457-65.

Borghi J, Thapa B, Osrin D, Jan S, Morrison J, Tamang S, et al. Economic assessment of a women's group intervention to improve birth outcomes in rural Nepal. *Lancet* 2005 Nov 26;366(9500):1882-4.

Borus PK. Missed opportunities and inappropriately given vaccines reduce immunisation coverage in facilities that serve slum areas of Nairobi. *East Afr Med J* 2004 Mar;81(3):124-9.

Boseley S. Jaime Sepulveda: Mexico's passionate proponent of public health. *Lancet* 2006 Dec 2;368(9551):1957.

Bosu WK, Essel-Ahun M, Adjei S, Strebel P. Progress in the control of measles in Ghana, 1980-2000. *J Infect Dis* 2003 May 15;187 Suppl 1:S44-50.

Botet Asensi FI, Veronese A, Del Carmen Otero M, Desamparados Tamarit Perez M, Hontangas Lopez JL, Viviani S. Immunogenicity and safety in infants of a DTwPHib full liquid vaccine. *Acta Paediatr* 2003 May;92(5):541-5.

Brabin L, Brabin BJ. HIV, malaria and beyond: reducing the disease burden of female adolescents. *Malar J* 2005 Jan 10;4:2.

Brahmbhatt H, Kigozi G, Wabwire-Mangen F, Serwadda D, Sewankambo N, Lutalo T, et al. The effects of placental malaria on mother-to-child HIV transmission in Rakai, Uganda. *AIDS* 2003 Nov 21;17(17):2539-41.

Braithwaite RS, Tsevat J. Is antiretroviral therapy cost-effective in South Africa? *PLoS Med* 2006 Jan;3(1):e60.

Breman JG, Alilio MS, Mills A. Conquering the intolerable burden of malaria: what's new, what's needed: a summary. *Am J Trop Med Hyg* 2004 Aug;71(2 Suppl):1-15.

Briend A. Is diarrhoea a major cause of malnutrition among the under-fives in developing countries? A review of available evidence. *Eur J Clin Nutr* 1990 Sep;44(9):611-28.

Briggs GG, Wan SR. Drug therapy during labor and delivery, part 2. *Am J Health Syst Pharm* 2006 Jun 15;63(12):1131-9.

Briggs GG, Wan SR. Drug therapy during labor and delivery, part 1. *Am J Health Syst Pharm* 2006 Jun 1;63(11):1038-47.

Brinsmead R, Hill S, Walker D. Are economic evaluations of vaccines useful to decision-makers? Case study of *Haemophilus influenzae* type b vaccines. *Pediatr Infect Dis J* 2004 Jan;23(1):32-7.

Broutin H, Mantilla-Beniers NB, Simondon F, Aaby P, Grenfell BT, Guegan JF, et al. Epidemiological impact of vaccination on the dynamics of two childhood diseases in rural Senegal. *Microbes Infect* 2005 Apr;7(4):593-9.

Brown KH, Peerson JM, Rivera J, Allen LH. Effect of supplemental zinc on the growth and serum zinc concentrations of prepubertal children: a meta-analysis of randomized controlled trials. *Am J Clin Nutr* 2002 Jun;75(6):1062-71.

- Browne EN, Maude GH, Binka FN. The impact of insecticide-treated bednets on malaria and anaemia in pregnancy in Kassena-Nankana district, Ghana: a randomized controlled trial. *Trop Med Int Health* 2001 Sep;6(9):667-76.
- Bryce J, Black RE, Walker N, Bhutta ZA, Lawn JE, Steketee RW. Can the world afford to save the lives of 6 million children each year? *Lancet* 2005 Jun 25-Jul 1;365(9478):2193-200.
- Bryce J, Boschi-Pinto C, Shibuya K, Black RE, WHO Child Health Epidemiology Reference Group. WHO estimates of the causes of death in children. *Lancet* 2005 Mar 26-Apr 1;365(9465):1147-52.
- Bryce J, El Arifeen S, Bhutta ZA, Black RE, Claeson M, Gillespie D, et al. Getting it right for children: a review of UNICEF joint health and nutrition strategy for 2006-15. *Lancet* 2006 Sep 2;368(9538):817-9.
- Bryce J, el Arifeen S, Pariyo G, Lanata C, Gwatkin D, Habicht JP, et al. Reducing child mortality: can public health deliver? *Lancet* 2003 Jul 12;362(9378):159-64.
- Bryce J, Rounrou JB, Nguyen-Dinh P, Naimoli JF, Breman JG. Evaluation of national malaria control programmes in Africa. *Bull World Health Organ* 1994;72(3):371-81.
- Bryce J, Terreri N, Victora CG, Mason E, Daelmans B, Bhutta ZA, et al. Countdown to 2015: tracking intervention coverage for child survival. *Lancet* 2006 Sep 23;368(9541):1067-76.
- Bryce J, Victora CG, Habicht JP, Vaughan JP, Black RE. The multi-country evaluation of the integrated management of childhood illness strategy: lessons for the evaluation of public health interventions. *Am J Public Health* 2004 Mar;94(3):406-15.
- Bucher HC, Guyatt GH, Cook RJ, Hatala R, Cook DJ, Lang JD, et al. Effect of calcium supplementation on pregnancy-induced hypertension and preeclampsia: a meta-analysis of randomized controlled trials. *JAMA* 1996 Apr 10;275(14):1113-7.
- Burman LG, Christensen P, Christensen K, Fryklund B, Helgesson AM, Svenningsen NW, et al. Prevention of excess neonatal morbidity associated with group B streptococci by vaginal chlorhexidine disinfection during labour. The Swedish Chlorhexidine Study Group. *Lancet* 1992 Jul 11;340(8811):65-9.
- Busby A, Abramsky L, Dolk H, Armstrong B, Addor MC, Anneren G, et al. Preventing neural tube defects in Europe: a missed opportunity. *Reprod Toxicol* 2005 Sep-Oct;20(3):393-402.
- Buse K, Harmer AM. Seven habits of highly effective global public-private health partnerships: practice and potential. *Soc Sci Med* 2007 Jan;64(2):259-71.
- Buse K, Martin-Hilber A, Widyantoro N, Hawkes SJ. Management of the politics of evidence-based sexual and reproductive health policy. *Lancet* 2006 Dec 9;368(9552):2101-3.

Buttery JP, Riddell A, McVernon J, Chantler T, Lane L, Bowen-Morris J, et al. Immunogenicity and safety of a combination pneumococcal-meningococcal vaccine in infants: a randomized controlled trial. *JAMA* 2005 Apr 13;293(14):1751-8.

Caines K, Buse K, Carlson C, de Loor R, Druce N, Grace C, et al. Assessing the impact of global health partnerships. 2004:1--48.

Caliskan E, Dilbaz B, Meydanli MM, Ozturk N, Narin MA, Haberal A. Oral misoprostol for the third stage of labor: a randomized controlled trial. *Obstet Gynecol* 2003 May;101(5 Pt 1):921-8.

Campbell OM, Graham WJ, Lancet Maternal Survival Series steering group. Strategies for reducing maternal mortality: getting on with what works. *Lancet* 2006 Oct 7;368(9543):1284-99.

Cantrelle P, Diop IL, Garenne M, Gueye M, Sadio A. The profile of mortality and its determinants in Senegal, 1960-1980. In: *Determinants of Mortality Change and Differentials in Developing Countries*. New Yorks: United Nations; 1986. p.89-116.

Carlough M, McCall M. Skilled birth attendance: what does it mean and how can it be measured? A clinical skills assessment of maternal and child health workers in Nepal. *Int J Gynaecol Obstet* 2005 May;89(2):200-8.

Casanueva E, Viteri FE, Mares-Galindo M, Meza-Camacho C, Loria A, Schnaas L, et al. Weekly iron as a safe alternative to daily supplementation for nonanemic pregnant women. *Arch Med Res* 2006 Jul;37(5):674-82.

Castillo-Duran C, Rodriguez A, Venegas G, Alvarez P, Icaza G. Zinc supplementation and growth of infants born small for gestational age. *J Pediatr* 1995 Aug;127(2):206-11.

Cavalli-Sforza T, Berger J, Smitasiri S, Viteri F. Weekly iron-folic acid supplementation of women of reproductive age: impact overview, lessons learned, expansion plans, and contributions toward achievement of the millennium development goals. *Nutr Rev* 2005 Dec;63(12 Pt 2):S152-8.

Centers for Disease Control and Prevention (CDC). Effects of measles-control activities--African region, 1999-2005. *MMWR Morb Mortal Wkly Rep* 2006 Sep 22;55(37):1017-21.

Centers for Disease Control and Prevention (CDC). National, state, and urban area vaccination coverage among children aged 19-35 months--United States, 2005. *MMWR Morb Mortal Wkly Rep* 2006 Sep 15;55(36):988-93.

Centers for Disease Control and Prevention (CDC). Vaccine preventable deaths and the Global Immunization Vision and Strategy, 2006-2015. *MMWR Morb Mortal Wkly Rep* 2006 May 12;55(18):511-5.

Chan P, Brown M, Simpson JM, Davis G. Proteinuria in pre-eclampsia: how much matters? *BJOG* 2005 Mar;112(3):280-5.

Chandhiok N, Dhillon BS, Datey S, Mathur A, Saxena NC. Oral misoprostol for prevention of postpartum hemorrhage by paramedical workers in India. *Int J Gynaecol Obstet* 2006 Feb;92(2):170-5.

Chandra S, Persad V, Young D, Baskett T. A preliminary study of cutaneous blood flow associated with postpartum use of oral misoprostol. *J Obstet Gynaecol Can* 2004 Dec;26(12):1073-6.

Chang SC, O'Brien KO, Nathanson MS, Mancini J, Witter FR. Hemoglobin concentrations influence birth outcomes in pregnant African-American adolescents. *J Nutr* 2003 Jul;133(7):2348-55.

Cherian T, Varkki S, Raghupathy P, Ratnam S, Chandra RK. Effect of Vitamin A supplementation on the immune response to measles vaccination. *Vaccine* 2003 Jun 2;21(19-20):2418-20.

Chhabra S, Kaipa A, Kakani A. Reduction in maternal mortality due to sepsis. *J Obstet Gynaecol* 2005 Feb;25(2):140-2.

Chien PF, Khan KS, Arnott N. Magnesium sulphate in the treatment of eclampsia and pre-eclampsia: an overview of the evidence from randomised trials. *Br J Obstet Gynaecol* 1996 Nov;103(11):1085-91.

Chien YC, Jan CF, Kuo HS, Chen CJ. Nationwide hepatitis B vaccination program in Taiwan: effectiveness in the 20 years after it was launched. *Epidemiol Rev* 2006;28:126-35.

Chin RKH. Storage of Syntometrine in the labour ward. *Asia-Oceania Journal of Obstetrics and Gynaecology* 1994;20(2):223.

Ching P, Birmingham M, Goodman T, Sutter R, Loevinsohn B. Childhood mortality impact and costs of integrating vitamin A supplementation into immunization campaigns. *Am J Public Health* 2000 Oct;90(10):1526-9.

Chissell S, Botha JH, Moodley J, McFadyen L. Intravenous and intramuscular magnesium sulphate regimens in severe pre-eclampsia. *S Afr Med J* 1994 Sep;84(9):607-10.

Chong YS, Chua S, Arulkumaran S. Severe hyperthermia following oral misoprostol in the immediate postpartum period. *Obstet Gynecol* 1997 Oct;90(4 Pt 2):703-4.

Chong YS, Chua S, El-Refaey H, Choo WL, Chanrachakul B, Tai BC, et al. Postpartum intrauterine pressure studies of the uterotonic effect of oral misoprostol and intramuscular syntometrine. *British Journal of Obstetrics and Gynaecology* 2001;108(1):41-7.

Chong YS, Su LL, Arulkumaran S. Current strategies for the prevention of postpartum haemorrhage in the third stage of labour. *Curr Opin Obstet Gynecol* 2004 Apr;16(2):143-50.

Chong Y, Su L. Misoprostol for preventing PPH: some lessons learned. *The Lancet* ;368(9543):1216-8.

Chongsuvivatwong V, Bujakorn L, Kanpoy V, Treetrong R. Control of neonatal tetanus in southern Thailand. *Int J Epidemiol* 1993 Oct;22(5):931-5.

Chotard J, Inskip HM, Hall AJ, Loik F, Mendy M, Whittle H, et al. The Gambia Hepatitis Intervention Study: follow-up of a cohort of children vaccinated against hepatitis B. *J Infect Dis* 1992 Oct;166(4):764-8.

Chowdhury AM, Karim F, Sarkar SK, Cash RA, Bhuiya A. The status of ORT (oral rehydration therapy) in Bangladesh: how widely is it used? *Health Policy Plan* 1997 Mar;12(1):58-66.

Chowdhury F, Khan AI, Hossain MI, Malek MA, Faruque AS, Ahmed T, et al. Young children non-immunized against measles: characteristics and programmatic implications. *Acta Paediatr* 2006 Jan;95(1):44-9.

Choy CM, Lau WC, Tam WH, Yuen PM. A randomised controlled trial of intramuscular syntometrine and intravenous oxytocin in the management of the third stage of labour. *BJOG* 2002 Feb;109(2):173-7.

Christensen KK, Christensen P, Dykes AK, Kahlmeter G. Chlorhexidine for prevention of neonatal colonization with group B streptococci. III. Effect of vaginal washing with chlorhexidine before rupture of the membranes. *Eur J Obstet Gynecol Reprod Biol* 1985 Apr;19(4):231-6.

Christian P, Shrestha J, LeClerq SC, Khattry SK, Jiang T, Wagner T, et al. Supplementation with micronutrients in addition to iron and folic acid does not further improve the hematologic status of pregnant women in rural Nepal. *J Nutr* 2003 Nov;133(11):3492-8.

Christian P, Sommer A, West KP,Jr, Nepal Nutrition Intervention Project, Sarlahi, JiVita Bangladesh Project. Reducing maternal mortality where rates are greatest. *Lancet* 2006 Dec 16;368(9553):2122-3.

Christian P, West KP,Jr, Katz J, Kimbrough-Pradhan E, LeClerq SC, Khattry SK, et al. Cigarette smoking during pregnancy in rural Nepal. Risk factors and effects of beta-carotene and vitamin A supplementation. *Eur J Clin Nutr* 2004 Feb;58(2):204-11.

Christian P, West KP,Jr, Khattry SK, Kimbrough-Pradhan E, LeClerq SC, Katz J, et al. Night blindness during pregnancy and subsequent mortality among women in Nepal: effects of vitamin A and beta-carotene supplementation. *Am J Epidemiol* 2000 Sep 15;152(6):542-7.

Christian P, West KP, Khattry SK, Leclerq SC, Pradhan EK, Katz J, et al. Effects of maternal micronutrient supplementation on fetal loss and infant mortality: a cluster-randomized trial in Nepal. *Am J Clin Nutr* 2003 Dec;78(6):1194-202.

- Chuih A. Malaria control activities in Mvumi - Dodoma Rural from 1994 to July 1996. District Medical Health report, Dodoma rural District Dodoma, Tanzania 1996.
- Chvapil M. New aspects in the biological role of zinc: a stabilizer of macromolecules and biological membranes. *Life Sci* 1973 Oct 16;13(8):1041-9.
- Claeson M, Gillespie D, Mshinda H, Troedsson H, Victora CG, Bellagio Study Group on Child Survival. Knowledge into action for child survival. *Lancet* 2003 Jul 26;362(9380):323-7.
- Cliff J, Simango A, Augusto O, Van Der Paal L, Biellik R. Failure of targeted urban supplemental measles vaccination campaigns (1997-1999) to prevent measles epidemics in Mozambique (1998-2001). *J Infect Dis* 2003 May 15;187 Suppl 1:S51-7.
- Coetzee EJ, Dommissie J, Anthony J. A randomised controlled trial of intravenous magnesium sulphate versus placebo in the management of women with severe pre-eclampsia. *Br J Obstet Gynaecol* 1998 Mar;105(3):300-3.
- Cohen BJ, Parry RP, Doblas D, Samuel D, Warrenner L, Andrews N, et al. Measles immunity testing: comparison of two measles IgG ELISAs with plaque reduction neutralisation assay. *J Virol Methods* 2006 Feb;131(2):209-12.
- Committee on Obstetric P. ACOG committee opinion: antenatal corticosteroid therapy for fetal maturation. *Obstet Gynecol* 2002 May;99(5 Pt 1):871-3.
- Condous GS, Arulkumaran S. Medical and conservative surgical management of postpartum hemorrhage. *J Obstet Gynaecol Can* 2003 Nov;25(11):931-6.
- Cook CM, Spurrett B, Murray H. A randomized clinical trial comparing oral misoprostol with synthetic oxytocin or syntometrine in the third stage of labour. *Aust N Z J Obstet Gynaecol* 1999 Nov;39(4):414-9.
- Cooper WO, Boyce TG, Wright PF, Griffin MR. Do childhood vaccines have non-specific effects on mortality? *Bull World Health Organ* 2003;81(11):821-6.
- Corbett EL, Marston B, Churchyard GJ, De Cock KM. Tuberculosis in sub-Saharan Africa: opportunities, challenges, and change in the era of antiretroviral treatment. *The Lancet* ;367(9514):926-37.
- Cornel MC, de Smit DJ, de Jong-van den Berg, L.T. Folic acid--the scientific debate as a base for public health policy. *Reprod Toxicol* 2005 Sep-Oct;20(3):411-5.
- Costello A, Azad K, Barnett S. An alternative strategy to reduce maternal mortality. *Lancet* 2006 Oct 28;368(9546):1477-9.
- Costello A, Osrin D. The case for a new Global Fund for maternal, neonatal, and child survival. *Lancet* 2005 Aug 13-19;366(9485):603-5.

Costello A, Zumla A. Moving to research partnerships in developing countries. *BMJ* 2000 Sep 30;321(7264):827-9.

Cowgill KD, Ndiritu M, Nyiro J, Slack MP, Chipchasi S, Ismail A, et al. Effectiveness of *Haemophilus influenzae* type b Conjugate vaccine introduction into routine childhood immunization in Kenya. *JAMA* 2006 Aug 9;296(6):671-8.

Crape BL, Kenefick E, Cavalli-Sforza T, Busch-Hallen J, Milani S, Kanak K. Positive impact of a weekly iron-folic acid supplement delivered with social marketing to Cambodian women: compliance, participation, and hemoglobin levels increase with higher socioeconomic status. *Nutr Rev* 2005 Dec;63(12 Pt 2):S134-8.

Crowley P. Prophylactic corticosteroids for preterm birth. *Cochrane Database Syst Rev* 2000;(2)(2):CD000065.

Crowther C. Magnesium sulphate versus diazepam in the management of eclampsia: a randomized controlled trial. *Br J Obstet Gynaecol* 1990 Feb;97(2):110-7.

Crowther CA, Harding J. Repeat doses of prenatal corticosteroids for women at risk of preterm birth for preventing neonatal respiratory disease. *Cochrane Database Syst Rev* 2003;(3)(3):CD003935.

Crowther CA, Haslam RR, Hiller JE, Doyle LW, Robinson JS, Australasian Collaborative Trial of Repeat Doses of Steroids (ACTORDS) Study Group. Neonatal respiratory distress syndrome after repeat exposure to antenatal corticosteroids: a randomised controlled trial. *Lancet* 2006 Jun 10;367(9526):1913-9.

Crowther CA, Hiller JE, Doyle LW. Magnesium sulphate for preventing preterm birth in threatened preterm labour. *Cochrane Database Syst Rev* 2002;(4)(4):CD001060.

Crowther CA, Hiller JE, Pridmore B, Bryce R, Duggan P, Hague WM, et al. Calcium supplementation in nulliparous women for the prevention of pregnancy-induced hypertension, preeclampsia and preterm birth: an Australian randomized trial. *FRACOG and the ACT Study Group. Aust N Z J Obstet Gynaecol* 1999 Feb;39(1):12-8.

Cui FQ, Gofin R. Immunization coverage and its determinants in children aged 12-23 months in Gansu, China. *Vaccine* 2006 Sep 1.

Cummings DA, Moss WJ, Long K, Wiysonge CS, Muluh TJ, Kollo B, et al. Improved measles surveillance in Cameroon reveals two major dynamic patterns of incidence. *Int J Infect Dis* 2006 Mar;10(2):148-55.

Cunha BA. Smallpox and measles: historical aspects and clinical differentiation. *Infect Dis Clin North Am* 2004 Mar;18(1):79-100.

Dabire RK, Diabate A, Baldet T, Pare-Toe L, Guiguemde RT, Ouedraogo JB, et al. Personal protection of long lasting insecticide-treated nets in areas of *Anopheles gambiae* s.s. resistance to pyrethroids. *Malar J* 2006 Feb 10;5:12.

D'Alessandro U, Langerock P, Bennett S, Francis N, Cham K, Greenwood BM. The impact of a national impregnated bed net programme on the outcome of pregnancy in primigravidae in The Gambia. *Trans R Soc Trop Med Hyg* 1996 Sep-Oct;90(5):487-92.

D'Alessandro U, Olaleye BO, McGuire W, Langerock P, Bennett S, Aikins MK, et al. Mortality and morbidity from malaria in Gambian children after introduction of an impregnated bednet programme. *Lancet* 1995 Feb 25;345(8948):479-83.

Dalmiya N, Palmer A, Darnton-Hill I. Sustaining vitamin A supplementation requires a new vision. *Lancet* 2006 Sep 23;368(9541):1052-4.

Dannetun E, Tegnell A, Hermansson G, Giesecke J. Parents' reported reasons for avoiding MMR vaccination. A telephone survey. *Scand J Prim Health Care* 2005 Sep;23(3):149-53.

Dargaville PA, Campbell NT. Overdose of ergometrine in the newborn infant: Acute symptomatology and long-term outcome. *Journal of Paediatrics and Child Health* 1998;34(1):83-9.

Darmstadt GL, Bhutta ZA, Cousens S, Adam T, Walker N, de Bernis L, et al. Evidence-based, cost-effective interventions: how many newborn babies can we save? *Lancet* 2005 Mar 12-18;365(9463):977-88.

Darmstadt GL, Dinulos JG. Neonatal skin care. *Pediatr Clin North Am* 2000 Aug;47(4):757-82.

Darney PD. Misoprostol: a boon to safe motherhood...or not? *The Lancet* 2001/9/1;358(9283):682-3.

Dasgupta S, Karmakar PR, Mandal NK, Roy RP, Mallik S, Mandal AK. Routine primary immunization: status in two district of West Bengal. *Indian J Public Health* 2005 Oct-Dec;49(4):223-6.

Dastur FD, Shastry P, Iyer E, Awatramani V, Raut S, Mehta SD, et al. The foetal immune response to maternal tetanus toxoid immunization. *J Assoc Physicians India* 1993 Feb;41(2):94-6.

Daulaire NM, Starbuck ES, Houston RM, Church MS, Stukel TA, Pandey MR. Childhood mortality after a high dose of vitamin A in a high risk population. *BMJ* 1992 Jan 25;304(6821):207-10.

Davies GA, Tessier JL, Woodman MC, Lipson A, Hahn PM. Maternal hemodynamics after oxytocin bolus compared with infusion in the third stage of labor: a randomized controlled trial. *Obstet Gynecol* 2005 Feb;105(2):294-9.

Dayan GH, Cairns L, Sangrujee N, Mtonga A, Nguyen V, Strebel P. Cost-effectiveness of three different vaccination strategies against measles in Zambian children. *Vaccine* 2004 Jan 2;22(3-4):475-84.

de Almeida AE, de Filippis I, Abreu AO, Ferreira DG, Gemal AL, Marzochi KB. Occurrence of *Haemophilus influenzae* strains in three Brazilian states since the introduction of a conjugate *Haemophilus influenzae* type b vaccine. *Braz J Med Biol Res* 2005 May;38(5):777-81.

de Andrade AL, de Andrade JG, Martelli CM, e Silva SA, de Oliveira RM, Costa MS, et al. Effectiveness of *Haemophilus influenzae* b conjugate vaccine on childhood pneumonia: a case-control study in Brazil. *Int J Epidemiol* 2004 Feb;33(1):173-81.

de Benoist B, Darnton-Hill I, Lynch S, Allen L, Savioli L. Zinc and iron supplementation trials in Nepal and Tanzania. *The Lancet* ;367(9513):816-.

de Mol P, Brasseur D, Hemelhof W, Kalala T, Butzler JP, Vis HL. Enteropathogenic agents in children with diarrhoea in rural Zaire. *Lancet* 1983 Mar 5;1(8323):516-8.

De Pee S, West CE, Muhilal, Karyadi D, Hautvast JGAJ. Lack of improvement in vitamin A status with increased consumption of dark-green leafy vegetables. *Lancet* 1995;346(8967):75-81.

De Pee S, West CE, Permaesih D, Martuti S, Muhilal, Hautvast JGAJ. Orange fruit is more effective than are dark-green, leafy vegetables in increasing serum concentrations of retinol and β -carotene in school children in Indonesia. *American Journal of Clinical Nutrition* 1998;68(5):1058-67.

de Quadros CA. Is global measles eradication feasible? *Curr Top Microbiol Immunol* 2006;304:153-63.

de Quadros CA, editor. *Vaccines: Preventing Disease & Protecting Health*. Scientific and Technical Publication No. 596 ed. Washington, D.C.: Pan American Health Organization; 2004.

de Quadros CA. Is Global Measles Eradication Feasible? In: de Quadros CA, editor. *Vaccines: Preventing Disease & Protecting Health*. Washington, D.C.: Pan American Health Organization; 2004. p.35--42.

de Quadros CA. A Century of Vaccines and Immunization in the Americas. In: de Quadros CA, editor. *Vaccines: Preventing Disease & Protecting Health*. Washington, D.C.: Pan American Health Organization; 2004. p.13--19.

de Zoysa I, Carson D, Feachem R, Kirkwood B, Lindsay-Smith E, Loewenson R. Perceptions of childhood diarrhoea and its treatment in rural Zimbabwe. *Soc Sci Med* 1984;19(7):727-34.

De Zoysa I, Carson D, Feachem R, Kirkwood B, Lindsay-Smith E, Loewenson R. Home-based oral rehydration therapy in rural Zimbabwe. *Trans R Soc Trop Med Hyg* 1984;78(1):102-5.

Delamonica E, Minujin A, Gulaid J. Monitoring equity in immunization coverage. *Bull World Health Organ* 2005 May;83(5):384-91.

Deming MS, ROUNGOU JB, Kristiansen M, Heron I, Yango A, Guenengafo A, et al. Tetanus toxoid coverage as an indicator of serological protection against neonatal tetanus. *Bull World Health Organ* 2002;80(9):696-703.

Derman RJ, Kodkany BS, Goudar SS, Geller SE, Naik VA, Bellad M, et al. Oral misoprostol in preventing postpartum haemorrhage in resource-poor communities: a randomised controlled trial. *The Lancet* ;368(9543):1248-53.

DerSimonian R, Levine RJ. Resolving discrepancies between a meta-analysis and a subsequent large controlled trial. *JAMA* 1999 Aug 18;282(7):664-70.

Desai MR, Holtz TH, Helfand R, Terlouw DJ, Wannemuehler KA, Kariuki SK, et al. Relationship of measles vaccination with anaemia and malaria in western Kenya. *Trop Med Int Health* 2005 Nov;10(11):1099-107.

Deshmukh V. MMR vaccination: new thought. *Indian Pediatr* 2006 Jun;43(6):555-6.

Devrim E, Tarhan I, Erguder IB, Durak I. Oxidant/Antioxidant Status of Placenta, Blood, and Cord Blood Samples From Pregnant Women Supplemented With Iron. *J Soc Gynecol Investig* 2006 Sep 19.

Dietz V, Milstien JB, van Loon F, Cochi S, Bennett J. Performance and potency of tetanus toxoid: implications for eliminating neonatal tetanus. *Bull World Health Organ* 1996;74(6):619-28.

Dikassa L, Mock N, Magnani R, Rice J, Abdoh A, Mercer D, et al. Maternal behavioural risk factors for severe childhood diarrhoeal disease in Kinshasa, Zaire. *Int J Epidemiol* 1993 Apr;22(2):327-33.

Dine MS, Hutchins SS, Thomas A, Williams I, Bellini WJ, Redd SC. Persistence of vaccine-induced antibody to measles 26-33 years after vaccination. *J Infect Dis* 2004 May 1;189 Suppl 1:S123-30.

Doherty CP, Sarkar MA, Shakur MS, Ling SC, Elton RA, Cutting WA. Zinc and rehabilitation from severe protein-energy malnutrition: higher-dose regimens are associated with increased mortality. *Am J Clin Nutr* 1998 Sep;68(3):742-8.

Dombkowski KJ, Lantz PM, Freed GL. Risk factors for delay in age-appropriate vaccination. *Public Health Rep* 2004 Mar-Apr;119(2):144-55.

Dominguez SR, Daum RS. Toward global *Haemophilus influenzae* type b immunization. *Clin Infect Dis* 2003 Dec 15;37(12):1600-2.

Dubray C, Gervelmeyer A, Djibo A, Jeanne I, Fermon F, Soulier MH, et al. Late vaccination reinforcement during a measles epidemic in Niamey, Niger (2003-2004). *Vaccine* 2006 May 1;24(18):3984-9.

Dukes MN. Priority medicines and the world. *Bull World Health Organ* 2005 May;83(5):324.

Duley L. Evidence and practice: the magnesium sulphate story. *Best Pract Res Clin Obstet Gynaecol* 2005 Feb;19(1):57-74.

Duley L. Pre-eclampsia and the hypertensive disorders of pregnancy. *Br Med Bull* 2003;67:161-76.

Duley L. Magnesium sulphate regimens for women with eclampsia: messages from the Collaborative Eclampsia Trial. *Br J Obstet Gynaecol* 1996 Feb;103(2):103-5.

Duley L, Gulmezoglu AM. Magnesium sulphate versus lytic cocktail for eclampsia. *Cochrane Database Syst Rev* 2001;(1)(1):CD002960.

Duley L, Gulmezoglu AM, Henderson-Smart DJ. Magnesium sulphate and other anticonvulsants for women with pre-eclampsia. *Cochrane Database Syst Rev* 2003;(2)(2):CD000025.

Duley L, Henderson-Smart D. Magnesium sulphate versus phenytoin for eclampsia. *Cochrane Database Syst Rev* 2003;(4)(4):CD000128.

Duley L, Henderson-Smart D. Magnesium sulphate versus diazepam for eclampsia. *Cochrane Database Syst Rev* 2003;(4)(4):CD000127.

Duley L, Johanson R. Magnesium sulphate for pre-eclampsia and eclampsia: the evidence so far. *Br J Obstet Gynaecol* 1994 Jul;101(7):565-7.

Duley L, Neilson JP. Magnesium sulphate and pre-eclampsia. Trial needed to see whether it's as valuable in pre-eclampsia as in eclampsia. *BMJ* 1999 Jul 3;319(7201):3-4.

Dumitrescu A, Granados A, Wallace J, Watson S. Demand-driven evidence network in Europe. *Bull World Health Organ* 2006 Jan;84(1):2.

Dye C. Evolution of tuberculosis control and prospects for reducing tuberculosis incidence, prevalence, and deaths globally. *JAMA* 2005;293:2767-75.

Dye C, Garnett GP, Sleeman K, Williams BG. Prospects for worldwide tuberculosis control under the WHO DOTS strategy. *The Lancet*. 1998; 352: 1886-91. *The Lancet* 1998;352:1886-91.

Dye C. Global epidemiology of tuberculosis. *The Lancet* ;367(9514):938-40.

Edejer TT, Aikins M, Black R, Wolfson L, Hutubessy R, Evans DB. Cost effectiveness analysis of strategies for child health in developing countries. *BMJ* 2005 Nov 19;331(7526):1177.

Eichholzer M, Tonz O, Zimmermann R. Folic acid: a public-health challenge. *The Lancet* ;367(9519):1352-61.

Ekanem EE, Adedeji OT, Akitoye CO. Environmental and behavioural risk factors for prolonged diarrhoea in Nigerian children. *J Diarrhoeal Dis Res* 1994 Mar;12(1):19-24.

Elbourne D, Prendiville W, Chalmers I. Choice of oxytocic preparation for routine use in the management of the third stage of labour: an overview of the evidence from controlled trials. *British journal of obstetrics and gynaecology* 1988;95(1):17-30.

Elbourne DR, Prendiville WJ, Carroli G, Wood J, McDonald S. Prophylactic use of oxytocin in the third stage of labour. *Cochrane database of systematic reviews (Online : Update Software)* 2001(4).

Elguero E, Simondon KB, Vaugelade J, Marra A, Simondon F. Non-specific effects of vaccination on child survival? A prospective study in Senegal. *Trop Med Int Health* 2005 Oct;10(10):956-60.

Elliman D, Sengupta N. Measles. *Curr Opin Infect Dis* 2005 Jun;18(3):229-34.

Elliott C, Farmer K. Immunization status of children under 7 years in the Vikas Nagar area, North India. *Child Care Health Dev* 2006 Jul;32(4):415-21.

El-Refaey H, Nooh R, O'Brien P, Abdalla M, Geary M, Walder J, et al. The misoprostol third stage of labour study: a randomised controlled comparison between orally administered misoprostol and standard management. *BJOG* 2000 Sep;107(9):1104-10.

El-Refaey H, O'Brien P, Morafa W, Walder J, Rodeck C. Use of oral misoprostol in the prevention of postpartum haemorrhage. *Br J Obstet Gynaecol* 1997 Mar;104(3):336-9.

El-Refaey H, O'Brien P, Morafa W, Walder J, Rodeck C. Misoprostol for third stage of labour. *The Lancet* 1996/5/4;347(9010):1257-.

Eregie CO. Epidemiological factors associated with neonatal tetanus mortality: observations from a cluster survey in Nigeria. *East Afr Med J* 1993 Jul;70(7):434-7.

Eriksson C. Learning and knowledge-production for public health: a review of approaches to evidence-based public health. *Scand J Public Health* 2000 Dec;28(4):298-308.

Erlanger T. Field issues related to insecticide-treated nets in Tanzania. MSc Thesis University of Basel and Swiss Tropical Institute 2002.

Erlanger T, Enayati A, Hemingway J, Mshinda H, Tami A, Lengeler C. Field issues related to effectiveness of insecticide-treated nets in Tanzania. *Med Vet Entomol* 2004;18:153-60.

Esrey SA, Feachem RG, Hughes JM. Interventions for the control of diarrhoeal diseases among young children: improving water supplies and excreta disposal facilities. *Bull World Health Organ* 1985;63(4):757-72.

European Union Invasive Bacterial Infection Surveillance scheme. Hib vaccination: recent paper from Finland suggests that a prolonged three dose schedule offers effective protection against disease. *Euro Surveill* 2005 Jan;10(1):E050113.1.

Evans DB, Azene G, Kirigia J. Should governments subsidize the use of insecticide-impregnated mosquito nets in Africa? Implications of a cost-effectiveness analysis. *Health Policy Plan* 1997 Jun;12(2):107-14.

Evans DB, Lim SS, Adam T, Edejer TT, WHO Choosing Interventions that are Cost Effective (CHOICE) Millennium Development Goals Team. Evaluation of current strategies and future priorities for improving health in developing countries. *BMJ* 2005 Dec 17;331(7530):1457-61.

Facchinetti F, Piccinini F, Mordini B, Volpe A. Chlorhexidine vaginal flushings versus systemic ampicillin in the prevention of vertical transmission of neonatal group B streptococcus, at term. *J Matern Fetal Neonatal Med* 2002 Feb;11(2):84-8.

Fagnani F, Le Fur C, Durand I, Gibergy M. Economic evaluation of a combined DTPa, hepatitis B, polio, Hib vaccine. Potential impact of the introduction of Infanrix-Hexa in the French childhood immunisation schedule. *Eur J Health Econ* 2004 Jun;5(2):143-9.

Faisel H, Pittrof R. Vitamin A and causes of maternal mortality: association and biological plausibility. *Public Health Nutr* 2000 Sep;3(3):321-7.

Fathalla MF, Sinding SW, Rosenfield A, Fathalla MM. Sexual and reproductive health for all: a call for action. *The Lancet* ;368(9552):2095-100.

Fauveau V, Mamdani M, Steinglass R, Koblinsky M. Maternal tetanus: magnitude, epidemiology and potential control measures. *Int J Gynaecol Obstet* 1993 Jan;40(1):3-12.

Fawzi WW, Chalmers TC, Herrera MG, Mosteller F. Vitamin A supplementation and child mortality: a meta-analysis. *JAMA* 1993;269:898-903.

Fawzi WW, Msamanga GI, Hunter D, Renjifo B, Antelman G, Bang H, et al. Randomized trial of vitamin supplements in relation to transmission of HIV-1 through breastfeeding and early child mortality. *AIDS* 2002 Sep 27;16(14):1935-44.

Fawzi WW, Msamanga GI, Spiegelman D, Urassa EJ, McGrath N, Mwakagile D, et al. Randomised trial of effects of vitamin supplements on pregnancy outcomes and T cell counts in HIV-1-infected women in Tanzania. *Lancet* 1998 May 16;351(9114):1477-82.

Feikin DR, Nelson CB, Watt JP, Mohsni E, Wenger JD, Levine OS. Rapid assessment tool for Haemophilus influenzae type b disease in developing countries. *Emerg Infect Dis* 2004 Jul;10(7):1270-6.

Fenner F, Henderson DA, Arita I, Jezek Z, Ladnyi ID. Lessons and Benefits. In: *Smallpox and its Eradication*. Geneva, Switzerland: World Health Organization; 1988. p.1345--1370.

Ferguson A, Gachuhi MJ, Ndwiga, C., et al. Malaria in pregnancy: report of baseline findings of knowledge, attitude and practice for intermittent presumptive treatment in two malaria endemic districts of Kenya. 2002.

Fergusson D, Glass KC, Hutton B, Shapiro S. Randomized controlled trials of aprotinin in cardiac surgery: could clinical equipoise have stopped the bleeding? *Clin Trials* 2005;2(3):218,29; discussion 229-32.

Fernandes G, Nair M, Onoe K, Tanaka T, Floyd R, Good RA. Impairment of cell-mediated immunity functions by dietary zinc deficiency in mice. *Proc Natl Acad Sci U S A* 1979 Jan;76(1):457-61.

Ferradini L, Jeannin A, Pinoges L, Izopet J, Odhiambo D, Mankhambo L, et al. Scaling up of highly active antiretroviral therapy in a rural district of Malawi: an effectiveness assessment. *The Lancet* ;367(9519):1335-42.

Ferro-Luzzi A, Ashworth A, Martorell R, Scrimshaw N. Report of the IDECG Working Group on effects of IUGR on infants, children and adolescents: immunocompetence, mortality, morbidity, body size, body composition, and physical performance. *Eur J Clin Nutr* 1998 Jan;52 Suppl 1:S97-9.

Fiedler JL. The nepal national vitamin a program: Prototype to emulate or donor enclave? *Health Policy and Planning* 2000;15(2):145-56.

Filippi V, Ronsmans C, Campbell OM, Graham WJ, Mills A, Borghi J, et al. Maternal health in poor countries: the broader context and a call for action. *Lancet* 2006 Oct 28;368(9546):1535-41.

Filteau SM, Tomkins AM. Promoting vitamin A status in low-income countries. *Lancet* 1999;353(9163):1458-9.

Fischer Walker C, Kordas K, Stoltzfus RJ, Black RE. Interactive effects of iron and zinc on biochemical and functional outcomes in supplementation trials. *Am J Clin Nutr* 2005 Jul;82(1):5-12.

Fisher-Jeffes L, Finlay F. Immunisation hotline calls as five-in-one vaccine introduced. *Community Pract* 2006 Apr;79(4):121-4.

Fleming AF. Tropical obstetrics and gynaecology. 1. Anaemia in pregnancy in tropical Africa. *Transactions of the Royal Society of Tropical Medicine and Hygiene* 1989/0;83(4):441-8.

- Floyd K, Arora VK, Murthy KJ, Lonnroth K, Singla N, Akbar Y, et al. Cost and cost-effectiveness of PPM-DOTS for tuberculosis control: evidence from India. *Bull World Health Organ* 2006 Jun;84(6):437-45.
- Fontaine O. Effect of zinc supplementation on clinical course of acute diarrhoea. *J Health Popul Nutr* 2001 Dec;19(4):339-46.
- Fontaine O, Newton C. A revolution in the management of diarrhoea. *Bull World Health Organ* 2001;79(5):471-2.
- Francois G, Duclos P, Margolis H, Lavanchy D, Siegrist CA, Meheus A, et al. Vaccine safety controversies and the future of vaccination programs. *Pediatr Infect Dis J* 2005 Nov;24(11):953-61.
- Freij L, Wall S. Quantity and variation in morbidity: THAID-analysis of the occurrence of gastroenteritis among Ethiopian children. *Int J Epidemiol* 1979 Dec;8(4):313-25.
- French NP, Hagan R, Evans SF, Mullan A, Newnham JP. Repeated antenatal corticosteroids: effects on cerebral palsy and childhood behavior. *Am J Obstet Gynecol* 2004 Mar;190(3):588-95.
- Frias AE,Jr, Belfort MA. Post Magpie: how should we be managing severe preeclampsia? *Curr Opin Obstet Gynecol* 2003 Dec;15(6):489-95.
- Friel JK, Andrews WL, Matthew JD, Long DR, Cornel AM, Cox M, et al. Zinc supplementation in very-low-birth-weight infants. *J Pediatr Gastroenterol Nutr* 1993 Jul;17(1):97-104.
- Fronczak N, Antelman G, Moran AC, Caulfield LE, Baqui AH. Delivery-related complications and early postpartum morbidity in Dhaka, Bangladesh. *Int J Gynaecol Obstet* 2005 Dec;91(3):271-8.
- Fuchs SC, Victora CG. Risk and prognostic factors for diarrheal disease in Brazilian infants: a special case-control design application. *Cad Saude Publica* 2002 May-Jun;18(3):773-82.
- Fujimoto M, Takeuchi K, Sugimoto M, Maruo T. Prevention of postpartum hemorrhage by uterotonic agents: comparison of oxytocin and methylergometrine in the management of the third stage of labor. *Acta Obstet Gynecol Scand* 2006;85(11):1310-4.
- Fullerton JT, Killian R, Gass PM. Outcomes of a community- and home-based intervention for safe motherhood and newborn care. *Health Care Women Int* 2005 Aug;26(7):561-76.
- Gaafar T, Moshni E, Lievano F. The challenge of achieving measles elimination in the eastern Mediterranean region by 2010. *J Infect Dis* 2003 May 15;187 Suppl 1:S164-71.
- Gaillard P, Mwanyumba F, Verhofstede C, Claeys P, Chohan V, Goetghebeur E, et al. Vaginal lavage with chlorhexidine during labour to reduce mother-to-child HIV transmission: clinical trial in Mombasa, Kenya. *AIDS* 2001 Feb 16;15(3):389-96.

Gans H, DeHovitz R, Forghani B, Beeler J, Maldonado Y, Arvin AM. Measles and mumps vaccination as a model to investigate the developing immune system: passive and active immunity during the first year of life. *Vaccine* 2003 Jul 28;21(24):3398-405.

Garcia J, Datol-Barrett E, Dizon M. Industry experience in promoting weekly iron-folic acid supplementation in the Philippines. *Nutr Rev* 2005 Dec;63(12 Pt 2):S146-51.

Garenne M, Gakusi E. Health transitions in sub-Saharan Africa: overview of mortality trends in children under 5 years old (1950-2000). *Bull World Health Organ* 2006 Jun;84(6):470-8.

Garg P, Batra S, Gandhi G. Oral misoprostol versus injectable methylergometrine in management of the third stage of labor. *Int J Gynaecol Obstet* 2005 Nov;91(2):160-1.

Garner P, Alejandria M, Lansang MA. Is DOTS-plus a feasible and cost-effective strategy? *PLoS Med* 2006 Sep;3(9):e350.

Garner P, Kale R, Dickson R, Dans T, Salinas R. Getting research findings into practice: implementing research findings in developing countries. *BMJ* 1998 Aug 22;317(7157):531-5.

Garner P, Volmink J. Families help cure tuberculosis. *The Lancet* ;367(9514):878-9.

GAVI Alliance. Progress Report 2005.

http://www.gavialliance.org/resources/GAVI_Progress_Report_2005.pdf (accessed March 26, 2007).

Gay NJ. The theory of measles elimination: implications for the design of elimination strategies. *J Infect Dis* 2004 May 1;189 Suppl 1:S27-35.

Geier DA, Geier MR. A comparative evaluation of the effects of MMR immunization and mercury doses from thimerosal-containing childhood vaccines on the population prevalence of autism. *Med Sci Monit* 2004 Mar;10(3):PI33-9.

Gessner BD, Sutanto A, Linehan M, Djelantik IG, Fletcher T, Gerudug IK, et al. Incidences of vaccine-preventable *Haemophilus influenzae* type b pneumonia and meningitis in Indonesian children: hamlet-randomised vaccine-probe trial. *Lancet* 2005 Jan 1-7;365(9453):43-52.

Ghai B, Vayjnath AM, Lal S. Acute pulmonary oedema following oxytocin administration: a life threatening complication. *J Indian Med Assoc* 2006 May;104(5):261-2.

Gibson RS. Zinc nutrition in developing countries. *Nutrition Research Reviews* 1994;7:151-73.

Gilbert L, Porter W, Brown VA. Postpartum haemorrhage - A continuing problem. *British Journal of Obstetrics and Gynaecology* 1987;94(1):67-71.

Gilbert R, Salanti G, Harden M, See S. Infant sleeping position and the sudden infant death syndrome: systematic review of observational studies and historical review of recommendations from 1940 to 2002. *Int J Epidemiol* 2005 Aug;34(4):874-87.

Ginnig JE, Lindblade KA, Mount DL, Atieli FK, Crawford S, Wolkon A, et al. Laboratory wash resistance of long-lasting insecticidal nets. *Tropical Medicine and International Health* 2005;10(10):1022-9.

Girard B, Beucher G, Muris C, Simonet T, Dreyfus M. Magnesium sulphate and severe preeclampsia: its use in current practice. *J Gynecol Obstet Biol Reprod (Paris)* 2005 Feb;34(1 Pt 1):17-22.

Gjerdingen DK. Premature labor, Part II: Management. *J Am Board Fam Pract* 1992 Nov-Dec;5(6):601-15.

Glasziou PP, Mackerras DE. Vitamin A supplementation in infectious diseases: a meta-analysis. *BMJ* 1993 Feb 6;306(6874):366-70.

Goh Rowland SG, Lloyd-Evans N, Williams K, Rowland MG. The etiology of diarrhoea studied in the community in young urban Gambian children. *J Diarrhoeal Dis Res* 1985 Mar;3(1):7-13.

Goldenberg RL, Tamura T, Neggers Y, Copper RL, Johnston KE, DuBard MB, et al. The effect of zinc supplementation on pregnancy outcome. *JAMA* 1995 Aug 9;274(6):463-8.

Goodburn EA, Chowdhury M, Gazi R, Marshall T, Graham W. Training traditional birth attendants in clean delivery does not prevent postpartum infection. *Health Policy Plan* 2000 Dec;15(4):394-9.

Goodman CA, Coleman PG, Mills AJ. The cost-effectiveness of antenatal malaria prevention in sub-Saharan Africa. *Am J Trop Med Hyg* 2001 Jan-Feb;64(1-2 Suppl):45-56.

Goodman CA, Coleman PG, Mills AJ. Cost-effectiveness of malaria control in sub-Saharan Africa. *Lancet* 1999 Jul 31;354(9176):378-85.

Goodman CA, Mnzava AE, Dlamini SS, Sharp BL, Mthembu DJ, Gumede JK. Comparison of the cost and cost-effectiveness of insecticide-treated bednets and residual house-spraying in KwaZulu-Natal, South Africa. *Trop Med Int Health* 2001 Apr;6(4):280-95.

Gove S. Integrated management of childhood illness by outpatient health workers: technical basis and overview. The WHO Working Group on Guidelines for Integrated Management of the Sick Child. *Bull World Health Organ* 1997;75 Suppl 1:7-24.

Grabowsky M, Nobiya T, Ahun M, Donna R, Lengor M, Zimmerman D, et al. Distributing insecticide-treated bednets during measles vaccination: a low-cost means of achieving high and equitable coverage. *Bull World Health Organ* 2005 Mar;83(3):195-201.

- Green J, Paton N. Zinc supplementation in children with HIV-1 infection. *The Lancet* ;367(9513):814-5.
- Greenberg MR. The diffusion of public health innovations. *Am J Public Health* 2006 Feb;96(2):209-10.
- Greenwood BM, Greenwood AM, Bradley AK, Tulloch S, Hayes R, Oldfield FS. Deaths in infancy and early childhood in a well-vaccinated, rural, West African population. *Ann Trop Paediatr* 1987 Jun;7(2):91-9.
- Griffin PM, Ryan CA, Nyaphisi M, Hargrett-Bean N, Waldman RJ, Blake PA. Risk factors for fatal diarrhea: a case-control study of African children. *Am J Epidemiol* 1988 Dec;128(6):1322-9.
- Grol R, Grimshaw J. From best evidence to best practice: effective implementation of change in patients' care. *The Lancet* 2003/10/11;362(9391):1225-30.
- Grossman D, Ellertson C, Abuabara K, Blanchard K, Rivas FT. Barriers to contraceptive use in product labeling and practice guidelines. *Am J Public Health* 2006 May;96(5):791-9.
- Gruen RL, Morris PS, McDonald EL, Bailie RS. Making systematic reviews more useful for policy-makers. *Bull World Health Organ* 2005 Jun;83(6):480.
- Guandalini S. Overview of childhood acute diarrhoea in Europe: implications for oral rehydration therapy. *Acta Paediatr Scand Suppl* 1989;364:5-12.
- Guillet P, Alnwick D, Cham M, Neira M, Zaim M, Heymann D, et al. Long-lasting treated mosquito nets: a breakthrough in malaria prevention. *Bull World Health Organ* 2001;79:998.
- Gulmezoglu AM, Forna F, Villar J, Hofmeyr GJ. Prostaglandins for prevention of postpartum haemorrhage. *Cochrane Database Syst Rev* 2004;(1)(1):CD000494.
- Gulmezoglu AM, Villar J, Ngoc NT, Piaggio G, Carroli G, Adetoro L, et al. WHO multicentre randomised trial of misoprostol in the management of the third stage of labour. *Lancet* 2001 Sep 1;358(9283):689-95.
- Gupta S, Clements B, Pivovarsky A, Tiongson ER. Foreign aid and revenue response: does the composition of aid matter? International Monetary Fund, September 2003;IMF Working Paper, WP/03/176. <http://papers.ssrn.com/sol3/results.cfm> (accessed March 16, 2007):1-22.
- Gupta S, Verhoeven M, Tiongson ER. Public spending on health care and the poor. *Health Econ* 2003 Aug;12(8):685-96.
- Guris D, Bayazit Y, Ozdemirer U, Buyurgan V, Yalniz C, Toprak I, et al. Measles epidemiology and elimination strategies in Turkey. *J Infect Dis* 2003 May 15;187 Suppl 1:S230-4.

Guyatt H, Ochola S. Use of bednets given free to pregnant women in Kenya. *Lancet* 2003 Nov 8;362(9395):1549-50.

Guyatt HL, Gotink MH, Ochola SA, Snow RW. Free bednets to pregnant women through antenatal clinics in Kenya: a cheap, simple and equitable approach to delivery. *Trop Med Int Health* 2002 May;7(5):409-20.

Guyatt HL, Noor AM, Ochola SA, Snow RW. Use of intermittent presumptive treatment and insecticide treated bed nets by pregnant women in four Kenyan districts. *Trop Med Int Health* 2004 Feb;9(2):255-61.

Guyatt HL, Snow RW. The epidemiology and burden of Plasmodium falciparum-related anemia among pregnant women in sub-Saharan Africa. *Am J Trop Med Hyg* 2001 Jan-Feb;64(1-2 Suppl):36-44.

Gwatkin DR. IMCI: what can we learn from an innovation that didn't reach the poor? *Bull World Health Organ* 2006 Oct;84(10):768.

Gwatkin DR, Wagstaff A, Yazbeck A. Reaching the poor with health, nutrition, and population services :what works, what doesn't, and why. Washington, DC: The World Bank; 2005.

Gyapong M, Gyapong JO, Amankwa J, Asedem J, Sory E. Introducing insecticide impregnated bednets in an area of low bednet usage: an exploratory study in north-east Ghana. *Trop Med Int Health* 1996 Jun;1(3):328-33.

Habicht JP, Victora CG, Vaughan JP. Evaluation designs for adequacy, plausibility and probability of public health programme performance and impact. *Int J Epidemiol* 1999 Feb;28(1):10-8.

Haggerty PA, Muladi K, Kirkwood BR, Ashworth A, Manunebo M. Community-based hygiene education to reduce diarrhoeal disease in rural Zaire: impact of the intervention on diarrhoeal morbidity. *Int J Epidemiol* 1994 Oct;23(5):1050-9.

Haines A, Donald A. Looking forward: Getting research findings into practice: Making better use of research findings. *BMJ* 1998 July 4;317(7150):72-5.

Haldar A, Mundle M, Ray A, Haldar S. Acute lower respiratory tract infection among under- fives in urban eastern India--an appraisal of risk factors. *J Commun Dis* 2005 Sep;37(3):203-8.

Hall DR, Odendaal HJ, Smith M. Is the prophylactic administration of magnesium sulphate in women with pre-eclampsia indicated prior to labour? *BJOG* 2000 Jul;107(7):903-8.

Ham C, Hunter DJ, Robinson R. Evidence based policymaking. *BMJ* 1995 January 14;310(6972):71-2.

Hamalainen H, Hakkarainen K, Heinonen S. Anaemia in the first but not in the second or third trimester is a risk factor for low birth weight. *Clin Nutr* 2003 Jun;22(3):271-5.

Hamel MJ, Odhacha A, Roberts JM, Deming MS. Malaria control in Bungoma District, Kenya: a survey of home treatment of children with fever, bednet use and attendance at antenatal clinics. *Bull World Health Organ* 2001;79(11):1014-23.

Hammerich A, Campbell OM, Chandramohan D. Unstable malaria transmission and maternal mortality--experiences from Rwanda. *Trop Med Int Health* 2002 Jul;7(7):573-6.

Hanson K, Goodman C, Lines J, Meek S, Bradley D, Mills A. The economics of malaria. 2004.

Hanson K, Kikumbih N, Armstrong Schellenberg J, Mponda H, Nathan R, Lake S, et al. Cost-effectiveness of social marketing of insecticide-treated nets for malaria control in the United Republic of Tanzania. *Bull World Health Organ* 2003;81(4):269-76.

Hanson K, Worrall E. SMITN 2, Tanzania: end-of-project household survey analysis. Malaria Consortium 2002.

Harries AD, Schouten EJ, Libamba E. Scaling up antiretroviral treatment in resource-poor settings. *Lancet* 2006 Jun 3;367(9525):1870-2.

Harries AD, Chimzizi R, Zachariah R. Safety, effectiveness, and outcomes of concomitant use of highly active antiretroviral therapy with drugs for tuberculosis in resource-poor settings. *The Lancet* ;367(9514):944-5.

Hawley WA, Phillips-Howard PA, ter Kuile FO, Terlouw DJ, Vulule JM, Ombok M, et al. Community-wide effects of permethrin-treated bed nets on child mortality and malaria morbidity in western Kenya. *Am J Trop Med Hyg* 2003 Apr;68(4 Suppl):121-7.

Heath PT, Ramsay ME. Haemophilus influenzae type b vaccine--booster campaign. *BMJ* 2003 May 31;326(7400):1158-9.

Heaver R. Strengthening country commitment to human development: lessons from nutrition. 2005:91.

Heidary N, Cohen DE. Hypersensitivity reactions to vaccine components. *Dermatitis* 2005 Sep;16(3):115-20.

Helfand RF, Chibi T, Biellik R, Shearley A, Bellini WJ. Negative impact of clinical misdiagnosis of measles on health workers' confidence in measles vaccine. *Epidemiol Infect* 2004 Jan;132(1):7-10.

Henao-Restrepo AM, Strebel P, John Hoekstra E, Birmingham M, Bilous J. Experience in global measles control, 1990-2001. *J Infect Dis* 2003 May 15;187 Suppl 1:S15-21.

Henderson DA. Summation. In: de Quadros CA, editor. Washington, D.C.: Pan American Health Organization; 2004. p.365--368.

Herrera MG, Nestel P, el Amin A, Fawzi WW, Mohamed KA, Weld L. Vitamin A supplementation and child survival. *Lancet* 1992 Aug 1;340(8814):267-71.

Heymann DL, Aylward RB. The polio eradication endgame. *IAVI Report*, March-April 2006; Vol 10, No 2:13-17, <http://www.iavireport.org> (accessed March 7, 2007).

Heymann DL, Mbvundula M, Macheso A, McFarland DA, Hawkins RV. Oral rehydration therapy in Malawi: impact on the severity of disease and on hospital admissions, treatment practices, and recurrent costs. *Bull World Health Organ* 1990;68(2):193-7.

Hilgartner S, Bosk CL. The Rise and Fall of Social Problems: A Public Arenas Model. *American Journal of Sociology* 1988 Jul.;94(1):53-78.

Hill J, Kazembe P. Reaching the Abuja target for intermittent preventive treatment of malaria in pregnancy in African women: a review of progress and operational challenges. *Trop Med Int Health* 2006 Apr;11(4):409-18.

Hirschhorn N, Greenough WB, 3rd. Progress in oral rehydration therapy. *Sci Am* 1991 May;264(5):50-6.

Hirschhorn N, Kinzie JL, Sachar DB, Northrup RS, Taylor JO, Ahmad SZ, et al. Decrease in net stool output in cholera during intestinal perfusion with glucose-containing solutions. *N Engl J Med* 1968 Jul 25;279(4):176-81.

Hla KH, Thein SA, Aye A, Han HH, Bock HL, David MP, et al. Reactogenicity and immunogenicity profiles of a novel pentavalent diphtheria-tetanus-whole cell pertussis-hepatitis B and Haemophilus influenzae type B vaccine: a randomized dose-ranging trial of the Hib tetanus-conjugate content. *Pediatr Infect Dis J* 2006 Aug;25(8):706-12.

Hoa PT, Khan NC, van Beusekom C, Gross R, Conde WL, Khoi HD. Milk fortified with iron or iron supplementation to improve nutritional status of pregnant women: An intervention trial from rural Vietnam. *Food and Nutrition Bulletin* 2005;26(1):32-8.

Hofmeyr GJ. Evidence-based intrapartum care. *Best Pract Res Clin Obstet Gynaecol* 2005 Feb;19(1):103-15.

Hofmeyr GJ, Nikodem VC, de Jager M, Drakely A. Side-effects of oral misoprostol in the third stage of labour--a randomised placebo-controlled trial. *S Afr Med J* 2001 May;91(5):432-5.

Hofmeyr GJ, Nikodem VC, de Jager M, Gelbart BR. A randomised placebo controlled trial of oral misoprostol in the third stage of labour. *Br J Obstet Gynaecol* 1998 Sep;105(9):971-5.

Hofmeyr GJ, Roodt A, Atallah AN, Duley L. Calcium supplementation to prevent pre-eclampsia-- a systematic review. *S Afr Med J* 2003 Mar;93(3):224-8.

Hogan DR, Baltussen R, Hayashi C, Lauer JA, Salomon JA. Cost effectiveness analysis of strategies to combat HIV/AIDS in developing countries. *BMJ* 2005 Dec 17;331(7530):1431-7.

Hojo M, August P. Calcium metabolism in normal and hypertensive pregnancy. *Semin Nephrol* 1995 Nov;15(6):504-11.

Holmes W, Toole M. Micronutrient supplements in pregnant Nepalese women. *Lancet* 2005;365(9463):916-7.

Holtz TH, Kachur SP, Roberts JM, Marum LH, Mkandala C, Chizani N, et al. Use of antenatal care services and intermittent preventive treatment for malaria among pregnant women in Blantyre District, Malawi. *Trop Med Int Health* 2004 Jan;9(1):77-82.

Holtz TH, Marum LH, Mkandala C, Chizani N, Roberts JM, Macheso A, et al. Insecticide-treated bednet use, anaemia, and malaria parasitaemia in Blantyre District, Malawi. *Trop Med Int Health* 2002 Mar;7(3):220-30.

Honein MA, Paulozzi LJ, Mathews TJ, Erickson JD, Wong LY. Impact of folic acid fortification of the US food supply on the occurrence of neural tube defects. *JAMA* 2001 Jun 20;285(23):2981-6.

House WA, Welch RM. Bioavailability of and interactions between zinc and selenium in rats fed wheat grain intrinsically labeled with ⁶⁵Zn and ⁷⁵Se. *J Nutr* 1989 Jun;119(6):916-21.

Huilan S, Zhen LG, Mathan MM, Mathew MM, Olarte J, Espejo R, et al. Etiology of acute diarrhoea among children in developing countries: a multicentre study in five countries. *Bull World Health Organ* 1991;69(5):549-55.

Humphrey JH, Agoestina T, Wu L, et al. Impact of neonatal Vitamin A supplementation on infant morbidity and mortality. *J Pediatr* 1996;126:489-96.

Humphrey JH, Iliff PJ, Marinda ET, Mutasa K, Moulton LH, Chidawanyika H, et al. Effects of a single large dose of vitamin A, given during the postpartum period to HIV-positive women and their infants, on child HIV infection, HIV-free survival, and mortality. *Journal of Infectious Diseases* 2006;193(6):860-71.

Humphrey JH, Rice AL. Vitamin A supplementation of young infants. *Lancet* 2000;356(9227):422-4.

Hustler C. Protecting the birth environment. *Pract Midwife* 2006 Feb;9(2):50.

Huttly SR, Blum D, Kirkwood BR, Emeh RN, Feachem RG. The epidemiology of acute diarrhoea in a rural community in Imo State, Nigeria. *Trans R Soc Trop Med Hyg* 1987;81(5):865-70.

- Hviid A, Wohlfahrt J, Stellfeld M, Melbye M. Childhood vaccination and nontargeted infectious disease hospitalization. *JAMA* 2005 Aug 10;294(6):699-705.
- Ibrahim SA, Abdallah A, Saleh EA, Osterhaus AD, De Swart RL. Measles virus-specific antibody levels in Sudanese infants: a prospective study using filter-paper blood samples. *Epidemiol Infect* 2006 Feb;134(1):79-85.
- Irons DW, Sriskandabalan P, Bullough CHW. A simple alternative to parenteral oxytocics for the third stage of labor. *International Journal of Gynecology and Obstetrics* 1994;46(1):15-8.
- Isik N, Uzel N, Gokcay G, Kilic A, Yilmaz G, Sadikoglu B, et al. Seroconversion after measles vaccination at nine and fifteen months of age. *Pediatr Infect Dis J* 2003 Aug;22(8):691-5.
- Ito M, Koyama H, Ohshige A, Maeda T, Yoshimura T, Okamura H. Prevention of preeclampsia with calcium supplementation and vitamin D3 in an antenatal protocol. *Int J Gynaecol Obstet* 1994 Nov;47(2):115-20.
- Jamison DT. External Finance of Immunization Programs: Time for a Change in Paradigm? In: de Quadros CA, editor. 2004th ed. Washington, D.C.: Pan American Health Organization; 2004. p.325--332.
- Jamison DT, Breman JG, Measham AR, Alleyne G, Claeson M, Evans DB, et al, editors. Disease control priorities in developing countries. Second ed. New York: The World Bank and Oxford University Press; 2006.
- Jana S, Rojanapithayakorn W, Steen R. Harm reduction for sex workers. *The Lancet* ;367(9513):814-.
- Jasti S, Siega-Riz AM, Cogswell ME, Hartzema AG, Bentley ME. Pill count adherence to prenatal multivitamin/mineral supplement use among low-income women. *Journal of Nutrition* 2005;135(5):1093-101.
- Jiang T, Christian P, Khattry SK, Wu L, West KP, Jr. Micronutrient deficiencies in early pregnancy are common, concurrent, and vary by season among rural Nepali pregnant women. *J Nutr* 2005 May;135(5):1106-12.
- John S, Lalitha G, George K, Joseph A. Serological response to early measles vaccination. *J Trop Pediatr* 2004 Jun;50(3):175-7.
- Johns B, Torres TT, on behalf of WHO-CHOICE,. Costs of scaling up health interventions: a systematic review. *Health Policy Plan* 2005 January 1;20(1):1-13.
- Jokhio AH, Winter HR, Cheng KK. An intervention involving traditional birth attendants and perinatal and maternal mortality in Pakistan. *N Engl J Med* 2005 May 19;352(20):2091-9.
- Jolly R. Early childhood development: the global challenge. *Lancet* 2007 Jan 6;369(9555):8-9.

Jones G, Steketee RW, Black RE, Bhutta ZA, Morris SS, Bellagio Child Survival Study Group. How many child deaths can we prevent this year? *Lancet* 2003 Jul 5;362(9377):65-71.

Jousilahti P, Madkour SM, Lambrechts T, Sherwin E. Diarrhoeal disease morbidity and home treatment practices in Egypt. *Public Health* 1997 Jan;111(1):5-10.

Joy SD, Sanchez-Ramos L, Kaunitz AM. Misoprostol use during the third stage of labor. *Int J Gynaecol Obstet* 2003 Aug;82(2):143-52.

Kabir Z, Aaby P. Non-specific effect of measles vaccination on all-cause child mortality: revisited. *Indian Pediatr* 2005 Jun;42(6):541-4.

Kaestel P, Michaelsen KF, Aaby P, Friis H. Effects of prenatal multimicronutrient supplements on birth weight and perinatal mortality: a randomised, controlled trial in Guinea-Bissau. *Eur J Clin Nutr* 2005 Sep;59(9):1081-9.

Kambire C, Konde MK, Yameogo A, Tiendrebeogo SR, Ouedraogo RT, Otten MW, Jr, et al. Measles incidence before and after mass vaccination campaigns in Burkina Faso. *J Infect Dis* 2003 May 15;187 Suppl 1:S80-5.

Kanya MR, Gasasira AF, Yeka A, Bakyaite N, Nsoya SL, Francis D, et al. Effect of HIV-1 infection on antimalarial treatment outcomes in Uganda: a population-based study. *J Infect Dis* 2006 Jan 1;193(1):9-15.

Kanal K, Busch-Hallen J, Cavalli-Sforza T, Crape B, Smitasiri S, Cambodian Weekly Iron-Folic Acid Program Team. Weekly iron-folic acid supplements to prevent anemia among Cambodian women in three settings: process and outcomes of social marketing and community mobilization. *Nutr Rev* 2005 Dec;63(12 Pt 2):S126-33.

Kanbur NO, Derman O, Kutluk T. Measles seroprevalence of an adolescent population vaccinated with a single dose of measles vaccine before their first birthday. *Int J Adolesc Med Health* 2005 Oct-Dec;17(4):337-41.

Kanra G, Kara A, Demiralp O, Contorni M, Hilbert AK, Spyr C, et al. Safety and immunogenicity of a new fully liquid DTPw-HepB-Hib combination vaccine in infants. *Hum Vaccin* 2006 Jul-Aug;2(4):155-60.

Kashyape SS, Kashyape PS. Thrombocytopenia following MMR vaccination. *Indian Pediatr* 2005 Jan;42(1):80-2.

Kates J, Morrison JS, Lief E. Global health funding: a glass half full? *The Lancet* ;368(9531):187-8.

Katz J, Christian P, Dominici F, Zeger SL. Treatment effects of maternal micronutrient supplementation vary by percentiles of the birth weight distribution in rural Nepal. *J Nutr* 2006 May;136(5):1389-94.

Katz J, West KP, Jr, Khattry SK, Pradhan EK, LeClerq SC, Christian P, et al. Maternal low-dose vitamin A or beta-carotene supplementation has no effect on fetal loss and early infant mortality: a randomized cluster trial in Nepal. *Am J Clin Nutr* 2000 Jun;71(6):1570-6.

Katz SL. A vaccine-preventable infectious disease kills half a million children annually. *J Infect Dis* 2005 Nov 15;192(10):1679-80.

Katz VL, Farmer RM. Controversies in tocolytic therapy. *Clin Obstet Gynecol* 1999 Dec;42(4):802-19.

Kayentao K, Kodio M, Newman RD, Maiga H, Doumtable D, Ongoiba A, et al. Comparison of intermittent preventive treatment with chemoprophylaxis for the prevention of malaria during pregnancy in Mali. *J Infect Dis* 2005 Jan 1;191(1):109-16.

Keith-Brown K. Investing for life: making the link between public spending and the reduction of maternal mortality. International Budget Project, 2004.
<http://www.internationalbudget.org/Investingforlife.pdf> (accessed March 7, 2007).

Kelly DF, Moxon ER, Pollard AJ. Haemophilus influenzae type b conjugate vaccines. *Immunology* 2004 Oct;113(2):163-74.

Kenya PR, Gatiti S, Muthami LN, Agwanda R, Mwenesi HA, Katsivo MN, et al. Oral rehydration therapy and social marketing in rural Kenya. *Soc Sci Med* 1990;31(9):979-87.

Kenya PR, Odongo HW, Oundo G, Waswa K, Muttunga J, Molla AM, et al. Cereal based oral rehydration solutions. *Arch Dis Child* 1989 Jul;64(7):1032-5.

Kertesz DA, Toure K, Berthe A, Konate Y, Bougoudogo F. Evaluation of urban measles mass campaigns for children aged 9-59 months in Mali. *J Infect Dis* 2003 May 15;187 Suppl 1:S69-73.

Khadka NB. Assessment of villagers' perceptions towards nutrition communication in rural Nepal. *International Journal of Food Sciences and Nutrition* 2001;52(2):161-71.

Khalil MK, Al-Mazrou YY, AlHowasi MN, Al-Jeffri M. Measles in Saudi Arabia: from control to elimination. *Ann Saudi Med* 2005 Jul-Aug;25(4):324-8.

Khalil MK, Al-Mazrou YY, Al-Jeffri M, Al-Ghamdy YS. Measles immunization in Saudi Arabia: the need for change. *East Mediterr Health J* 2001 Jul-Sep;7(4-5):829-34.

Khan KS, Wojdyla D, Say L, Gulmezoglu AM, Van Look PF. WHO analysis of causes of maternal death: a systematic review. *The Lancet* ;367(9516):1066-74.

Khan MN, Rahman ML, Awal Miah A, Islam MS, Musa SA, Tofail F. Vaccination coverage survey in Dhaka District. *Bangladesh Med Res Counc Bull* 2005 Aug;31(2):46-53.

Khan NC, Thanh HT, Berger J, Hoa PT, Quang ND, Smitasiri S, et al. Community mobilization and social marketing to promote weekly iron-folic acid supplementation: a new approach toward controlling anemia among women of reproductive age in Vietnam. *Nutr Rev* 2005 Dec;63(12 Pt 2):S87-94.

Khan R, Sharma S. Use of misoprostol in third stage of labour. *The Lancet* 2002/2/23;359(9307):708-9.

Kidanto HL, Kaguta MM, van Roosmalen J. Induction of labor with misoprostol or oxytocin in Tanzania. *Int J Gynaecol Obstet* 2007 Jan;96(1):30-1.

Kikafunda JK, Walker AF, Allan EF, Tumwine JK. Effect of zinc supplementation on growth and body composition of Ugandan preschool children: a randomized, controlled, intervention trial. *Am J Clin Nutr* 1998 Dec;68(6):1261-6.

Kikumbih N. Economic analysis of social marketing and commercial sector insecticide treated net delivery models in rural communities of Tanzania. PhD thesis University of London, London School of Hygiene and Tropical Medicine 2002.

Kilic A, Altinkaynak S, Ertekin V, Inandi T. The duration of maternal measles antibodies in children. *J Trop Pediatr* 2003 Oct;49(5):302-5.

Kingdon JW. *Agendas, alternatives, and public policies*. 2nd ed. New York: Longman; 2003.

Kirkwood BR. Diarrhea. In: Feachem RD, Jamison DT, editors. *Disease and Mortality in Sub-Saharan Africa*. New York, New York: Oxford University Press; 1991. p.134-157.

Kloos H, Chama T, Abemo D, Tsadik KG, Belay S. Utilization of pharmacies and pharmaceutical drugs in Addis Ababa, Ethiopia. *Soc Sci Med* 1986;22(6):653-72.

Knight KB, Keith RE. Calcium supplementation on normotensive and hypertensive pregnant women. *Am J Clin Nutr* 1992 Apr;55(4):891-5.

Knippenberg R, Lawn JE, Darmstadt GL, Begkoyian G, Fogstad H, Walelign N, et al. Systematic scaling up of neonatal care in countries. *The Lancet* ;365(9464):1087-98.

Knuf M, Habermehl P, Cimino C, Petersen G, Schmitt HJ. Immunogenicity, reactogenicity and safety of a 7-valent pneumococcal conjugate vaccine (PCV7) concurrently administered with a DTPa-HBV-IPV/Hib combination vaccine in healthy infants. *Vaccine* 2006 May 29;24(22):4727-36.

Koblinsky M, Matthews Z, Hussein J, Mavalankar D, Mridha MK, Anwar I, et al. Going to scale with professional skilled care. *Lancet* 2006 Oct 14;368(9544):1377-86.

- Kodkany BS, Derman RJ, Goudar SS, Geller SE, Edlavitch SA, Naik VA, et al. Initiating a novel therapy in preventing postpartum hemorrhage in rural India: a joint collaboration between the United States and India. *Int J Fertil Womens Med* 2004 Mar-Apr;49(2):91-6.
- Koenig MA, Roy NC, McElrath T, Shahidullah M, Wojtyniak B. Duration of protective immunity conferred by maternal tetanus toxoid immunization: further evidence from Matlab, Bangladesh. *Am J Public Health* 1998 Jun;88(6):903-7.
- Kohler KA, Suleiman AJ, Robertson SE, Malankar P, Al-Khusaiby S, Helfand RF, et al. Immunogenicity of measles and rubella vaccines in Oman: a prospective clinical trial. *J Infect Dis* 2003 May 15;187 Suppl 1:S177-85.
- Kosek M, Bern C, Guerrant RL. The global burden of diarrhoeal disease, as estimated from studies published between 1992 and 2000. *Bull World Health Organ* 2003;81(3):197-204.
- Koul PB, Murali MV, Gupta P, Sharma PP. Evaluation of social marketing of oral rehydration therapy. *Indian Pediatr* 1991 Sep;28(9):1013-6.
- Krebs NF. Dietary zinc and iron sources, physical growth and cognitive development of breastfed infants. *J Nutr* 2000 Feb;130(2S Suppl):358S-60S.
- Kremer JR, Schneider F, Muller CP. Waning antibodies in measles and rubella vaccinees--a longitudinal study. *Vaccine* 2006 Mar 24;24(14):2594-601.
- Kroeger A, Skovmand O, Phan QC, Boewono DT. Combined field and laboratory evaluation of a long-term impregnated bednet, PermaNet. *Trans R Soc Trop Med Hyg* 2004 Mar;98(3):152-5.
- Kruske S, Barclay L. Effect of shifting policies on traditional birth attendant training. *J Midwifery Womens Health* 2004 Jul-Aug;49(4):306-11.
- Kumar A, Jain S, Singh NP, Singh T. Oral versus high dose parenteral iron supplementation in pregnancy. *International Journal of Gynecology and Obstetrics* 2005;89(1):7-13.
- Kundodyiwa TW, Majoko F, Rusakaniko S. Misoprostol versus oxytocin in the third stage of labor. *Int J Gynaecol Obstet* 2001 Dec;75(3):235-41.
- Lagunju IA, Orimadegun AE, Oyedemi DG. Measles in Ibadan: a continuous scourge. *Afr J Med Med Sci* 2005 Dec;34(4):383-7.
- Lalonde A, Daviss BA, Acosta A, Herschderfer K. Postpartum hemorrhage today: ICM/FIGO initiative 2004-2006. *Int J Gynaecol Obstet* 2006 Sep;94(3):243-53.
- Lam H, Tang OS, Lee CP, Ho PC. A pilot-randomized comparison of sublingual misoprostol with syntometrine on the blood loss in third stage of labor. *Acta Obstetrica et Gynecologica Scandinavica* 2004;83(7):647-50.

Lamden K, Wragg A, Gornall S. MMR debate: how many children are actually receiving single vaccines? *Commun Dis Public Health* 2004 Dec;7(4):388-9.

Lamikanra A, Ako-Nai AK, Ola O. Incidence of multiple antibiotic resistances in organisms isolated from cases of infantile diarrhoea in a Nigerian oral rehydration therapy clinic. *Ann Trop Paediatr* 1989 Dec;9(4):256-60.

Lamont RF, Morgan DJ, Logue M, Gordon H. A prospective randomised trial to compare the efficacy and safety of Hemabate and Syntometrine for the prevention of primary postpartum haemorrhage. *Prostaglandins and Other Lipid Mediators* 2001;66(3):203-10.

Laval CA, Pimenta FC, de Andrade JG, Andrade SS, de Andrade AL. Progress towards meningitis prevention in the conjugate vaccines era. *Braz J Infect Dis* 2003 Oct;7(5):315-24.

Lawn JE, Cousens S, Zupan J, Lancet Neonatal Survival Steering Team. 4 million neonatal deaths: when? Where? Why? *Lancet* 2005 Mar 5-11;365(9462):891-900.

Lawn JE, Tinker A, Munjanja SP, Cousens S. Where is maternal and child health now? *Lancet* 2006 Oct 28;368(9546):1474-7.

Lawn JE, Cousens S, Zupan J. 4 million neonatal deaths: When? Where? Why? *The Lancet* ;365(9462):891-900.

Leavens A. Malaria in pregnancy: from policy to implementation.

LeBaron CW, Bi D, Sullivan BJ, Beck C, Gargiullo P. Evaluation of potentially common adverse events associated with the first and second doses of measles-mumps-rubella vaccine. *Pediatrics* 2006 Oct;118(4):1422-30.

Lech MM, Mngadi TP. Swaziland's Traditional Birth Attendants Survey. *Afr J Reprod Health* 2005 Dec;9(3):137-47.

Lee C, Gong Y, Brok J, Boxall EH, Gluud C. Hepatitis B immunisation for newborn infants of hepatitis B surface antigen-positive mothers. *Cochrane Database Syst Rev* 2006 Apr 19;(2)(2):CD004790.

Lee YC, Newport MJ, Goetghebuer T, Siegrist CA, Weiss HA, Pollard AJ, et al. Influence of genetic and environmental factors on the immunogenicity of Hib vaccine in Gambian twins. *Vaccine* 2006 Jun 19;24(25):5335-40.

Lengeler C. Insecticide-treated bednets and curtains for preventing malaria. *Cochrane Database Syst Rev* 2004:CD000363.

Levine OS, O'Brien KL, Knoll M, Adegbola RA, Black S, Cherian T, et al. Pneumococcal vaccination in developing countries. *The Lancet* ;367(9526):1880-2.

Levine RJ, Esterlitz JR, Raymond EG, DerSimonian R, Hauth JC, Ben Curet L, et al. Trial of Calcium for Preeclampsia Prevention (CPEP): rationale, design, and methods. *Control Clin Trials* 1996 Oct;17(5):442-69.

Levine RJ, Hauth JC, Curet LB, Sibai BM, Catalano PM, Morris CD, et al. Trial of calcium to prevent preeclampsia. *N Engl J Med* 1997 Jul 10;337(2):69-76.

Lieberman JM, Williams WR, Miller JM, Black S, Shinefield H, Henderson F, et al. The safety and immunogenicity of a quadrivalent measles, mumps, rubella and varicella vaccine in healthy children: a study of manufacturing consistency and persistence of antibody. *Pediatr Infect Dis J* 2006 Jul;25(7):615-22.

Lienhardt C, Rustomjee R. Improving tuberculosis control: an interdisciplinary approach. *The Lancet* ;367(9514):949-50.

Lindblade KA, Dotson E, Hawley WA, Bayoh N, Williamson J, Mount D, et al. Evaluation of long-lasting insecticidal nets after 2 years of household use. *Tropical Medicine and International Health* 2005;10(11):1141-50.

Linde K, Willich SN. How objective are systematic reviews? Differences between reviews on complementary medicine. *J R Soc Med* 2003 Jan;96(1):17-22.

Linder N, Tallen-Gozani E, German B, Duvdevani P, Ferber A, Sirota L. Placental transfer of measles antibodies: effect of gestational age and maternal vaccination status. *Vaccine* 2004 Mar 29;22(11-12):1509-14.

Lira PI, Ashworth A, Morris SS. Effect of zinc supplementation on the morbidity, immune function, and growth of low-birth-weight, full-term infants in northeast Brazil. *Am J Clin Nutr* 1998 Aug;68(2 Suppl):418S-24S.

Livingston JC, Livingston LW, Ramsey R, Mabie BC, Sibai BM. Magnesium sulfate in women with mild preeclampsia: a randomized controlled trial. *Obstet Gynecol* 2003 Feb;101(2):217-20.

Lob-Levyt J, Affolder R. Innovative financing for human development. *Lancet* 2006 Mar 18;367(9514):885-7.

Lokugamage AU, Sullivan KR, Niculescu I, Tigere P, Onyangunga F, El Refaey H, et al. A randomized study comparing rectally administered misoprostol versus Syntometrine combined with an oxytocin infusion for the cessation of primary post partum hemorrhage. *Acta Obstetrica et Gynecologica Scandinavica* 2001;80(9):835-9.

Lone FW, Qureshi RN, Emanuel F. Maternal anaemia and its impact on perinatal outcome. *Trop Med Int Health* 2004 Apr;9(4):486-90.

Longfils P, Heang UK, Soeng H, Sinuon M. Weekly iron and folic acid supplementation as a tool to reduce anemia among primary school children in Cambodia. *Nutrition reviews*. 2005;63(12 Pt 2).

Lopez AD, Mathers CD, Ezzati M, Jamison DT, Murray CJ. Global and regional burden of disease and risk factors, 2001: systematic analysis of population health data. *Lancet* 2006 May 27;367(9524):1747-57.

Lopez P, Rubiano L, del Pilar Rubio M, David MP, Safary A. Immunogenicity and reactogenicity of DTPw-HB/Hib vaccine administered to colombian infants after a birth dose of hepatitis B vaccine. *Expert Rev Vaccines* 2002 Oct;1(3):277-83.

Lopez-Jaramillo P, Narvaez M, Weigel RM, Yopez R. Calcium supplementation reduces the risk of pregnancy-induced hypertension in an Andes population. *Br J Obstet Gynaecol* 1989 Jun;96(6):648-55.

Lu C, Michaud CM, Gakidou E, Khan K, Murray CJ. Effect of the Global Alliance for Vaccines and Immunisation on diphtheria, tetanus, and pertussis vaccine coverage: an independent assessment. *Lancet* 2006 Sep 23;368(9541):1088-95.

Lucas MJ, Leveno KJ, Cunningham FG. A comparison of magnesium sulfate with phenytoin for the prevention of eclampsia. *N Engl J Med* 1995 Jul 27;333(4):201-5.

Lumbiganon P, Villar J, Piaggio G, Gulmezoglu AM, Adetoro L, Carroli G. Side effects of oral misoprostol during the first 24 hours after administration in the third stage of labour. *BJOG* 2002 Nov;109(11):1222-6.

Luthy KE, Tiedeman ME, Beckstrand RL, Mills DA. Safety of live-virus vaccines for children with immune deficiency. *J Am Acad Nurse Pract* 2006 Oct;18(10):494-503.

Luxemburger C, Ricci F, Nosten F, Raimond D, Bathet S, White NJ. The epidemiology of severe malaria in an area of low transmission in Thailand. *Trans R Soc Trop Med Hyg* 1997 May-Jun;91(3):256-62.

Lynam PA, Munguti K. MIPESA: focused antenatal care and malaria in pregnancy. 2003.

Macintyre S, Chalmers I, Horton R, Smith R. Using evidence to inform health policy: case study. *BMJ* 2001 January 27;322(7280):222-5.

MacKellar L. Priorities in global assistance for health, AIDS, and population. *Population and Development Review* 2005;31(2):293-312.

Mackenzie W. Misoprostol and the politics of fear. *The Lancet* 2001/4/21;357(9264):1296-.

Magee LA, Miremadi S, Li J, Cheng C, Ensom MH, Carleton B, et al. Therapy with both magnesium sulfate and nifedipine does not increase the risk of serious magnesium-related maternal side effects in women with preeclampsia. *Am J Obstet Gynecol* 2005 Jul;193(1):153-63.

Mahalanabis D. Current status of oral rehydration as a strategy for the control of diarrhoeal diseases. *Indian J Med Res* 1996 Jul;104:115-24.

Maine D, Rosenfield A. The Safe Motherhood Initiative: why has it stalled? *Am J Public Health* 1999 Apr;89(4):480-2.

Majtenyi C. New Mosquito Nets Could Help Fight Malaria in Africa. *Africa Fighting Malaria* 2004 November 23.

Makela PH. Conjugate vaccines--a breakthrough in vaccine development. *Southeast Asian J Trop Med Public Health* 2003 Jun;34(2):249-53.

Makela PH, Kayhty H, Leino T, Auranen K, Peltola H, Ekstrom N, et al. Long-term persistence of immunity after immunisation with Haemophilus influenzae type b conjugate vaccine. *Vaccine* 2003 Dec 12;22(2):287-92.

Makler MT, Palmer CJ, Ager AL. A review of practical techniques for the diagnosis of malaria. *Ann Trop Med Parasitol* 1998 Jun;92(4):419-33.

Makrides M, Crowther CA, Gibson RA, Gibson RS, Skeaff CM. Efficacy and tolerability of low-dose iron supplements during pregnancy: a randomized controlled trial. *Am J Clin Nutr* 2003 Jul;78(1):145-53.

Malhotra M, Sharma JB, Batra S, Sharma S, Murthy NS, Arora R. Maternal and perinatal outcome in varying degrees of anemia. *Int J Gynaecol Obstet* 2002 Nov;79(2):93-100.

Manandhar DS, Osrin D, Shrestha BP, Mesko N, Morrison J, Tumbahangphe KM, et al. Effect of a participatory intervention with women's groups on birth outcomes in Nepal: cluster-randomised controlled trial. *Lancet* 2004 Sep 11-17;364(9438):970-9.

Manjunath U, Pareek RP. Maternal knowledge and perceptions about the routine immunization programme--a study in a semiurban area in Rajasthan. *Indian J Med Sci* 2003 Apr;57(4):158-63.

Manyemba J. Magnesium sulphate for eclampsia: putting the evidence into clinical practice. *Cent Afr J Med* 2000 Jun;46(6):166-9.

Maral I, Cirak M, Aksakal FN, Baykan Z, Kayikcioglu F, Bumin MA. Tetanus immunization in pregnant women. Serum levels of antitetanus antibodies at time of delivery. *Eur J Epidemiol* 2001;17(7):661-5.

- Martin M, Casellas JM, Madhi SA, Urquhart TJ, Delpont SD, Ferrero F, et al. Impact of haemophilus influenzae type b conjugate vaccine in South Africa and Argentina. *Pediatr Infect Dis J* 2004 Sep;23(9):842-7.
- Martines J, Paul VK, Bhutta ZA, Koblinsky M, Soucat A, Walker N, et al. Neonatal survival: a call for action. *The Lancet* ;365(9465):1189-97.
- Marum E, Taegtmeyer M, Chebet K. Scale-up of voluntary HIV counseling and testing in Kenya. *JAMA* 2006 Aug 16;296(7):859-62.
- Mategrano VA, Gabay MP. Misoprostol in the prevention of postpartum hemorrhage. *Annals of Pharmacotherapy* 2001;35(12):1648-52.
- Matjila MJ, Phohu TC, Banzhoff A, Viviani S, Hoosen AA, Bianchini M, et al. Safety and immunogenicity of two Haemophilus influenzae type b conjugate vaccines. *S Afr Med J* 2004 Jan;94(1):43-6.
- Maughan KL, Heim SW, Galazka SS. Preventing postpartum hemorrhage: managing the third stage of labor. *Am Fam Physician* 2006 Mar 15;73(6):1025-8.
- Mayhew SH, Adjei S. Sexual and reproductive health: challenges for priority-setting in Ghana's health reforms. *Health Policy Plan* 2004 October 1;19(suppl_1):i50-61.
- McCombie SC. Treatment seeking for malaria: a review of recent research. *Soc Sci Med* 1996 Sep;43(6):933-45.
- McCormick ML, Sanghvi HC, Kinzie B, McIntosh N. Preventing postpartum hemorrhage in low-resource settings. *Int J Gynaecol Obstet* 2002 Jun;77(3):267-75.
- McDonald S, Prendiville WJ, Elbourne D. Prophylactic syntometrine versus oxytocin for delivery of the placenta. *Cochrane database of systematic reviews (Online : Update Software)* 2000(2).
- McGreevy D. Risks and benefits of the single versus the triple MMR vaccine: how can health professionals reassure parents? *J R Soc Health* 2005 Mar;125(2):84-6.
- McKee M, Fulop N, Bouvier P, Hort A, Brand H, Rasmussen F, et al. Preventing sudden infant deaths -- the slow diffusion of an idea. *Health Policy* 1996/8;37(2):117-35.
- McLaughlin KJ, Crowther CA, Walker N, Harding JE. Effects of a single course of corticosteroids given more than 7 days before birth: a systematic review. *Aust N Z J Obstet Gynaecol* 2003 Apr;43(2):101-6.
- McNeil, Jr. DG. Dose of tenacity wears down a horrific disease. *The New York Times*. March 26, 2006.

MCP. Malaria control project - Mvumi village: Report of activities 1993-1996. Malaria control project report, Dodoma rural District Dodoma, Tanzania 1996.

McVernon J, Andrews N, Slack MP, Ramsay ME. Risk of vaccine failure after Haemophilus influenzae type b (Hib) combination vaccines with acellular pertussis. Lancet 2003 May 3;361(9368):1521-3.

Medical Resource Council, Stories of Discovery: Folic Acid, 1991.
<http://www.mrc.ac.uk/YourHealth/StoriesDiscovery/FolicAcid/index.htm> (accessed March 26, 2007).

Meek SR. Epidemiology of malaria in displaced Khmers on the Thai-Kampuchean border. Southeast Asian J Trop Med Public Health 1988 Jun;19(2):243-52.

Meeks Gardner J, Witter MM, Ramdath DD. Zinc supplementation: effects on the growth and morbidity of undernourished Jamaican children. Eur J Clin Nutr 1998 Jan;52(1):34-9.

Mehra S, Agrawal D. Adolescent health determinants for pregnancy and child health outcomes among the urban poor. Indian Pediatr 2004 Feb;41(2):137-45.

Meier PR, Nickerson HJ, Olson KA, Berg RL, Meyer JA. Prevention of iron deficiency anemia in adolescent and adult pregnancies. Clin Med Res 2003 Jan;1(1):29-36.

Melse-Boonstra A, de Pee S, Martini E, Halati S, Sari M, Kosen S, et al. The potential of various foods to serve as a carrier for micronutrient fortification, data from remote areas in Indonesia. European Journal of Clinical Nutrition 2000;54(11):822-7.

Meme M, Musombi T, Ndwiga C, Nyanga J. Experiences of piloting malaria in pregnancy indicators in Kenya. 2003.

Menendez C. Malaria during pregnancy: a priority area of malaria research and control. Parasitol Today 1995 May;11(5):178-83.

Menendez C, D'Alessandro U, Ter Kuile FO. Reducing the burden of malaria in pregnancy by preventive strategies. Lancet Infect Dis 2007 Feb;7(2):126-35.

Menendez C, Kahigwa E, Hirt R, Vounatsou P, Aponte JJ, Font F, et al. Randomised placebo-controlled trial of iron supplementation and malaria chemoprophylaxis for prevention of severe anaemia and malaria in Tanzanian infants. Lancet 1997 Sep 20;350(9081):844-50.

Menzies R, McIntyre P. Vaccine preventable diseases and vaccination policy for indigenous populations. Epidemiol Rev 2006;28:71-80.

Meredith J, Galwankar S. Clinical and epidemiological implications of meningococcal disease. J Assoc Physicians India 2005 Jul;53:628-33.

Merson MH. The HIV-AIDS pandemic at 25--the global response. *N Engl J Med* 2006 Jun 8;354(23):2414-7.

Michel JM. Why do people like medicines? A perspective from Africa. *Lancet* 1985 Jan 26;1(8422):210-1.

Miller MF, Stoltzfus RJ, Iliff PJ, Malaba LC, Mbuya NV, Zimbabwe Vitamin A for Mothers and Babies Project (ZVITAMBO) Study Group, et al. Effect of maternal and neonatal vitamin A supplementation and other postnatal factors on anemia in Zimbabwean infants: a prospective, randomized study. *Am J Clin Nutr* 2006 Jul;84(1):212-22.

Miller P, Loza S, Terreri N, Nagaty A, Bayoumi M, Hirschhorn N, et al. Diarrhoea and mortality in Menoufia, Egypt. *J Diarrhoeal Dis Res* 1994 Sep;12(3):173-81.

Miller S, Lester F, Hensleigh P. Prevention and treatment of postpartum hemorrhage: new advances for low-resource settings. *J Midwifery Womens Health* 2004 Jul-Aug;49(4):283-92.

Mills A. Mass campaigns versus general health services: what have we learnt in 40 years about vertical versus horizontal approaches? *Bull World Health Organ* 2005 Apr;83(4):315-6.

Milne I, Chalmers I. Documenting the evidence: the case of scurvy. *Bull World Health Organ* 2004 Oct;82(10):791-6.

Minja H. Introducing insecticide treated mosquito nets in the Kilombero Valley (Tanzania): socio-cultural dimensions. PhD thesis 2001.

MIPESA. Sharing national success: Malawi's story. MIPESA Newsletter, 2004. http://www.cdc.gov/malaria/pdf/MIPESA_Newsletter.pdf (accessed Mar 7, 2007).

Mishra V, Thapa S, Retherford RD, Dai X. Effect of iron supplementation during pregnancy on birthweight: evidence from Zimbabwe. *Food Nutr Bull* 2005 Dec;26(4):338-47.

Mitchell EA, Robinson E, Clark PM, Becroft DM, Glavish N, Pattison NS, et al. Maternal nutritional risk factors for small for gestational age babies in a developed country: a case-control study. *Arch Dis Child Fetal Neonatal Ed* 2004 Sep;89(5):F431-5.

Mitchell V, Walker D, Zuber P, Lydon P, Ahun M, GAVI Hib Task Force. Evidenced-based decision making about Hib vaccination. *Lancet* 2005 Mar 12-18;365(9463):936-7.

Mittal NK, Sachdev HP, Yadav HS. Serum and rectal mucosal magnesium status in acute and chronic diarrhoea. *J Trop Pediatr* 1990 Jun;36(3):121-5.

MOH. Ministry of Health. National Malaria Medium-term Strategic Plan, 2002-2007. Malaria Control Series 8 2002.

- Moher D, Schulz KF, Altman DG, CONSORT. The CONSORT statement: Revised Recommendations For Improving the Quality of Reports of Parallel-Group Randomized Trials. *Zhongguo Zhong Xi Yi Jie He Za Zhi* 2005 Jul;25(7):658-61.
- Molbak K, Aaby P, Ingholt L, Hojlyng N, Gottschau A, Andersen H, et al. Persistent and acute diarrhoea as the leading causes of child mortality in urban Guinea Bissau. *Trans R Soc Trop Med Hyg* 1992 Mar-Apr;86(2):216-20.
- Montella S, De Stefano S, Sperli F, Barbarano F, Santamaria F. Increased risk of chronic suppurative lung disease after measles or pertussis in non-vaccinated children. *Vaccine* 2006 Sep 27.
- Moodley J, Pattinson RC, Hofmeyr GJ. A randomised controlled trial of intravenous magnesium sulphate versus placebo in the management of women with severe pre-eclampsia. *Br J Obstet Gynaecol* 1999 Mar;106(3):289-90.
- Morel CM, Lauer JA, Evans DB. Cost effectiveness analysis of strategies to combat malaria in developing countries. *BMJ* 2005 Dec 3;331(7528):1299.
- Morgan OW. Following in the footsteps of smallpox: can we achieve the global eradication of measles? *BMC Int Health Hum Rights* 2004 Mar 17;4(1):1.
- Morris CD, Jacobson SL, Anand R, Ewell MG, Hauth JC, Curet LB, et al. Nutrient intake and hypertensive disorders of pregnancy: Evidence from a large prospective cohort. *Am J Obstet Gynecol* 2001 Mar;184(4):643-51.
- Morris SS, Black RE, Tomaskovic L. Predicting the distribution of under-five deaths by cause in countries without adequate vital registration systems. *Int J Epidemiol* 2003 Dec;32(6):1041-51.
- Morrison J, Tamang S, Mesko N, Osrin D, Shrestha B, Manandhar M, et al. Women's health groups to improve perinatal care in rural Nepal. *BMC Pregnancy Childbirth* 2005 Mar 16;5(1):6.
- Moss WJ, Bobat R, Black RE. Zinc supplementation in children with HIV-1 infection - Authors' reply. *The Lancet* ;367(9513):815-6.
- Mousa HA, Alfirevic Z. Treatment for primary postpartum haemorrhage. *Cochrane database of systematic reviews* (Online : Update Software) 2003(1).
- Moy RJ, Booth IW, Choto RG, McNeish AS. Recurrent and persistent diarrhoea in a rural Zimbabwean community: a prospective study. *J Trop Pediatr* 1991 Dec;37(6):293-9.
- Moy RJ, de C Marshall TF, Choto RG, McNeish AS, Booth IW. Diarrhoea and growth faltering in rural Zimbabwe. *Eur J Clin Nutr* 1994 Nov;48(11):810-21.
- Mubyazi G, Bloch P, Kamugisha M, Kitua A, Ijumba J. Intermittent preventive treatment of malaria during pregnancy: a qualitative study of knowledge, attitudes and practices of district

health managers, antenatal care staff and pregnant women in Korogwe District, North-Eastern Tanzania. *Malar J* 2005 Jul 20;4:31.

Mubyazi G, Bygbjerg I, Massaga J, Barongo V, Kamugisha M, Mdira K, et al. Willingness to pay for Olyset Bednets, Community perceptions and health seeking behaviour in relation to malaria in Korogwe and Muheza districts, northeastern Tanzania. Report submitted to Sumitomo Chemical Company (Japan) and WHO 2002.

Mufubenga P. Prevention and control of malaria in pregnancy: the Ugandan experience. *PREMA-EU newsletter* 2003.

Muhilal, Permeisih D, Idjradinata YR, Muherdiyantiningsih, Karyadi D. Vitamin A-fortified monosodium glutamate and health, growth, and survival of children: a controlled field trial. *Am J Clin Nutr* 1988 Nov;48(5):1271-6.

Mukhopadhyay A, Bhatla N, Kriplani A, Pandey RM, Saxena R. Daily versus intermittent iron supplementation in pregnant women: hematological and pregnancy outcome. *J Obstet Gynaecol Res* 2004 Dec;30(6):409-17.

Mullany LC, Darmstadt GL, Khattry SK, Katz J, LeClerq SC, Shrestha S, et al. Topical applications of chlorhexidine to the umbilical cord for prevention of omphalitis and neonatal mortality in southern Nepal: a community-based, cluster-randomised trial. *Lancet* 2006 Mar 18;367(9514):910-8.

Mullany LC, Darmstadt GL, Tielsch JM. Safety and impact of chlorhexidine antiseptics interventions for improving neonatal health in developing countries. *Pediatr Infect Dis J* 2006 Aug;25(8):665-75.

Mupere E, Karamagi C, Zirembuzi G, Grabowsky M, de Swart RL, Nanyunja M, et al. Measles vaccination effectiveness among children under 5 years of age in Kampala, Uganda. *Vaccine* 2006 May 8;24(19):4111-5.

Murphy C, Ringheim K, Woldehanna S, Volmink J, eds. *Reducing Malaria's Burden: Evidence of Effectiveness for Decision Makers*. Technical Report. Washington: Global Health Council, 2003.

Murphy KM, Topel RH. *Measuring the gains from medical research :an economic approach*. Chicago: University of Chicago Press; 2003.

Murray CJ, Shengelia B, Gupta N, Moussavi S, Tandon A, Thieren M. Validity of reported vaccination coverage in 45 countries. *The Lancet* 2003/9/27;362(9389):1022-7.

Mutabingwa TK, Bolla MC, Li JL, Domingo GJ, Li X, Fried M, et al. Maternal malaria and gravidity interact to modify infant susceptibility to malaria. *PLoS Med* 2005 Dec;2(12):e407.

Mutabingwa TK, Malle LN, de Geus A, Oosting J. Malaria chemosuppression in pregnancy. II. Its effect on maternal haemoglobin levels, placental malaria and birth weight. *Trop Geogr Med* 1993;45(2):49-55.

Nahlen BD. HIV and malaria overlap and do interact in sub-Saharan Africa pregnant women. June 28-July 3, 1998.

Najera JA, Zaim M. Malaria vector control--decision making criteria and procedures for judicious use of insecticides. ;WHO/CDS/WHOPES/2002.5.

Nakayama T, Onoda K. Vaccine adverse events reported in post-marketing study of the Kitasato Institute from 1994 to 2004. *Vaccine* 2006 Aug 4.

Nanyunja M, Lewis RF, Makumbi I, Seruyange R, Kabwongera E, Mugenyi P, et al. Impact of mass measles campaigns among children less than 5 years old in Uganda. *J Infect Dis* 2003 May 15;187 Suppl 1:S63-8.

Navarro V, Muntaner C, Borrell C, Benach J, Quiroga A, Rodriguez-Sanz M, et al. Politics and health outcomes. *Lancet* 2006 Sep 16;368(9540):1033-7.

Ndyomugenyi R, Neema S, Magnussen P. The use of formal and informal services for antenatal care and malaria treatment in rural Uganda. *Health Policy Plan* 1998 Mar;13(1):94-102.

Ned RM, Moore JM, Chaisavaneeyakorn S, Udhayakumar V. Modulation of immune responses during HIV-malaria co-infection in pregnancy. *Trends Parasitol* 2005 Jun;21(6):284-91.

Nevill CG, Some ES, Mung'ala VO, Mutemi W, New L, Marsh K, et al. Insecticide-treated bednets reduce mortality and severe morbidity from malaria among children on the Kenyan coast. *Trop Med Int Health* 1996 Apr;1(2):139-46.

Newell JN, Baral SC, Pande SB, Bam DS, Malla P. Family-member DOTS and community DOTS for tuberculosis control in Nepal: cluster-randomised controlled trial. *The Lancet* ;367(9514):903-9.

Newell ML. Antenatal and perinatal strategies to prevent mother-to-child transmission of HIV infection. *Trans R Soc Trop Med Hyg* 2003 Jan-Feb;97(1):22-4.

Ng PS, Chan AS, Sin WK, Tang LC, Cheung KB, Yuen PM. A multicentre randomized controlled trial of oral misoprostol and i.m. syntometrine in the management of the third stage of labour. *Hum Reprod* 2001 Jan;16(1):31-5.

N'Guessan R, Darriet F, Doannio JM, Chandre F, Carnevale P. Olyset Net efficacy against pyrethroid-resistant *Anopheles gambiae* and *Culex quinquefasciatus* after 3 years' field use in Cote d'Ivoire. *Med Vet Entomol* 2001 Mar;15(1):97-104.

- Ninh NX, Thissen JP, Collette L, Gerard G, Khoi HH, Ketelslegers JM. Zinc supplementation increases growth and circulating insulin-like growth factor I (IGF-I) in growth-retarded Vietnamese children. *Am J Clin Nutr* 1996 Apr;63(4):514-9.
- Njunwa K, Kilimali V, Marero S, Msuya F, Pilyimo R, Kamuzora D. Permethrin incorporated bednets, 'Olyset net', reduce malaria transmission after twelve months of their use in three villages of Kibaha District, Coast Region, Tanzania. Report from Sumitomo chemical Co Ltd Japan Dar es Salaam, Tanzania 1996.
- Nosten F, McGready R, Simpson JA, Thwai KL, Balkan S, Cho T, et al. Effects of *Plasmodium vivax* malaria in pregnancy. *Lancet* 1999 Aug 14;354(9178):546-9.
- Oboro VO, Tabowei TO. A randomised controlled trial of misoprostol versus oxytocin in the active management of the third stage of labour. *J Obstet Gynaecol* 2003 Jan;23(1):13-6.
- O'Brien ME, Kupka R, Msamanga GI, Saathoff E, Hunter DJ, Fawzi WW. Anemia is an independent predictor of mortality and immunologic progression of disease among women with HIV in Tanzania. *Journal of Acquired Immune Deficiency Syndromes* 2005;40(2):219-25.
- O'Brien P, El-Refaey H. The management of the third stage of labor using misoprostol in low risk women. *Contemporary Reviews in Obstetrics and Gynaecology* 1997;9(1):27-32.
- Ocaktan E, Ozyurda F, Akar N. Natural immunity to *Haemophilus influenzae* type B in children of Ankara, Turkey. *Pediatr Int* 2004 Jun;46(3):280-4.
- OECD. Recent trends in official development assistance to health. September 2000.
- Ofori-Adjei D, Arhinful DK. Effect of training on the clinical management of malaria by medical assistants in Ghana. *Soc Sci Med* 1996 Apr;42(8):1169-76.
- Okeke TA, Okafor HU, Amah AC, Onwuasigwe CN, Ndu AC. Knowledge, attitude, practice, and prescribing pattern of oral rehydration therapy among private practitioners in Nigeria. *J Diarrhoeal Dis Res* 1996 Mar;14(1):33-6.
- Olango P, Aboud F. Determinants of mothers' treatment of diarrhea in rural Ethiopia. *Soc Sci Med* 1990;31(11):1245-9.
- Olsen SF. Effect of vitamin A and beta carotene supplementation on women's health. *BMJ* 1999 Feb 27;318(7183):551-2.
- Olufowobi O, Afnan M, Sorinola O, Papaioannou S, Sharif K, Lokugamage AU, et al. Re: A randomized study comparing rectally administered misoprostol versus syntometrine combined with an oxytocin infusion for the cessation of primary postpartum hemorrhage (multiple letters). *Acta Obstetrica et Gynecologica Scandinavica* 2002;81(10):993-4.

O'Neill J, Hosmer M, Challop R, et al. Percutaneous absorption potential of chlorhexidine in neonates. *Curr Ther Res* 1982;31:485-489.

Ong HT. Evidence-based prescribing of statins: a developing world perspective. *PLoS Med* 2006 Mar;3(3):e50.

Onyebujoh P, Rodriguez W, Mwaba P. Priorities in tuberculosis research. *The Lancet* ;367(9514):940-2.

Oransky I. Norman Shumway. *The Lancet* ;367(9514):896-.

ORC Macro. Measure Demographic and Health Surveys. <http://www.measuredhs.com>.

Osendarp SJ, van Raaij JM, Arifeen SE, Wahed M, Baqui AH, Fuchs GJ. A randomized, placebo-controlled trial of the effect of zinc supplementation during pregnancy on pregnancy outcome in Bangladeshi urban poor. *Am J Clin Nutr* 2000 Jan;71(1):114-9.

Osrin D, Mesko N, Shrestha BP, Shrestha D, Tamang S, Thapa S, et al. Implementing a community-based participatory intervention to improve essential newborn care in rural Nepal. *Trans R Soc Trop Med Hyg* 2003 Jan-Feb;97(1):18-21.

Osrin D, Tumbahangphe KM, Shrestha D, Mesko N, Shrestha BP, Manandhar MK, et al. Cross sectional, community based study of care of newborn infants in Nepal. *BMJ* 2002 Nov 9;325(7372):1063.

Osrin D, Vaidya A, Shrestha Y, Baniya RB, Manandhar DS, Adhikari RK, et al. Effects of antenatal multiple micronutrient supplementation on birthweight and gestational duration in Nepal: double-blind, randomised controlled trial. *Lancet* 2005 Mar 12-18;365(9463):955-62.

Ota MO, Moss WJ, Griffin DE. Emerging diseases: measles. *J Neurovirol* 2005 Oct;11(5):447-54.

Otten M, Kezaala R, Fall A, Masresha B, Martin R, Cairns L, et al. Public-health impact of accelerated measles control in the WHO African Region 2000-03. *Lancet* 2005 Sep 3-9;366(9488):832-9.

Owen J, Roberts O. Globalisation, health and foreign policy: emerging linkages and interests. *Globalization and Health* 2005;1(1):12.

Oyejide CO, Fagbami AH. An epidemiological study of rotavirus diarrhoea in a cohort of Nigerian infants: II. Incidence of diarrhoea in the first two years of life. *Int J Epidemiol* 1988 Dec;17(4):908-12.

Ozturk S, Kavuncuoglu S, Ozbek S, Vural M. Evaluation of maternal measles antibody titers and response to the measles vaccination at the age of 9 months in preterm infants. *Eur J Pediatr* 2006 Nov 29.

Pablos-Mendez A, Shademani R. Knowledge translation in global health. *J Contin Educ Health Prof* 2006 Winter;26(1):81-6.

Paesano R, Torcia F, Berlutti F, Pacifici E, Ebano V, Moscarini M, et al. Oral administration of lactoferrin increases hemoglobin and total serum iron in pregnant women. *Biochem Cell Biol* 2006 Jun;84(3):377-80.

Pangaribuan R, Erhardt JG, Scherbaum V, Biesalski HK. Vitamin A capsule distribution to control vitamin A deficiency in Indonesia: Effect of supplementation in pre-school children and compliance with the programme. *Public Health Nutrition* 2003;6(2):209-16.

Pangaribuan R, Scherbaum V, Erhardt JG, Sastroamidjojo S, Biesalski HK. Socioeconomic and familial characteristics influence caretakers' adherence to the periodic vitamin A capsule supplementation program in central Java, Indonesia. *Journal of Tropical Pediatrics* 2004;50(3):143-8.

Papp Z. Massive obstetric hemorrhage. *J Perinat Med* 2003;31(5):408-14.

Parise ME, Ayisi JG, Nahlen BL, Schultz LJ, Roberts JM, Misore A, et al. Efficacy of sulfadoxine-pyrimethamine for prevention of placental malaria in an area of Kenya with a high prevalence of malaria and human immunodeficiency virus infection. *Am J Trop Med Hyg* 1998 Nov;59(5):813-22.

Park KH, Cho YK, Lee CM, Choi H, Kim BR, Lee HK. Effect of preeclampsia, magnesium sulfate prophylaxis, and maternal weight on labor induction: a retrospective analysis. *Gynecol Obstet Invest* 2006;61(1):40-4.

Patel AB, Dhande LA, Rawat MS. Economic evaluation of zinc and copper use in treating acute diarrhea in children: A randomized controlled trial. *Cost Eff Resour Alloc* 2003 Aug 29;1(1):7.

Paulino LS, Angeles-Agdeppa I, Etorma UM, Ramos AC, Cavalli-Sforza T. Weekly iron-folic acid supplementation to improve iron status and prevent pregnancy anemia in Filipino women of reproductive age: the Philippine experience through government and private partnership. *Nutr Rev* 2005 Dec;63(12 Pt 2):S109-15.

Pena-Rosas JP, Nesheim MC, Garcia-Casal MN, Crompton DW, Sanjur D, Viteri FE, et al. Intermittent iron supplementation regimens are able to maintain safe maternal hemoglobin concentrations during pregnancy in Venezuela. *J Nutr* 2004 May;134(5):1099-104.

Pena-Rosas JP, Viteri FE. Effects of routine oral iron supplementation with or without folic acid for women during pregnancy. *Cochrane Database Syst Rev* 2006 Jul 19;3:CD004736.

Perkins MD, Roscigno G, Zumla A. Progress towards improved tuberculosis diagnostics for developing countries. *The Lancet* ;367(9514):942-3.

Phillips-Howard PA, Nahlen BL, Kolczak MS, Hightower AW, ter Kuile FO, Alaii JA, et al. Efficacy of permethrin-treated bed nets in the prevention of mortality in young children in an area of high perennial malaria transmission in western Kenya. *Am J Trop Med Hyg* 2003 Apr;68(4 Suppl):23-9.

Pierce NF, Banwell JG, Mitra RC, Sack RB, Brigham KL, Fedson DS, et al. Oral replacement of water and electrolyte losses in cholera. *Indian J Med Res* 1969 May;57(5):848-55.

Piper CJ. Is there a place for traditional midwives in the provision of community-health services? *Ann Trop Med Parasitol* 1997 Apr;91(3):237-45.

Platonov AE, Griffiths UK, Voeykova MV, Platonova OV, Shakhanina IL, Chistyakova GG, et al. Economic evaluation of Haemophilus influenzae type b vaccination in Moscow, Russian Federation. *Vaccine* 2006 Mar 20;24(13):2367-76.

Pokhrel S. Scaling up health interventions in resource-poor countries: what role does research in stated-preference framework play? *Health Research Policy and Systems* 2006;4:4.

Poovorawan Y, Theamboonlers A, Vimolket T, Sinlaparatsamee S, Chaiear K, Siraprapasiri T, et al. Impact of hepatitis B immunisation as part of the EPI. *Vaccine* 2000 Nov 22;19(7-8):943-9.

Poston L, Briley A, Seed P, Kelly F, Shennan A. Vitamin C and vitamin E in pregnant women at risk for pre-eclampsia (VIP trial): randomised placebo-controlled trial. *The Lancet* ;367(9517):1145-54.

Potter AR. Reducing Vitamin A deficiency. *BMJ* 1997;314(7077):317-8.

Potts M, Campbell M. Three meetings and fewer funerals--misoprostol in postpartum haemorrhage. *The Lancet* ;364(9440):1110-1.

Powell-Jackson T, Borghi J, Mueller DH, Patouillard E, Mills A. Countdown to 2015: tracking donor assistance to maternal, newborn, and child health. *The Lancet* ;368(9541):1077-87.

Powles J. Healthier progress: historical perspectives on the social and economic determinants of health. In: Eckersley R, Dixon J, Douglas RM, editors. *The social origins of health and well-being*. Cambridge, UK ;New York, NY: Cambridge University Press; 2001. p.347.

Prasad AS. Clinical, biochemical, and pharmacological role of zinc. *Annu Rev Pharmacol Toxicol* 1979;19:393-426.

Prata N, Hamza S, Gypson R, Nada K, Vahidnia F, Potts M. Misoprostol and active management of the third stage of labor. *Int J Gynaecol Obstet* 2006 Aug;94(2):149-55.

Prata N, Mbaruku G, Campbell M, Potts M, Vahidnia F. Controlling postpartum hemorrhage after home births in Tanzania. *Int J Gynaecol Obstet* 2005 Jul;90(1):51-5.

Premenko-Lanier M, Hodge G, Rota P, Tamin A, Bellini W, McChesney M. Maternal antibody inhibits both cellular and humoral immunity in response to measles vaccination at birth. *Virology* 2006 Jul 5;350(2):429-32.

Premenko-Lanier M, Rota P, Rhodes G, Bellini W, McChesney M. Prior DNA vaccination does not interfere with the live-attenuated measles vaccine. *Vaccine* 2004 Jan 26;22(5-6):762-5.

Punjabi NH, Richie EL, Simanjuntak CH, Harjanto SJ, Wangsasaputra F, Arjoso S, et al. Immunogenicity and safety of four different doses of Haemophilus influenzae type b-tetanus toxoid conjugated vaccine, combined with diphtheria-tetanus-pertussis vaccine (DTP-Hib), in Indonesian infants. *Vaccine* 2006 Mar 10;24(11):1776-85.

Purwar M, Kulkarni H, Motghare V, Dhole S. Calcium supplementation and prevention of pregnancy induced hypertension. *J Obstet Gynaecol Res* 1996 Oct;22(5):425-30.

Rahman M. Use of tetanus toxoid for the prevention of neonatal tetanus. II. Immunization acceptance among pregnant women in rural Bangladesh. *Bulletin of the World Health Organization* 1982;60(2):269.

Rahmathullah L, Underwood BA, Thulasiraj RD, Milton RC, Ramaswamy K, Rahmathullah R, et al. Reduced mortality among children in southern India receiving a small weekly dose of vitamin A. *N Engl J Med* 1990 Oct 4;323(14):929-35.

Raman NV, Rao CA. Magnesium sulfate as an anticonvulsant in eclampsia. *Int J Gynaecol Obstet* 1995 Jun;49(3):289-98.

Ranney ML, Gee EM, Merchant RC. Nonprescription availability of emergency contraception in the United States: current status, controversies, and impact on emergency medicine practice. *Ann Emerg Med* 2006 May;47(5):461-71.

Ratanachu-Ek S. Effects of Multivitamin and Folic Acid Supplementaion in Malnourished Children. *Journal of the Medical Association of Thailand* 2003;86(SUPPL. 3).

Ratanawijitrasin S, Soumerai SB, Weerasuriya K. Do national medicinal drug policies and essential drug programs improve drug use?: a review of experiences in developing countries. *Soc Sci Med* 2001 Oct;53(7):831-44.

Raviglione MC, Uplekar MW. WHO's new Stop TB Strategy. *The Lancet* ;367(9514):952-5.

Ray JG, Burrows RF, Burrows EA, Vermeulen MJ. MOS HIP: McMaster outcome study of hypertension in pregnancy. *Early Hum Dev* 2001 Sep;64(2):129-43.

Ray P, Hayward J, Michelson D, Lewis E, Schwalbe J, Black S, et al. Encephalopathy after whole-cell pertussis or measles vaccination: lack of evidence for a causal association in a retrospective case-control study. *Pediatr Infect Dis J* 2006 Sep;25(9):768-73.

Ray SK, Mallik S, Munsi AK, Mitra SP, Baur B, Kumar S. Epidemiological study of measles in slum areas of Kolkata. *Indian J Pediatr* 2004 Jul;71(7):583-6.

Reading R. Impact of adverse publicity on MMR vaccine uptake: a population based analysis of vaccine uptake records for one million children, born 1987-2004. *Child Care Health Dev* 2006 Sep;32(5):608-9.

Redd SC, Kazembe PN, Luby SP, Nwanyanwu O, Hightower AW, Ziba C, et al. Clinical algorithm for treatment of *Plasmodium falciparum* malaria in children. *Lancet* 1996 Jan 27;347(8996):223-7.

Redd SC, King GE, Heath JL, Forghani B, Bellini WJ, Markowitz LE. Comparison of vaccination with measles-mumps-rubella vaccine at 9, 12, and 15 months of age. *J Infect Dis* 2004 May 1;189 Suppl 1:S116-22.

Reich MR. The politics of reforming health policies. *Promot Educ* 2002;9(4):138-42.

Reich MR, Govindaraj R. Dilemmas in drug development for tropical diseases. Experiences with praziquantel. *Health Policy* 1998 Apr;44(1):1-18.

Rein DB, Fiore AE, Bell BP. What's next for the hepatitis A vaccine? *The Lancet* ;367(9510):546-8.

Riaz M, Porat R, Brodsky NL, Hurt H. The effects of maternal magnesium sulfate treatment on newborns: a prospective controlled study. *J Perinatol* 1998 Nov-Dec;18(6 Pt 1):449-54.

Riedemann S, Reinhardt G, Jara J, Rios R, Wenzel MS, Willems P, et al. Immunogenicity and reactogenicity of combined versus separately administered DTPw-HBV and Hib vaccines given to healthy infants at 2, 4 and 6 months of age, with a booster at 18 months. *Int J Infect Dis* 2002 Sep;6(3):215-22.

Robberstad B, Strand T, Black RE, Sommerfelt H. Cost-effectiveness of zinc as adjunct therapy for acute childhood diarrhoea in developing countries. *Bull World Health Organ* 2004 Jul;82(7):523-31.

Roberts JM, Villar J, Arulkumaran S. Preventing and treating eclamptic seizures. *BMJ* 2002 Sep 21;325(7365):609-10.

Rochat R, Akhter HH. Tetanus and pregnancy-related mortality in Bangladesh. *Lancet* 1999 Aug 14;354(9178):565.

Rogers EM. *Diffusion of Innovations*. Fifth ed. New York, NY: The Free Press; 2003.

Rogers MS, Fung HY, Hung CY. Calcium and low-dose aspirin prophylaxis in women at high risk of pregnancy-induced hypertension. *Hypertens Pregnancy* 1999;18(2):165-72.

Rogerson SJ, Pollina E, Getachew A, Tadesse E, Lema VM, Molyneux ME. Placental monocyte infiltrates in response to Plasmodium falciparum malaria infection and their association with adverse pregnancy outcomes. *Am J Trop Med Hyg* 2003 Jan;68(1):115-9.

Ronsmans C, Campbell O, Collumbien M. Effect of supplementation with vitamin A or beta carotene on mortality related to pregnancy. Slight modifications in definitions could alter interpretation of results. *BMJ* 1999 Oct 30;319(7218):1202-3.

Ronsmans C, Graham WJ, Lancet Maternal Survival Series steering group. Maternal mortality: who, when, where, and why. *Lancet* 2006 Sep 30;368(9542):1189-200.

Rosado JL, Lopez P, Munoz E, Martinez H, Allen LH. Zinc supplementation reduced morbidity, but neither zinc nor iron supplementation affected growth or body composition of Mexican preschoolers. *Am J Clin Nutr* 1997 Jan;65(1):13-9.

Rosen JB, Breman JG, Manclark CR, Meade BD, Collins WE, Lobel HO, et al. Malaria chemoprophylaxis and the serologic response to measles and diphtheria-tetanus-whole-cell pertussis vaccines. *Malar J* 2005 Nov 6;4:53.

Rosenfield A, Maine D, Freedman L. Meeting MDG-5: an impossible dream? *Lancet* 2006 Sep 30;368(9542):1133-5.

Rowland MG, Cole TJ, Whitehead RG. A quantitative study into the role of infection in determining nutritional status in Gambian village children. *Br J Nutr* 1977 May;37(3):441-50.

Rowland MG, Rowland SG, Cole TJ. Impact of infection on the growth of children from 0 to 2 years in an urban West African community. *Am J Clin Nutr* 1988 Jan;47(1):134-8.

Roy SK, Tomkins AM. Impact of experimental zinc deficiency on growth, morbidity and ultrastructural development of intestinal tissue. *Bangladesh J Nutr* 1989;2:1-7.

Roy SK, Behrens RH, Haider R, Akramuzzaman SM, Mahalanabis D, Wahed MA, et al. Impact of zinc supplementation on intestinal permeability in Bangladeshi children with acute diarrhoea and persistent diarrhoea syndrome. *J Pediatr Gastroenterol Nutr* 1992 Oct;15(3):289-96.

Rozenberg P. Magnesium sulphate for the management of preeclampsia. *Gynecol Obstet Fertil* 2006 Jan;34(1):54-9.

Rudan I, Lawn J, Cousens S, Rowe AK, Boschi-Pinto C, Tomaskovic L, et al. Gaps in policy-relevant information on burden of disease in children: a systematic review. *Lancet* 2005 Jun 11-17;365(9476):2031-40.

Ruebush TK, Kern MK, Campbell CC, Oloo AJ. Self-treatment of malaria in a rural area of western Kenya. *Bull World Health Organ* 1995;73(2):229-36.

Ruel MT, Rivera JA, Santizo MC, Lonnerdal B, Brown KH. Impact of zinc supplementation on morbidity from diarrhea and respiratory infections among rural Guatemalan children. *Pediatrics* 1997 Jun;99(6):808-13.

Rushing S, Ment LR. Preterm birth: a cost benefit analysis. *Semin Perinatol* 2004 Dec;28(6):444-50.

Sachdev HP. Effect of supplementation with vitamin A or beta carotene on mortality related to pregnancy. No magic pills exist for reducing mortality related to pregnancy. *BMJ* 1999 Oct 30;319(7218):1202; author reply 1203.

Sachdev HP, Mittal NK, Mittal SK, Yadav HS. A controlled trial on utility of oral zinc supplementation in acute dehydrating diarrhea in infants. *J Pediatr Gastroenterol Nutr* 1988 Nov-Dec;7(6):877-81.

Sachdev HP, Mittal NK, Yadav HS. Oral zinc supplementation in persistent diarrhoea in infants. *Ann Trop Paediatr* 1990 Mar;10(1):63-9.

Sachdev HP, Mittal NK, Yadav HS. Serum and rectal mucosal zinc levels in acute and chronic diarrhea. *Indian Pediatr* 1990 Feb;27(2):125-33.

Sachdev HP, Mittal NK, Yadav HS. Serum and rectal mucosal copper status in acute and chronic diarrhea. *J Pediatr Gastroenterol Nutr* 1989 Feb;8(2):212-6.

Sachs J. Macroeconomics and health: investing in health for economic development. 2001;Report of the Commission on Macroeconomics and Health:1-202.

Sachs J, McArthur J. The Millennium Project: a plan for meeting the Millennium Development Goals. *The Lancet* 2005;365(9456):347-53.

Sackett DL, Rosenberg WMC, Gray JAM, Haynes RB, Richardson WS. Evidence based medicine: what it is and what it isn't. *BMJ* 1996 January 13;312(7023):71-2.

Saha SK, Baqui AH, Darmstadt GL, Ruhulamin M, Hanif M, El Arifeen S, et al. Invasive *Haemophilus influenzae* type B diseases in Bangladesh, with increased resistance to antibiotics. *J Pediatr* 2005 Feb;146(2):227-33.

Sallam TA, Al-Jaufy AY, Al-Shaibany KS, Ghauth AB, Best JM. Prevalence of antibodies to measles and rubella in Sana'a, Yemen. *Vaccine* 2006 Sep 11;24(37-39):6304-8.

Samadi AR, Islam R, Huq MI. Replacement of intravenous therapy by oral rehydration solution in a large treatment centre for diarrhoea with dehydration. *Bull World Health Organ* 1983;61(3):471-6.

Samba C, Tchibindat F, Houze P, Gourmel B, Malvy D. Prevalence of infant Vitamin A deficiency and undernutrition in the Republic of Congo. *Acta Tropica* 2006;97(3):270-83.

Sanchez-Ramos L, Adair CD, Kaunitz AM, Briones DK, Del Valle GO, Delke I. Calcium supplementation in mild preeclampsia remote from term: a randomized double-blind clinical trial. *Obstet Gynecol* 1995 Jun;85(6):915-8.

Sanchez-Ramos L, Jones DC, Cullen MT. Urinary calcium as an early marker for preeclampsia. *Obstet Gynecol* 1991 May;77(5):685-8.

Sandstead HH. Is zinc deficiency a public health problem? *Nutrition* 1995 Jan-Feb;11(1 Suppl):87-92.

Sandstead HH. Zinc deficiency. A public health problem? *Am J Dis Child* 1991 Aug;145(8):853-9.

Santosham M, Keenan EM, Tulloch J, Broun D, Glass R. Oral rehydration therapy for diarrhea: an example of reverse transfer of technology. *Pediatrics* 1997 Nov;100(5):E10.

Sarbib JL, Nankani G, Patel P. The Booster Program for Malaria Control: putting knowledge and money to work. *Lancet* 2006 Jul 15;368(9531):253-7.

Sarkar K, Sircar BK, Roy S, Deb BC, Biswas AB, Biswas R. Global review on ORT (oral rehydration therapy) programme with special reference to Indian scene. *Indian J Public Health* 1990 Jan-Mar;34(1):48-53.

Sazawal S, Bentley M, Black RE, Dhingra P, George S, Bhan MK. Effect of zinc supplementation on observed activity in low socioeconomic Indian preschool children. *Pediatrics* 1996 Dec;98(6 Pt 1):1132-7.

Sazawal S, Black RE, Bhan MK, Bhandari N, Sinha A, Jalla S. Zinc supplementation in young children with acute diarrhea in India. *N Engl J Med* 1995 Sep 28;333(13):839-44.

Sazawal S, Black RE, Bhan MK, Jalla S, Bhandari N, Sinha A, et al. Zinc supplementation reduces the incidence of persistent diarrhea and dysentery among low socioeconomic children in India. *J Nutr* 1996 Feb;126(2):443-50.

Sazawal S, Black RE, Bhan MK, Jalla S, Sinha A, Bhandari N. Efficacy of zinc supplementation in reducing the incidence and prevalence of acute diarrhea--a community-based, double-blind, controlled trial. *Am J Clin Nutr* 1997 Aug;66(2):413-8.

Sazawal S, Black RE, Jalla S, Mazumdar S, Sinha A, Bhan MK. Zinc supplementation reduces the incidence of acute lower respiratory infections in infants and preschool children: a double-blind, controlled trial. *Pediatrics* 1998 Jul;102(1 Pt 1):1-5.

Sazawal S, Black RE, Pneumonia Case Management Trials Group. Effect of pneumonia case management on mortality in neonates, infants, and preschool children: a meta-analysis of community-based trials. *Lancet Infect Dis* 2003 Sep;3(9):547-56.

Scheifele DW, Halperin SA, Smith B, Ochnio J, Meloff K, Duarte-Monteiro D. Assessment of the compatibility of co-administered 7-valent pneumococcal conjugate, DTaP/IPV/PRP-T Hib and hepatitis B vaccines in infants 2-7 months of age. *Vaccine* 2006 Mar 15;24(12):2057-64.

Schellenberg JA, Victora CG, Mushi A, de Savigny D, Schellenberg D, Mshinda H, et al. Inequities among the very poor: health care for children in rural southern Tanzania. *Lancet* 2003 Feb 15;361(9357):561-6.

Schémann JF, Banou A, Malvy D, Guindo A, Traore L, Momo G. National immunisation days and vitamin A distribution in Mali: Has the vitamin A status of pre-school children improved? *Public Health Nutrition* 2003;6(3):233-40.

Schierup MH, Mordhorst CH, Muller CP, Christensen LS. Evidence of recombination among early-vaccination era measles virus strains. *BMC Evol Biol* 2005 Oct 6;5:52.

Schlesinger L, Arevalo M, Arredondo S, Diaz M, Lonnerdal B, Stekel A. Effect of a zinc-fortified formula on immunocompetence and growth of malnourished infants. *Am J Clin Nutr* 1992 Sep;56(3):491-8.

Scholl TO. Iron status during pregnancy: Setting the stage for mother and infant. *American Journal of Clinical Nutrition* 2005;81(5):1218S-22S.

Schumacher R, et al. Mortality study in Guinea: investigating the causes of death in children under 5. 2002.

Schwartlander B, Grubb I, Perriens J. The 10-year struggle to provide antiretroviral treatment to people with HIV in the developing world. *Lancet* 2006 Aug 5;368(9534):541-6.

Semba RD, Akib A, Beeler J, Munasir Z, Permaesih D, Muherdiyantiningsih, et al. Effect of vitamin A supplementation on measles vaccination in nine-month-old infants. *Public Health* 1997;111(4):245-7.

Semba RD, Munasir Z, Akib A, Melikian G, Permaesih D, Muherdiyantiningsih, et al. Integration of vitamin A supplementation with the Expanded Programme on Immunization: Lack of impact on morbidity or infant growth. *Acta Paediatrica, International Journal of Paediatrics* 2001;90(10):1107-11.

Sempertegui F, Estrella B, Correa E, Aguirre L, Saa B, Torres M, et al. Effects of short-term zinc supplementation on cellular immunity, respiratory symptoms, and growth of malnourished Equadorian children. *Eur J Clin Nutr* 1996 Jan;50(1):42-6.

Sengupta PG, Mondal SK, Ghosh S, Gupta DN, Sikder SN, Sircar BK. Review on development and community implementation of oral rehydration therapy. *Indian J Public Health* 1994 Apr-Jun;38(2):50-7.

- Sevene E, Lewin S, Mariano A, Woelk G, Oxman AD, Matinhure S, et al. System and market failures: the unavailability of magnesium sulphate for the treatment of eclampsia and pre-eclampsia in Mozambique and Zimbabwe. *BMJ* 2005 Oct 1;331(7519):765-9.
- Shah NK. H. influenzae type b (Hib) vaccine--controversies. *Indian J Pediatr* 2003 Jun;70(6):489-93.
- Shankar AH, Prasad AS. Zinc and immune function: the biological basis of altered resistance to infection. *Am J Clin Nutr* 1998 Aug;68(2 Suppl):447S-63S.
- Shannon C, Winikoff B. Use of misoprostol in third stage of labour. *The Lancet* 2002/2/23;359(9307):709-.
- Shao PL, Chie WC, Wang CY, Yang CY, Lu CY, Chang LY, et al. Epidemiology of Haemophilus influenzae type b meningitis in Taiwan, 1997 and 2000. *J Microbiol Immunol Infect* 2004 Jun;37(3):164-8.
- Shapiro ED. Case-control studies of the effectiveness of vaccines: validity and assessment of potential bias. *Pediatr Infect Dis J* 2004 Feb;23(2):127-31.
- Sharma MK, Bhatia V, Swami HM. Outbreak of measles amongst vaccinated children in a slum of Chandigarh. *Indian J Med Sci* 2004 Feb;58(2):47-53.
- Sharma PD, Sharma M. Impact of alternate immunisation strategies on tetanus neonatorum in India. *Indian Pediatr* 1984 Nov;21(11):839-52.
- Sharma S, El-Refaey H. Prostaglandins in the prevention and management of postpartum haemorrhage. *Best Pract Res Clin Obstet Gynaecol* 2003 Oct;17(5):811-23.
- Sharma S, Liu J. Progress of DOTS in global tuberculosis control. *The Lancet* ;367(9514):951-2.
- Sharman IM. Symposium on "Vitamin A in nutrition and disease." Historical introduction. *Proc Nutr Soc* 1983 Jan;42(1):1-5.
- Shaw DD, Jacobsen CA, Konare KF, Isa AR. Knowledge and use of oral rehydration therapy for childhood diarrhoea in Tumpat District. *Med J Malaysia* 1990 Dec;45(4):304-9.
- Sheffield JS, Ramin SM. Tetanus in pregnancy. *Am J Perinatol* 2004 May;21(4):173-82.
- Sheldon TA, Guyatt GH, Haines A. Getting research findings into practice. When to act on the evidence. *BMJ* 1998 Jul 11;317(7151):139-42.
- Shey WI, Brocklehurst P, Sterne JA. Vitamin A supplementation for reducing the risk of mother-to-child transmission of HIV infection. *Cochrane Database Syst Rev* 2002;(3)(3):CD003648.

Shibuya K, Boerma JT. Measuring progress towards reducing health inequalities. *Bull World Health Organ* 2005 Mar;83(3):162.

Shiffman J, Beer T, Wu Y. The emergence of global disease control priorities. *Health Policy Plan* 2002 Sep;17(3):225-34.

Shiffman J, Garcés del Valle AL. Political history and disparities in safe motherhood between Guatemala and Honduras. *Population and Development Review* 2006;32(1):53-80.

Shiffman J. Donor funding priorities for communicable disease control in the developing world. *Health Policy Plan* 2006 November 1;21(6):411-20.

Shiffman J. Generating political will for safe motherhood in Indonesia. *Social Science & Medicine* 2003/3;56(6):1197-207.

Shinefield H, Black S, Thear M, Coury D, Reisinger K, Rothstein E, et al. Safety and immunogenicity of a measles, mumps, rubella and varicella vaccine given with combined *Haemophilus influenzae* type b conjugate/hepatitis B vaccines and combined diphtheria-tetanus-acellular pertussis vaccines. *Pediatr Infect Dis J* 2006 Apr;25(4):287-92.

Shojai R, d'Ercole C, Boubli L. The use of oxytocin administration to manage the third stage of labor. *Am J Obstet Gynecol* 2002 Aug;187(2):516,7; author reply 517.

Shulman C. Prevention of severe anaemia and malaria in pregnancy in Kenya. 2003.

Shulman CE, Dorman EK, Cutts F, Kawuondo K, Bulmer JN, Peshu N, et al. Intermittent sulphadoxine-pyrimethamine to prevent severe anaemia secondary to malaria in pregnancy: a randomised placebo-controlled trial. *Lancet* 1999 Feb 20;353(9153):632-6.

Shulman CE, Marshall T, Dorman EK, Bulmer JN, Cutts F, Peshu N, et al. Malaria in pregnancy: adverse effects on haemoglobin levels and birthweight in primigravidae and multigravidae. *Trop Med Int Health* 2001 Oct;6(10):770-8.

Shultz J. Follow the money: a guide to monitoring budgets and oil and gas revenues. Open Society Institute, 2005.

http://www.soros.org/initiatives/cep/articles_publications/publications/money_20041117/follow_money.pdf (accessed March 7, 2007).

Sibai BM. Diagnosis, prevention, and management of eclampsia. *Obstet Gynecol* 2005 Feb;105(2):402-10.

Sibai BM. Magnesium sulfate prophylaxis in preeclampsia: Lessons learned from recent trials. *Am J Obstet Gynecol* 2004 Jun;190(6):1520-6.

- Sibai BM, Ewell M, Levine RJ, Klebanoff MA, Esterlitz J, Catalano PM, et al. Risk factors associated with preeclampsia in healthy nulliparous women. The Calcium for Preeclampsia Prevention (CPEP) Study Group. *Am J Obstet Gynecol* 1997 Nov;177(5):1003-10.
- Sibley L, Ann Sipe T. What can a meta-analysis tell us about traditional birth attendant training and pregnancy outcomes? *Midwifery* 2004 Mar;20(1):51-60.
- Sibley LM, Sipe TA, Koblinsky M. Does traditional birth attendant training increase use of antenatal care? A review of the evidence. *J Midwifery Womens Health* 2004 Jul-Aug;49(4):298-305.
- Siddiqi K, Newell J, Robinson M. Getting evidence into practice: what works in developing countries? *Int J Qual Health Care* 2005 Oct;17(5):447-54.
- Siddiqi K, Newell JN. Putting evidence into practice in low-resource settings. *Bull World Health Organ* 2005 Dec;83(12):882.
- Siega-Riz AM, Hartzema AG, Turnbull C, Thorp J, McDonald T, Cogswell ME. The effects of prophylactic iron given in prenatal supplements on iron status and birth outcomes: a randomized controlled trial. *Am J Obstet Gynecol* 2006 Feb;194(2):512-9.
- Simmons R, Fajans P, Ghiron L, eds. *Scaling-up health service delivery: from pilot innovations and programmes*. Geneva: World Health Organization, 2006:18-53.
- Simon J, Gray A, Duley L, Magpie Trial Collaborative Group. Cost-effectiveness of prophylactic magnesium sulphate for 9996 women with pre-eclampsia from 33 countries: economic evaluation of the Magpie Trial. *BJOG* 2006 Feb;113(2):144-51.
- Simon JL, Larson BA, Zusman A, Rosen S. How will the reduction of tariffs and taxes on insecticide-treated bednets affect household purchases? *Bull World Health Organ* 2002;80(11):892-9.
- Simons J. The \$10 billion pill. *Fortune* 2003 Jan 20;147(1):58,62, 66, 68.
- Sipilanyambe N. Progress update on malaria in pregnancy implementation in Zambia. 2003.
- Sirima SB, Sawadogo R, Moran AC, Konate A, Diarra A, Yameogo M, et al. Failure of a chloroquine chemoprophylaxis program to adequately prevent malaria during pregnancy in Koupela District, Burkina Faso. *Clin Infect Dis* 2003 Jun 1;36(11):1374-82.
- Sivasankaran S, Manickam P, Ramakrishnan R, Hutin Y, Gupte MD, Centers for Disease Control and Prevention (CDC). Estimation of measles vaccination coverage using the Lot Quality Assurance Sampling (LQAS) method--Tamilnadu, India, 2002-2003. *MMWR Morb Mortal Wkly Rep* 2006 Apr 28;55 Suppl 1:16-9.

Smitasiri S, Solon FS. Implementing preventive iron-folic acid supplementation among women of reproductive age in some Western Pacific countries: possibilities and challenges. *Nutr Rev* 2005 Dec;63(12 Pt 2):S81-6.

Smith PJ, Chu SY, Barker LE. Children who have received no vaccines: who are they and where do they live? *Pediatrics* 2004 Jul;114(1):187-95.

Smith PJ, Kennedy AM, Wooten K, Gust DA, Pickering LK. Association between health care providers' influence on parents who have concerns about vaccine safety and vaccination coverage. *Pediatrics* 2006 Nov;118(5):e1287-92.

Snow RW, Craig M, Deichmann U, Marsh K. Estimating mortality, morbidity and disability due to malaria among Africa's non-pregnant population. *Bull World Health Organ* 1999;77(8):624-40.

Snyder JD, Merson MH. The magnitude of the global problem of acute diarrhoeal disease: a review of active surveillance data. *Bull World Health Organ* 1982;60(4):605-13.

Solomons NW, Ruz M, Gibson RS. Single-nutrient interventions with zinc. *Am J Clin Nutr* 1999 Jul;70(1):111-3.

Sommer A. Moving from science to public health programs: lessons from vitamin A. *Am J Clin Nutr* 1998 Aug;68(2 Suppl):513S-6S.

Sommer A. 1997 Albert Lasker Award for Clinical Research. Clinical research and the human condition: moving from observation to practice. *Nat Med* 1997 Oct;3(10):1061-3.

Sommer A. Vitamin A deficiency and childhood mortality. *Lancet* 1992 Aug 22;340(8817):488-9.

Sommer A, Tarwotjo I, Djunaedi E, West KP, Jr, Loeden AA, Tilden R, et al. Impact of vitamin A supplementation on childhood mortality. A randomised controlled community trial. *Lancet* 1986 May 24;1(8491):1169-73.

Sommer A, Tarwotjo I, Hussaini G, Susanto D. Increased mortality in children with mild vitamin A deficiency. *Lancet* 1983 Sep 10;2(8350):585-8.

Speers T, Lewis J. Journalists and jabs: media coverage of the MMR vaccine. *Commun Med* 2004;1(2):171-81.

Spigelman M, Gillespie S. Tuberculosis drug development pipeline: progress and hope. *The Lancet* 2006;367:945-7.

Spika JS, Aidyralieva C, Mukharskaya L, Kostyuchenko NN, Mulders M, Lipskaya G, et al. Measles outbreak in the Ukraine, 2005-2006. *Euro Surveill* 2006 Mar 9;11(3):E060309.1.

Squire SB, Obasi A, Nhlema-Simwaka B. The Global Plan to Stop TB: a unique opportunity to address poverty and the Millennium Development Goals. *The Lancet* ;367(9514):955-7.

Stafford RS, Monti V, Ma J. Underutilization of aspirin persists in US ambulatory care for the secondary and primary prevention of cardiovascular disease. *PLoS Med* 2005 Dec;2(12):e353.

Starrs AM. Safe motherhood initiative: 20 years and counting. *Lancet* 2006 Sep 30;368(9542):1130-2.

Stein CE, Birmingham M, Kurian M, Duclos P, Strebel P. The global burden of measles in the year 2000--a model that uses country-specific indicators. *J Infect Dis* 2003 May 15;187 Suppl 1:S8-14.

Steketee RW, Nahlen BL, Parise ME, Menendez C. The burden of malaria in pregnancy in malaria-endemic areas. *Am J Trop Med Hyg* 2001 Jan-Feb;64(1-2 Suppl):28-35.

Steketee RW, Wirima JJ, Bloland PB, Chilima B, Mermin JH, Chitsulo L, et al. Impairment of a pregnant woman's acquired ability to limit *Plasmodium falciparum* by infection with human immunodeficiency virus type-1. *Am J Trop Med Hyg* 1996;55(1 Suppl):42-9.

Steketee RW, Wirima JJ, Hightower AW, Slutsker L, Heymann DL, Breman JG. The effect of malaria and malaria prevention in pregnancy on offspring birthweight, prematurity, and intrauterine growth retardation in rural Malawi. *Am J Trop Med Hyg* 1996;55(1 Suppl):33-41.

Steketee RW, Wirima JJ, Slutsker L, Heymann DL, Breman JG. The problem of malaria and malaria control in pregnancy in sub-Saharan Africa. *Am J Trop Med Hyg* 1996;55(1 Suppl):2-7.

Stephenson J. Will the current measles vaccines ever eradicate measles? *Expert Rev Vaccines* 2002 Oct;1(3):355-62.

Stone DA. Causal Stories and the Formation of Policy Agendas. *Political Science Quarterly* 1989 Summer;104(2):281-300.

Strand RT, Da Silva F, Jangsten E, Bergstrom S. Postpartum hemorrhage: a prospective, comparative study in Angola using a new disposable device for oxytocin administration. *Acta Obstet Gynecol Scand* 2005 Mar;84(3):260-5.

Stray-Pedersen B, Bergan T, Hafstad A, Normann E, Groggaard J, Vangdal M. Vaginal disinfection with chlorhexidine during childbirth. *Int J Antimicrob Agents* 1999 Aug;12(3):245-51.

Suarez PG, Floyd K, Portocarrero J, Alarcon E, Rapiti E, Ramos G, et al. Feasibility and cost-effectiveness of standardised second-line drug treatment for chronic tuberculosis patients: a national cohort study in Peru. *Lancet* 2002 Jun 8;359(9322):1980-9.

Suarez PG, Watt CJ, Alarcon E, Portocarrero J, Zavala D, Canales R, et al. The dynamics of tuberculosis in response to 10 years of intensive control effort in Peru. *J Infect Dis* 2001 Aug 15;184(4):473-8.

Sunanda GV, Johanson R. Pre-eclampsia, diagnosis and treatment. *Expert Opin Pharmacother* 2001 Nov;2(11):1817-24.

Surbek DV, Fehr PM, Hosli I, Holzgreve W. Oral misoprostol for third stage of labor: a randomized placebo-controlled trial. *Obstet Gynecol* 1999 Aug;94(2):255-8.

Swingler G, Fransman D, Hussey G. Conjugate vaccines for preventing *Haemophilus influenzae* type b infections. *Cochrane Database Syst Rev* 2003;(4)(4):CD001729.

Szenborn L, Tischer A, Pejcz J, Rudkowski Z, Wojcik M. Passive acquired immunity against measles in infants born to naturally infected and vaccinated mothers. *Med Sci Monit* 2003 Dec;9(12):CR541-6.

Taha AZ. Assessment of mother's knowledge and practice in use of oral rehydration solution for diarrhea in rural Bangladesh. *Saudi Med J* 2002 Aug;23(8):904-8.

Taha TE, Biggar RJ, Broadhead RL, Mtimavalye LA, Justesen AB, Liomba GN, et al. Effect of cleansing the birth canal with antiseptic solution on maternal and newborn morbidity and mortality in Malawi: clinical trial. *BMJ* 1997 Jul 26;315(7102):216,9; discussion 220.

Tako EA, Zhou A, Lohoue J, Leke R, Taylor DW, Leke RF. Risk factors for placental malaria and its effect on pregnancy outcome in Yaounde, Cameroon. *Am J Trop Med Hyg* 2005 Mar;72(3):236-42.

Talbert A. Survey on Mvumi bed net scheme conducted May 1997. Report Mvumi, Dodoma rural, Tanzania 1997.

Tami A, Mubyazi G, Talbert A, Mshinda H, Duchon S, Lengeler C. Evaluation of OlysetTM insecticide-treated nets distributed seven years previously in Tanzania. *Malaria Journal* 2004;3(1):19.

Taneja V. Hib vaccination controversy and the declaration of commercial interest. *Indian Pediatr* 2003 Jan;40(1):75-6.

Tang AM, Graham NM, Kirby AJ, McCall LD, Willett WC, Saah AJ. Dietary micronutrient intake and risk of progression to acquired immunodeficiency syndrome (AIDS) in human immunodeficiency virus type 1 (HIV-1)-infected homosexual men. *Am J Epidemiol* 1993 Dec 1;138(11):937-51.

Tangy F, Naim HY. Live attenuated measles vaccine as a potential multivalent pediatric vaccination vector. *Viral Immunol* 2005;18(2):317-26.

Tanumihardjo SA, Permaesih D, Muhilal A. Vitamin A status and hemoglobin concentrations are improved in Indonesian children with vitamin A and deworming interventions. *European Journal of Clinical Nutrition* 2004;58(9):1223-30.

Tapia MD, Sow SO, Medina-Moreno S, Lim Y, Pasetti MF, Kotloff K, et al. A serosurvey to identify the window of vulnerability to wild-type measles among infants in rural Mali. *Am J Trop Med Hyg* 2005 Jul;73(1):26-31.

Tariq P. Assessment of coverage levels of single dose measles vaccine. *J Coll Physicians Surg Pak* 2003 Sep;13(9):507-10.

Taufield PA, Ales KL, Resnick LM, Druzin ML, Gertner JM, Laragh JH. Hypocalciuria in preeclampsia. *N Engl J Med* 1987 Mar 19;316(12):715-8.

Taylor CE, Greenough WB, 3rd. Control of diarrheal diseases. *Annu Rev Public Health* 1989;10:221-44.

Taylor GM, McKenzie CA, Mires GJ. The use of audit to improve clinical effectiveness in an infrequent obstetric therapy: magnesium sulphate in severe pre-eclampsia. *Scott Med J* 1998 Oct;43(5):151-3.

Temte JL. The 2006 Childhood and Adolescent Immunization Schedule: reflections at the 50th anniversary of the polio vaccine. *Am Fam Physician* 2006 Jan 1;73(1):37, 40.

ter Kuile FO, Parise ME, Verhoeff FH, Udhayakumar V, Newman RD, van Eijk AM, et al. The burden of co-infection with human immunodeficiency virus type 1 and malaria in pregnant women in sub-saharan Africa. *Am J Trop Med Hyg* 2004 Aug;71(2 Suppl):41-54.

ter Kuile FO, Terlouw DJ, Phillips-Howard PA, Hawley WA, Friedman JF, Kariuki SK, et al. Reduction of malaria during pregnancy by permethrin-treated bed nets in an area of intense perennial malaria transmission in western Kenya. *Am J Trop Med Hyg* 2003 Apr;68(4 Suppl):50-60.

Thapa S, Choe MK, Retherford RD. Effects of vitamin A supplementation on child mortality: Evidence from Nepal's 2001 Demographic and Health Survey. *Tropical Medicine and International Health* 2005;10(8):782-9.

The Lancet . Seeing red about HIV. *The Lancet* ;367(9513):789-.

The Lancet . Rolling out HPV vaccines worldwide. *The Lancet* ;367(9528):2034-.

The Magpie Trial Follow Up Study Management Group, The Magpie Trial Follow Up Study Collaborative Group. The Magpie Trial follow up study: outcome after discharge from hospital for women and children recruited to a trial comparing magnesium sulphate with placebo for pre-eclampsia [ISRCTN86938761]. *BMC Pregnancy Childbirth* 2004 Mar 8;4(1):5.

The World Bank. World Bank Indicators 2005.
http://devdata.worldbank.org/wdi2005/Section1_1_4.htm (accessed March 12, 2007).

The World Bank. World development report 2004: making services work for poor people. Washington, D.C.: The International Bank for Reconstruction and Development/The World Bank; 2003.

The World Bank. World development report 1993: investing in health. Oxford University Press; 1993.

Thea DM, St Louis ME, Atido U, Kanjinga K, Kembo B, Matondo M, et al. A prospective study of diarrhea and HIV-1 infection among 429 Zairian infants. *N Engl J Med* 1993 Dec 2;329(23):1696-702.

Thun MJ. When truth is unwelcome: the first reports on smoking and lung cancer. *Bull World Health Organ* 2005 Feb;83(2):144-5.

Thurnham DI, Northrop-Clewes CA. Optimal Nutrition: Vitamin A and the carotenoids. *Proc Nutr Soc* 1999;58(2):449-57.

Tickner S, Leman PJ, Woodcock A. Factors underlying suboptimal childhood immunisation. *Vaccine* 2006 Jul 13.

Tincani A, Nuzzo M, Motta M, Zatti S, Lojacono A, Faden D. Autoimmunity and pregnancy: autoantibodies and pregnancy in rheumatic diseases. *Ann N Y Acad Sci* 2006 Jun;1069:346-52.

Tita AT, Selwyn BJ, Waller DK, Kapadia AS, Dongmo S. Evidence-based reproductive health care in Cameroon: population-based study of awareness, use and barriers. *Bull World Health Organ* 2005 Dec;83(12):895-903.

Tomkins A, Behrens R, Roy S. Symposium on Functional significance of micronutrient undernutrition. 1993.

Tomkins A. Nutritional status and severity of diarrhoea among pre-school children in rural Nigeria. *Lancet* 1981 Apr 18;1(8225):860-2.

Tomson G, Paphassarang C, Jonsson K, Houamboun K, Akkhavong K, Wahlstrom R. Decision-makers and the usefulness of research evidence in policy implementation--a case study from Lao PDR. *Soc Sci Med* 2005 Sep;61(6):1291-9.

Topuzoglu A, Ozaydin GA, Cali S, Cebeci D, Kalaca S, Harmanci H. Assessment of sociodemographic factors and socio-economic status affecting the coverage of compulsory and private immunization services in Istanbul, Turkey. *Public Health* 2005 Oct;119(10):862-9.

Torun SD, Bakirci N. Vaccination coverage and reasons for non-vaccination in a district of Istanbul. *BMC Public Health* 2006 May 5;6:125.

Tsu VD. New and underused technologies to reduce maternal mortality. *Lancet* 2004 Jan 3;363(9402):75-6.

- Tsu VD, Langer A, Aldrich T. Postpartum hemorrhage in developing countries: is the public health community using the right tools? *Int J Gynaecol Obstet* 2004 Jun;85 Suppl 1:S42-51.
- Tsu VD, Mai TT, Nguyen YH, Luu HT. Reducing postpartum hemorrhage in Vietnam: assessing the effectiveness of active management of third-stage labor. *J Obstet Gynaecol Res* 2006 Oct;32(5):489-96.
- Tsu VD, Shane B. New and underutilized technologies to reduce maternal mortality: call to action from a Bellagio workshop. *Int J Gynaecol Obstet* 2004 Jun;85 Suppl 1:S83-93.
- Tsu VD, Sutanto A, Vaidya K, Coffey P, Widjaya A. Oxytocin in prefilled Uniject injection devices for managing third-stage labor in Indonesia. *Int J Gynaecol Obstet* 2003 Oct;83(1):103-11.
- Umeta M, West CE, Haidar J, Deurenberg P, Hautvast JG. Zinc supplementation and stunted infants in Ethiopia: a randomised controlled trial. *Lancet* 2000 Jun 10;355(9220):2021-6.
- Underwood BA, Arthur P. The Contribution of Vitamin A to Public Health. *FASEB J* 1996;10(9):1040-8.
- UNICEF, The State of the World's Children 2007, Table 8. Women. http://www.unicef.org/sowc07/docs/sowc07_table_8.pdf (accessed March 12, 2007).
- UNICEF Statistics, Under 5 mortality rate, 2004. <http://www.childinfo.org/areas/childmortality/u5data.php> (accessed March 26, 2007).
- United Nations. General Assembly, 56th session, 2001. Road map towards the implementation of the United Nations millennium declaration: report of the Secretary-General. New York: United Nations. UN document a/56/326.
- United Nations Statistics Division. Millennium Development Goals: 2006 Progress Chart. <http://unstats.un.org/unsd/default.htm> (access March 12, 2007).
- Unstead-Joss L. Relative merits of the single and triple MMR vaccines. *J R Soc Health* 2005 Jul;125(4):155; author reply 155.
- USAID. Long lasting Nets Protect Children and their Moms.
- Vahdani P, Aminzadeh Z, Alimardani M, Sharafi A. Measles and rubella vaccination of two million Iranians: complications in vaccinees aged 5-25 years. *Scand J Infect Dis* 2005;37(11-12):913-5.
- Valdespino-Gomez JL, de Lourdes Garcia-Garcia M, Fernandez-de-Castro J, Henao-Restrepo AM, Bennett J, Sepulveda-Amor J. Measles aerosol vaccination. *Curr Top Microbiol Immunol* 2006;304:165-93.

- van den Broek NR, White SA, Flowers C, Cook JD, Letsky EA, Tanumihardjo SA, et al. Randomised trial of vitamin A supplementation in pregnant women in rural Malawi found to be anaemic on screening by HemoCue. *BJOG* 2006 May;113(5):569-76.
- van der Heyden JJ, Standley CA. Maternal-fetal effects of magnesium sulfate on serum osmolality in pre-eclampsia. *J Matern Fetal Neonatal Med* 2002 Apr;11(4):270-4.
- van Eijk AM, Ayisi JG, ter Kuile FO, Misore AO, Otieno JA, Rosen DH, et al. HIV increases the risk of malaria in women of all gravities in Kisumu, Kenya. *AIDS* 2003 Mar 7;17(4):595-603.
- van Eijk AM, Ayisi JG, ter Kuile FO, Slutsker L, Otieno JA, Misore AO, et al. Implementation of intermittent preventive treatment with sulphadoxine-pyrimethamine for control of malaria in pregnancy in Kisumu, western Kenya. *Trop Med Int Health* 2004 May;9(5):630-7.
- van Kammen J, de Savigny D, Sewankambo N. Using knowledge brokering to promote evidence-based policy-making: The need for support structures. *Bull World Health Organ* 2006 Aug;84(8):608-12.
- van Wouwe JP, Hirasing RA. Prevention of sudden unexpected infant death. *Lancet* 2006 Jan 28;367(9507):277-8.
- Van DE, Kulier R, Gulmezoglu AM, Villar J. Vitamin A supplementation during pregnancy. *Cochrane Database Syst Rev* 2002;(4)(4):CD001996.
- Vandelaer J, Birmingham M, Gasse F, Kurian M, Shaw C, Garnier S. Tetanus in developing countries: an update on the Maternal and Neonatal Tetanus Elimination Initiative. *Vaccine* 2003 Jul 28;21(24):3442-5.
- Veirum JE, Sodemann M, Biai S, Jakobsen M, Garly ML, Hedegaard K, et al. Routine vaccinations associated with divergent effects on female and male mortality at the paediatric ward in Bissau, Guinea-Bissau. *Vaccine* 2005 Jan 19;23(9):1197-204.
- Venczel L, Dobbins J, Andre J, Laender F, Izurieta H, Delorme P, et al. Measles eradication in the Americas: experience in Haiti. *J Infect Dis* 2003 May 15;187 Suppl 1:S127-32.
- Verhoeff FH, Brabin BJ, Chimsuku L, Kazembe P, Russell WB, Broadhead RL. An evaluation of the effects of intermittent sulfadoxine-pyrimethamine treatment in pregnancy on parasite clearance and risk of low birthweight in rural Malawi. *Ann Trop Med Parasitol* 1998 Mar;92(2):141-50.
- Verhoeff FH, Brabin BJ, Hart CA, Chimsuku L, Kazembe P, Broadhead RL. Increased prevalence of malaria in HIV-infected pregnant women and its implications for malaria control. *Trop Med Int Health* 1999 Jan;4(1):5-12.
- Victoria CG, Bryce J, Fontaine O, Monasch R. Reducing deaths from diarrhoea through oral rehydration therapy. *Bull World Health Organ* 2000;78(10):1246-55.

Victora CG, Fenn B, Bryce J, Kirkwood BR. Co-coverage of preventive interventions and implications for child-survival strategies: Evidence from national surveys. *Lancet* 2005;366(9495):1460-6.

Victora CG, Olinto MT, Barros FC, Nobre LC. Falling diarrhoea mortality in Northeastern Brazil: did ORT play a role? *Health Policy Plan* 1996 Jun;11(2):132-41.

Victora CG, Wagstaff A, Schellenberg JA, Gwatkin D, Claeson M, Habicht JP. Applying an equity lens to child health and mortality: more of the same is not enough. *Lancet* 2003 Jul 19;362(9379):233-41.

Vijayaraghavan K, Krishnaswamy K. Effect of supplementation with vitamin A or beta carotene on mortality related to pregnancy. Pooling of groups may not be appropriate. *BMJ* 1999 Oct 30;319(7218):1201,2; author reply 1203.

Vijayaraghavan K, Radhaiah G, Prakasam BS, Sarma KV, Reddy V. Effect of massive dose vitamin A on morbidity and mortality in Indian children. *Lancet* 1990 Dec 1;336(8727):1342-5.

Villar J, Carroli G, Wojdyla D, Abalos E, Giordano D, Ba'aqueel H, Farnot U, Bergsjö P, Bakketeig L, Lumbiganon P, Campodonico L, Al-Mazrou Y, Lindheimer M, Kramer M, World Health Organization Antenatal Care Trial Research Group. Preeclampsia, gestational hypertension and intrauterine growth restriction, related or independent conditions? *Am J Obstet Gynecol* 2006;194(4):921-31.

Villar J, Gulmezoglu AM, Hofmeyr GJ, Forna F. Systematic review of randomized controlled trials of misoprostol to prevent postpartum hemorrhage. *Obstet Gynecol* 2002 Dec;100(6):1301-12.

Villar J, Repke J, Belizan JM, Pareja G. Calcium supplementation reduces blood pressure during pregnancy: results of a randomized controlled clinical trial. *Obstet Gynecol* 1987 Sep;70(3 Pt 1):317-22.

Villar J, Say L, Shennan A, Lindheimer M, Duley L, Conde-Agudelo A, et al. Methodological and technical issues related to the diagnosis, screening, prevention, and treatment of pre-eclampsia and eclampsia. *Int J Gynaecol Obstet* 2004 Jun;85 Suppl 1:S28-41.

Villar J, Gulmezoglu AM, Hofmeyr GJ, Cheng L, Elbourne D. Use of misoprostol in third stage of labour. *The Lancet* 2002;359(9307):709-10.

Viteri FE, Berger J. Importance of pre-pregnancy and pregnancy iron status: can long-term weekly preventive iron and folic acid supplementation achieve desirable and safe status? *Nutr Rev* 2005 Dec;63(12 Pt 2):S65-76.

Viviani S, Mendy M, Jack AD, Hall AJ, Montesano R, Whittle HC. EPI vaccines-induced antibody prevalence in 8-9 year-olds in The Gambia. *Trop Med Int Health* 2004 Oct;9(10):1044-9.

Vogel D, Burkhardt T, Rentsch K, Schweer H, Watzer B, Zimmermann R, et al. Misoprostol versus methylergometrine: pharmacokinetics in human milk. *Am J Obstet Gynecol* 2004 Dec;191(6):2168-73.

von Gottberg A, de Gouveia L, Madhi SA, du Plessis M, Quan V, Soma K, et al. Impact of conjugate *Haemophilus influenzae* type b (Hib) vaccine introduction in South Africa. *Bull World Health Organ* 2006 Oct;84(10):811-8.

Waddock SA, Post JE. Social Entrepreneurs and Catalytic Change. *Public Adm Rev* 1991 Sep. - Oct.;51(5):393-401.

Wagner M. Misoprostol and the politics of convenience. *The Lancet* 2001/6/30;357(9274):2142-.

Wagstaff A, Claeson M. The millennium development goals for health: rising to the challenges. Washington, D.C.: The International Bank for Reconstruction and Development/The World Bank; 2004.

Walley RL, Wilson JB, Crane JM, Matthews K, Sawyer E, Hutchens D. A double-blind placebo controlled randomised trial of misoprostol and oxytocin in the management of the third stage of labour. *BJOG* 2000 Sep;107(9):1111-5.

Walraven G, Blum J, Dampha Y, Sowe M, Morison L, Winikoff B, et al. Misoprostol in the management of the third stage of labour in the home delivery setting in rural Gambia: a randomised controlled trial. *BJOG* 2005 Sep;112(9):1277-83.

Walravens PA, Chakar A, Mokni R, Denise J, Lemonnier D. Zinc supplements in breastfed infants. *Lancet* 1992 Sep 19;340(8821):683-5.

Walsh CT, Sandstead HH, Prasad AS, Newberne PM, Fraker PJ. Zinc: health effects and research priorities for the 1990s. *Environ Health Perspect* 1994 Jun;102 Suppl 2:5-46.

Walsh JA, Warren KS. Selective primary health care: an interim strategy for disease control in developing countries. *N Engl J Med* 1979 Nov 1;301(18):967-74.

Wanchu M, Malhotra S, Khullar M. Calcium supplementation in pre-eclampsia. *J Assoc Physicians India* 2001 Aug;49:795-8.

Wandwalo E, Robberstad B, Morkve O. Cost and cost-effectiveness of community based and health facility based directly observed treatment of tuberculosis in Dar es Salaam, Tanzania. *Cost Effectiveness and Resource Allocation* 2005;3:6.

Wardlaw T. Monitoring malaria goals. UNICEF - The Multiple Indicator Cluster Surveys (MICS): 1999-2001. UNICEF MICS Surveys, 1999-2001. <http://www.childinfo.org> (access March 7, 2007).

Watt JP, Levine OS, Santosham M. Global reduction of Hib disease: what are the next steps? Proceedings of the meeting Scottsdale, Arizona, September 22-25, 2002. *J Pediatr* 2003 Dec;143(6 Suppl):S163-87.

Webster J, Lines J, Bruce J, Armstrong Schellenberg JR, Hanson K. Which delivery systems reach the poor? A review of equity of coverage of ever-treated nets, never-treated nets, and immunisation to reduce child mortality in Africa. *The Lancet Infectious Diseases* 2005;11;5(11):709-17.

West CE. Vitamin A and Measles. *Nutr Rev* 2000;58(2 Pt 2):S45-6.

West KP,Jr, Katz J, Khatri SK, LeClerq SC, Pradhan EK, Shrestha SR, et al. Double blind, cluster randomised trial of low dose supplementation with vitamin A or beta carotene on mortality related to pregnancy in Nepal. The NNIPS-2 Study Group. *BMJ* 1999 Feb 27;318(7183):570-5.

West KP,Jr, Khatri SK, LeClerq SC, Adhikari R, See L, Katz J, et al. Tolerance of young infants to a single, large dose of vitamin A: a randomized community trial in Nepal. *Bull World Health Organ* 1992;70(6):733-9.

West KP,Jr, Pokhrel RP, Katz J, LeClerq SC, Khatri SK, Shrestha SR, et al. Efficacy of vitamin A in reducing preschool child mortality in Nepal. *Lancet* 1991 Jul 13;338(8759):67-71.

White NJ. The treatment of malaria. *N Engl J Med* 1996 Sep 12;335(11):800-6.

Whittle W, Chaddha V, Wyatt P, Huppertz B, Kingdom J. Ultrasound detection of placental insufficiency in women with 'unexplained' abnormal maternal serum screening results. *Clin Genet* 2006 Feb;69(2):97-104.

WHO. Targeted Subsidy Strategies for National Scaling Up of Insecticide-treated Netting Programs. Principles and Approaches. Geneva: World Health Organization, 2006.

WHO. Global AMDP database--AFRO. Geneva: World Health Organization, 2005. http://www.mosquito.who.int/amdp/amdp_afro.htm (accessed Mar 7, 2007).

WHO. Frequently Asked Questions on DDT Use for Disease Vector Control. (WHO/RBM//2004.54/Rev1). Geneva: World Health Organization, 2005.

WHO. Strategic Orientation Paper on Prevention and Control of Malaria. For National and International Program Officers Involved in Malaria Control at Country Level. First Edition. (WHO/HTM/MAL/2005.1105). Geneva: World Health Organization, 2005.

WHO. Global polio eradication initiative. 2004 annual report. Geneva: World Health Organization, 2005.

WHO. A Strategic Framework for Malaria Prevention and Control During Pregnancy in the Africa Region. (AFR/MAL/04/01). Geneva: World Health Organization, 2004.

WHO. Integrated Management of Pregnancy and Childbirth (IMPAC). Pregnancy, Childbirth, Postpartum and Newborn Care: A Guide for Essential Practice. Geneva: World Health Organization, 2004.

WHO. Assessment of the Safety of Artemisinin Compounds in Pregnancy. Geneva: World Health Organization, 2003.

WHO. WHO Technical Meeting on Malaria Prevention and Control During Pregnancy, Blantyre, Malawi. Meeting Report. Geneva: World Health Organization, 2002b.

WHO. WHO Antenatal Care Randomised Trial: Manual for the Implementation of the New Model. (WHO/RHR/01.30). Geneva: World Health Organization, 2002a.

WHO. Twentieth Report of the WHO Expert Committee on Malaria. Technical Report Series No. 892. Geneva: World Health Organization, 2000.

WHO. The African Summit on Roll Back Malaria, Abuja, Nigeria. (WHO/CDS/RBM/2000.17). Geneva: World Health Organization, 2000.

WHO. Treatment of Tuberculosis: Guidelines for National Programs. 3rd ed. Geneva: World Health Organization; 2003.

WHO, UNICEF. World Malaria Report. (WHO/HTM/MAL/2005.1102). Geneva: World Health Organization, 2005.

WHO, UNICEF. WHO-UNICEF Joint Statement on the Clinical Management of Acute Diarrhea. Geneva: World Health Organization, 2004.

WHO, UNICEF. WHO-UNICEF Joint Statement on Management of Pneumonia in Community Settings. Geneva: World Health Organization, 2004.

WHO, UNICEF. Africa Malaria Report. (WHO/CDS/MAL/2003.1093). Geneva: World Health Organization, 2003.

WHO, UNICEF. Integrated Management of Childhood Illness. (WHO/CDR/995.14). Geneva: World Health Organization, 1995.

WHO, UNICEF. Antenatal Care in Developing Countries: Promises, Achievements and Missed Opportunities. Geneva: World Health Organization.

WHOPES. Olyset net. Report of the fifth WHOPES working group meeting.

Wilson N, Mansoor O, Wenger J, Martin R, Zanardi L, O'Leary M, et al. Estimating the Haemophilus influenzae type b (Hib) disease burden and the impact of Hib vaccine in Fiji. Vaccine 2003 May 16;21(17-18):1907-12.

Winch PJ, Makemba AM, Kamazima SR, Lurie M, Lwihula GK, Premji Z, et al. Local terminology for febrile illnesses in Bagamoyo District, Tanzania and its impact on the design of a community-based malaria control programme. *Soc Sci Med* 1996 Apr;42(7):1057-67.

Winer RL, Hughes JP, Feng Q, O'Reilly S, Kiviat NB, Holmes KK, et al. Condom use and the risk of genital human papillomavirus infection in young women. *N Engl J Med* 2006 Jun 22;354(25):2645-54.

Witlin AG, Friedman SA, Sibai BM. The effect of magnesium sulfate therapy on the duration of labor in women with mild preeclampsia at term: a randomized, double-blind, placebo-controlled trial. *Am J Obstet Gynecol* 1997 Mar;176(3):623-7.

Witlin AG, Sibai BM. Magnesium sulfate therapy in preeclampsia and eclampsia. *Obstet Gynecol* 1998 Nov;92(5):883-9.

Wiysonge CS, Shey MS, Sterne JA, Brocklehurst P. Vitamin A supplementation for reducing the risk of mother-to-child transmission of HIV infection. *Cochrane Database Syst Rev* 2005 Oct 19;(4)(4):CD003648.

Woods DL. An innovative model of home-based neonatal care and research in India. *Pediatrics* 2006 Apr;117(4):1425-6.

Worrall E, Hill J, Webster J, Mortimer J. Experience of targeting subsidies on insecticide-treated nets: what do we know and what are the knowledge gaps? *Trop Med Int Health* 2005 Jan;10(1):19-31.

Wright AJA, Finglas PM, Southon S. Proposed mandatory fortification of the UK diet with folic acid: Have potential risks been underestimated? *Trends in Food Science and Technology* 2001;12(9):313-21.

Yach D, Strebel PM, Joubert G. The impact of diarrhoeal disease on childhood deaths in the RSA, 1968-1985. *S Afr Med J* 1989 Nov 4;76(9):472-5.

Yartey JE. Malaria in pregnancy: access to effective interventions in Africa. *Int J Gynaecol Obstet* 2006 Sep;94(3):364-73.

Yates A, N'Guessan R, Kaur H, Akogbeto M, Rowland M. Evaluation of KO-Tab 1-2-3: a wash-resistant 'dip-it-yourself' insecticide formulation for long-lasting treatment of mosquito nets. *Malar J* 2005 Nov 3;4:52.

Ymba A. Acceptability of tetanus toxoid vaccine by pregnant women in two health centres in Abidjan (Ivory Coast). *Vaccine* 2003;21(24):3497.

Yoder PS, Hornik RC. Perceptions of severity of diarrhoea and treatment choice: a comparative study of HealthCom sites. *J Trop Med Hyg* 1994 Feb;97(1):1-12.

Yogev R, Guzman-Cottrill J. Bacterial meningitis in children: critical review of current concepts. *Drugs* 2005;65(8):1097-112.

Young J. Research, policy and practice: Why developing countries are different. *Journal of International Development* 2005;17(6):727-34.

Yuen PM, Chan NST, Yim SF, Chang AMZ. A randomised double blind comparison of Syntometrine® and Syntocinon® in the management of the third stage of labour. *British Journal of Obstetrics and Gynaecology* 1995;102(5):377-80.

Zachariah ES, Naidu M, Seshadri L. Oral misoprostol in the third stage of labor. *Int J Gynaecol Obstet* 2006 Jan;92(1):23-6.

Zagré NM, Delpeuch F, Traissac P, Delisle H. Red palm oil as a source of vitamin A for mothers and children: Impact of a pilot project in Burkina Faso. *Public Health Nutrition* 2003;6(8):733-42.

Zangwill KM, Greenberg DP, Chiu CY, Mendelman P, Wong VK, Chang SJ, et al. Safety and immunogenicity of a heptavalent pneumococcal conjugate vaccine in infants. *Vaccine* 2003 May 16;21(17-18):1894-900.

Zareba G. A new combination vaccine for measles, mumps, rubella and varicella. *Drugs Today (Barc)* 2006 May;42(5):321-9.

Zepp F, Knuf M, Heininger U, Jahn K, Collard A, Habermehl P, et al. Safety, reactogenicity and immunogenicity of a combined hexavalent tetanus, diphtheria, acellular pertussis, hepatitis B, inactivated poliovirus vaccine and Haemophilus influenzae type b conjugate vaccine, for primary immunization of infants. *Vaccine* 2004 Jun 2;22(17-18):2226-33.

Zimicki S. Promotion in sub-Saharan Africa. In *Net Gain, a new method for preventing malaria deaths* 1996:111-48.

Zimmerman RK, Middleton DB, Burns IT, Clover RD, Kimmel SR. Routine vaccines across the life span, 2005. *J Fam Pract* 2005 Jan;54(1 Suppl):S9-26.

Zimmerman RK, Tabbarah M, Janosky JE, Bardenheier B, Troy JA, Jewell IK, et al. Impact of vaccine economic programs on physician referral of children to public vaccine clinics: a pre-post comparison. *BMC Public Health* 2006 Jan 12;6:7.

Zumla A, Mullan Z. Turning the tide against tuberculosis. *The Lancet* ;367(9514):877-8.