

## Youth Interview Drug Prevalence Total Population: Grades 6-12

Drug	Ever Used							
	1999 (n=523)	2000 (n=546)	2001 (n=545)	2002 (n=529)	2003 (n=501)	2004 (n=515)	2005 (n=574)	Lifetime ever use (n=632)
Tobacco	14.91%	26.01%	33.58%	40.64%	45.31%	51.46%	47.39%	63.92%
Alcohol	48.95%	53.11%	62.57%	66.16%	73.05%	76.89%	75.78%	89.56%
Alcohol w/o parent permission	10.71%	18.86%	27.52%	34.21%	49.50%	54.37%	54.70%	73.42%
Marijuana	3.63%	10.44%	17.98%	27.41%	38.32%	43.88%	46.34%	57.75%
Crack	0.96%	1.47%	1.47%	0.57%	0.60%	1.17%	1.05%	5.38%
Cocaine	0.57%	1.28%	0.73%	0.38%	0.60%	0.58%	1.57%	3.96%
Inhalants	4.97%	6.96%	5.50%	1.89%	2.79%	2.14%	1.57%	13.29%
Heroin			0.55%	0.19%	0.60%	0.58%	1.05%	2.08%
Ecstasy				1.13%	3.39%	4.47%	4.18%	6.80%
Hallucinogens							1.57%	1.57%
Amphetamines							1.92%	1.92%
Barbiturates							1.57%	1.57%
Tranquilizers							1.05%	1.05%
Narcotics							6.62%	6.62%
Illicit Drugs w/Marijuana	8.22%	15.57%	22.57%	28.17%	40.12%	44.66%	48.43%	61.08%
Illicit Drugs w/o Marijuana	5.74%	7.88%	6.97%	3.40%	5.99%	6.60%	10.63%	24.68%
Drug	Past Year Use							
	1999 (n=523)	2000 (n=546)	2001 (n=545)	2002 (n=529)	2003 (n=501)	2004 (n=515)	2005 (n=574)	
Tobacco	7.26%	13.92%	19.90%	18.15%	24.95%	27.96%	24.22%	
Alcohol	22.37%	30.40%	38.35%	35.16%	47.50%	52.62%	47.91%	
Marijuana	1.72%	7.14%	13.21%	12.10%	24.55%	26.41%	26.31%	
Crack	0.38%	0.37%	0.00%	0.00%	0.20%	0.00%	0.00%	
Cocaine	0.19%	0.37%	0.18%	0.19%	0.20%	0.00%	0.00%	
Inhalants	2.49%	2.93%	1.83%	0.19%	0.40%	0.19%	0.17%	
Heroin			0.18%	0.00%	0.00%	0.00%	0.17%	
Ecstasy				0.38%	1.80%	2.52%	1.22%	
Illicit Drugs w/Marijuana	4.40%	9.52%	15.05%	12.29%	24.55%	26.80%	26.83%	
Illicit Drugs w/o Marijuana	2.87%	3.11%	2.20%	0.57%	2.00%	2.72%	1.57%	

<sup>a</sup> n is equal to the total sample of interviews from 6<sup>th</sup>-12<sup>th</sup> grade for all drugs except heroin, ecstasy, hallucinogens, amphetamines, barbiturates, tranquilizers, and narcotics, which were added in later years

## Youth Interview Drug Prevalence Boys: Grades 6-12

Drug	Ever Used							
	1999 (n=279)	2000 (n=296)	2001 (n=295)	2002 (n=289)	2003 (n=271)	2004 (n=283)	2005 (n=298)	Lifetime ever use (n=340)
Tobacco	17.20%	26.01%	34.92%	41.52%	44.65%	53.71%	50.67%	66.47%
Alcohol	47.67%	52.03%	62.03%	64.36%	70.85%	75.27%	74.50%	90.00%
Alcohol w/o parent permission	13.62%	19.93%	30.17%	32.87%	47.97%	54.77%	55.70%	75.88%
Marijuana	4.66%	11.49%	20.34%	30.45%	39.48%	46.29%	48.66%	60.88%
Crack	1.79%	2.36%	2.37%	0.35%	1.11%	2.12%	1.68%	8.82%
Cocaine	0.72%	1.69%	0.68%	0.00%	0.74%	1.06%	1.68%	4.41%
Inhalants	6.81%	7.43%	5.08%	0.69%	2.21%	2.47%	1.01%	15.88%
Heroin			1.02%	0.00%	0.74%	1.06%	1.34%	2.69%
Ecstasy				1.38%	4.06%	5.65%	4.03%	8.46%
Hallucinogens							1.68%	1.68%
Amphetamines							2.68%	2.68%
Barbiturates							1.01%	1.01%
Tranquilizers							1.01%	1.01%
Narcotics							4.70%	4.70%
Illicit Drugs w/Marijuana	11.11%	16.89%	24.41%	30.45%	40.59%	47.00%	49.66%	65.53%
Illicit Drugs w/o Marijuana	8.24%	8.78%	7.12%	2.42%	5.90%	8.13%	8.39%	27.65%
Drug	Past Year Use							
	1999 (n=279)	2000 (n=296)	2001 (n=295)	2002 (n=289)	2003 (n=271)	2004 (n=283)	2005 (n=298)	
Tobacco	7.53%	13.85%	18.30%	16.95%	25.09%	28.97%	26.85%	
Alcohol	22.22%	28.04%	35.59%	33.91%	45.39%	49.82%	47.31%	
Marijuana	1.79%	7.77%	14.92%	11.42%	24.35%	28.27%	27.85%	
Crack	0.72%	0.68%	0.00%	0.00%	0.37%	0.00%	0.00%	
Cocaine	0.36%	0.68%	0.00%	0.00%	0.37%	0.00%	0.00%	
Inhalants	2.51%	3.38%	1.02%	0.00%	0.37%	0.00%	0.00%	
Heroin			0.34%	0.00%	0.00%	0.00%	0.34%	
Ecstasy				0.00%	1.85%	3.18%	1.68%	
Illicit Drugs w/Marijuana	4.66%	10.14%	15.93%	11.42%	24.35%	28.27%	28.52%	
Illicit Drugs w/o Marijuana	3.23%	3.72%	1.36%	0.00%	1.85%	3.18%	2.01%	

<sup>a</sup> n is equal to the total sample of interviews from 6<sup>th</sup>-12<sup>th</sup> grade for all drugs except heroin, ecstasy, hallucinogens, amphetamines, barbiturates, tranquilizers, and narcotics, which were added in later years

## Youth Interview Drug Prevalence Girls: Grades 6-12

Drug	Ever Used							
	1999 (n=244)	2000 (n=250)	2001 (n=250)	2002 (n=240)	2003 (n=230)	2004 (n=232)	2005 (n=276)	Lifetime ever use (n=292)
Tobacco	12.30%	26.00%	32.00%	39.58%	46.09%	48.71%	43.84%	60.96%
Alcohol	50.41%	54.40%	63.20%	68.33%	75.65%	78.88%	77.17%	89.04%
Alcohol w/o parent permission	11.46%	17.6%	24.40%	35.83%	51.30%	53.88%	53.62%	70.55%
Marijuana	2.46%	9.20%	15.20%	23.75%	36.96%	40.95%	43.84%	54.11%
Crack	0.00%	0.40%	0.40%	0.83%	0.00%	0.00%	0.36%	1.37%
Cocaine	0.41%	0.80%	0.80%	0.83%	0.43%	0.00%	1.45%	3.42%
Inhalants	2.87%	6.40%	6.00%	3.33%	3.48%	1.72%	2.17%	10.27%
Heroin			0.00%	0.42%	0.43%	0.00%	0.72%	1.38%
Ecstasy				0.83%	2.61%	3.02%	4.35%	4.88%
Hallucinogens							1.45%	1.45%
Amphetamines							1.09%	1.09%
Barbiturates							2.17%	2.17%
Tranquilizers							1.09%	1.09%
Narcotics							8.70%	8.70%
Illicit Drugs w/Marijuana	4.92%	14.00%	20.40%	25.42%	39.57%	41.81%	47.10%	58.22%
Illicit Drugs w/o Marijuana	2.87%	6.80%	6.80%	4.58%	6.09%	4.74%	13.40%	21.23%
Drug	Past Year Use							
	1999 (n=244)	2000 (n=250)	2001 (n=250)	2002 (n=240)	2003 (n=230)	2004 (n=232)	2005 (n=276)	
Tobacco	6.97%	14.00%	19.6%	19.58%	24.78%	26.72%	21.38%	
Alcohol	22.54%	33.2%	41.60%	36.67%	50.00%	56.03%	48.55%	
Marijuana	1.64%	6.40%	11.20%	12.92%	24.78%	24.14%	24.64%	
Crack	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	
Cocaine	0.00%	0.00%	0.40%	0.42%	0.00%	0.00%	0.00%	
Inhalants	2.46%	2.40%	2.80%	0.42%	0.43%	0.43%	0.36%	
Heroin			0.00%	0.00%	0.00%	0.00%	0.00%	
Ecstasy				0.83%	1.74%	1.72%	0.72%	
Illicit Drugs w/Marijuana	4.10%	8.80%	14.00%	13.33%	24.78%	25.00%	25.00%	
Illicit Drugs w/o Marijuana	2.46%	2.40%	3.20%	1.25%	2.17%	2.16%	1.09%	

<sup>a</sup> n is equal to the total sample of interviews from 6<sup>th</sup>-12<sup>th</sup> grade for all drugs except heroin, ecstasy, hallucinogens, amphetamines, barbiturates, tranquilizers, and narcotics, which were added in later years

## Youth Interview Drug Prevalence Whites: Grades 6-12

Drug	Ever Used							
	1999 (n=67)	2000 (n=72)	2001 (n=70)	2002 (n=64)	2003 (n=63)	2004 (n=63)	2005 (n=75)	Lifetime ever use (n=85)
Tobacco	22.39%	36.11%	40.00%	56.25%	60.32%	71.43%	74.67%	76.47%
Alcohol	48.68%	55.56%	62.86%	68.75%	77.78%	80.95%	85.33%	88.24%
Alcohol w/o parent permission	8.96%	18.06%	22.86%	39.06%	53.97%	55.55%	60.00%	71.76%
Marijuana	1.49%	11.11%	15.71%	26.56%	39.68%	46.03%	48.00%	56.47%
Crack	0.00%	1.39%	1.43%	0.00%	1.59%	1.59%	2.67%	7.06%
Cocaine	0.00%	1.39%	0.00%	1.56%	3.17%	0.00%	4.00%	5.8%
Inhalants	2.99%	11.11%	12.86%	3.13%	3.17%	1.59%	1.33%	18.82%
Heroin			1.43%	0.00%	0.00%	0.00%	2.67%	3.61%
Ecstasy				3.13%	9.52%	9.52%	16.00%	18.29%
Hallucinogens							6.67%	6.67%
Amphetamines							8.00%	8.00%
Barbiturates							5.33%	5.33%
Tranquilizers							2.67%	2.67%
Narcotics							20.00%	20.00%
Illicit Drugs w/Marijuana	4.48%	18.06%	24.29%	26.56%	39.68%	47.62%	52.00%	61.18%
Illicit Drugs w/o Marijuana	2.99%	13.89%	15.71%	6.25%	9.52%	12.70%	29.33%	41.18%
Drug	Past Year Used							
	1999 (n=67)	2000 (n=72)	2001 (n=70)	2002 (n=64)	2003 (n=63)	2004 (n=63)	2005 (n=75)	
Tobacco	10.45%	18.05%	25.71%	35.94%	39.68%	44.44%	50.67%	
Alcohol	29.85%	36.11%	41.43%	42.19%	57.14%	55.55%	60.00%	
Marijuana	0.00%	8.33%	12.86%	15.63%	23.81%	23.81%	29.33%	
Crack	0.00%	0.00%	0.00%	0.00%	1.59%	0.00%	0.00%	
Cocaine	0.00%	0.00%	0.00%	1.56%	1.59%	0.00%	0.00%	
Inhalants	1.49%	5.56%	5.71%	0.00%	1.59%	0.00%	0.00%	
Heroin			0.00%	0.00%	0.00%	0.00%	0.00%	
Ecstasy				1.56%	4.76%	3.17%	5.33%	
Illicit Drugs w/Marijuana	1.49%	12.50%	17.14%	15.63%	23.81%	25.40%	30.67%	
Illicit Drugs w/o Marijuana	1.49%	5.56%	5.71%	1.56%	4.76%	3.17%	5.33%	

<sup>a</sup> n is equal to the total sample of interviews from 6<sup>th</sup>-12<sup>th</sup> grade for all drugs except heroin, ecstasy, hallucinogens, amphetamines, barbiturates, tranquilizers, and narcotics, which were added in later years

## Youth Interview Drug Prevalence Blacks: Grades 6-12

Drug	Ever Use							
	1999 (n=456)	2000 (n=474)	2001 (n=475)	2002 (n=465)	2003 (n=438)	2004 (n=452)	2005 (n=499)	Lifetime ever use (n=547)
Tobacco	13.82%	24.47%	32.63%	38.49%	43.15%	48.67%	43.29%	61.97%
Alcohol	48.68%	52.74%	62.53%	65.81%	72.37%	76.33%	74.35%	89.76%
Alcohol w/o parent permission	10.96%	18.99%	28.21%	33.55%	48.86%	54.20%	53.91%	73.67%
Marijuana	3.95%	10.34%	18.32%	27.53%	38.13%	43.58%	46.09%	57.95%
Crack	1.10%	1.48%	1.47%	0.65%	0.46%	1.11%	0.80%	5.12%
Cocaine	0.66%	1.27%	0.84%	0.22%	0.23%	0.66%	1.20%	3.66%
Inhalants	5.26%	6.33%	4.42%	1.72%	2.74%	2.21%	1.60%	12.43%
Heroin			0.42%	0.22%	0.68%	0.66%	0.80%	1.85%
Ecstasy				0.86%	2.51%	3.76%	2.40%	5.04%
Hallucinogens							0.80%	0.80%
Amphetamines							1.00%	1.00%
Barbiturates							1.00%	1.00%
Tranquilizers							0.80%	0.80%
Narcotics							4.61%	4.61%
Illicit Drugs w/Marijuana	8.77%	15.19%	22.32%	28.39%	40.18%	44.25%	47.90%	61.06%
Illicit Drugs w/o Marijuana	6.14%	6.96%	5.68%	3.01%	5.48%	5.75%	7.82%	22.12%
Drug	Past Year Use							
	1999 (n=456)	2000 (n=474)	2001 (n=475)	2002 (n=465)	2003 (n=438)	2004 (n=452)	2005 (n=499)	
Tobacco	6.80%	13.29%	17.89%	15.70%	22.83%	25.66%	20.24%	
Alcohol	21.27%	29.54%	37.89%	34.19%	46.12%	52.21%	46.02%	
Marijuana	1.97%	6.96%	13.26%	11.61%	26.66%	26.77%	25.85%	
Crack	0.44%	0.42%	0.00%	0.00%	0.00%	0.00%	0.00%	
Cocaine	0.22%	0.42%	0.21%	0.00%	0.00%	0.00%	0.00%	
Inhalants	2.63%	2.53%	1.26%	0.22%	0.23%	0.00%	0.20%	
Heroin			0.21%	0.00%	0.00%	0.00%	0.20%	
Ecstasy				0.22%	1.37%	2.43%	0.60%	
Illicit Drugs w/Marijuana	4.82%	9.07%	14.74%	11.83%	24.66%	26.99%	26.25%	
Illicit Drugs w/o Marijuana	3.07%	2.74%	1.68%	0.43%	1.60%	2.65%	1.00%	

<sup>a</sup> n is equal to the total sample of interviews from 6<sup>th</sup>-12<sup>th</sup> grade for all drugs except heroin, ecstasy, hallucinogens, amphetamines, barbiturates, tranquilizers, and narcotics, which were added in later years

### Youth Interview DSM IV Mental Disorders Total Population: Grades 6-12

DSM IV Mental Disorders	Child		Parent	
	Lifetime	Past Year	Lifetime	Past Year
<b>Conduct Disorder</b>				
Grade 6 – 1999	4.21%	3.64%	4.29%	3.12%
Grade 7 – 2000	5.13%	4.40%	5.87%	4.16%
Grade 8 – 2001	7.71%	5.32%	7.02%	3.61%
Grade 9 – 2002	8.88%	7.37%	9.02%	4.03%
Grade 10 – 2003	10.76%	8.37%	NA	NA
Grade 11 – 2004	7.38%	4.47%	NA	NA
Grade 12 – 2005	8.89%	3.14%	NA	NA
	<b>Past Year</b>	<b>Past Month</b>	<b>Past Year</b>	<b>Past Month</b>
<b>Major Depression</b>				
Grade 6 – 1999	2.49%	0.96%	NA	0.99%
Grade 7 – 2000	0.92%	0.00%	3.63%	0.76%
Grade 8 – 2001	0.92%	0.18%	1.90%	0.76%
Grade 9 – 2002	1.13%	0.95%	2.33%	0.39%
Grade 10 – 2003	1.59%	1.20%	NA	NA
Grade 11 – 2004	0.97%	0.58%	NA	NA
Grade 12 – 2005	0.87%	0.52%	NA	NA
<b>Dysthymia</b>				
Grade 6 – 1999	0.00%	NA	NA	NA
Grade 7 – 2000	0.73%	NA	0.38%	NA
Grade 8 – 2001	0.18%	NA	0.00%	NA
Grade 9 – 2002	0.38%	NA	0.00%	NA
Grade 10 – 2003	0.20%	NA	NA	NA
Grade 11 – 2004	0.39%	NA	NA	NA
Grade 12 – 2005	0.17%	NA	NA	NA
<b>Panic Disorder</b>				
Grade 9 – 2002	0.19%	0.00%	NA	NA
Grade 10 – 2003	0.20%	0.00%	NA	NA
Grade 11 – 2004	0.39%	0.19%	NA	NA

Grade 12 – 2005	0.87%	0.52%	NA	NA
<b>Suicidal Ideation</b>				
Grade 6 – 1999	2.34%	0.98%	NA	NA
Grade 7 – 2000	1.47%	0.37%	NA	NA
Grade 8 – 2001	1.47%	0.55%	NA	NA
Grade 9 – 2002	1.90%	1.13%	NA	NA
Grade 10 – 2003	1.82%	1.61%	NA	NA
Grade 11 – 2004	1.36%	0.97%	NA	NA
Grade 12 – 2005	1.39%	0.87%	NA	NA
<b>Generalized Anxiety</b>				
Grade 6 – 1999	NA	NA	NA	1.37%
Grade 7 – 2000	NA	NA	1.53%	0.76%
Grade 8 – 2001	NA	NA	0.76%	0.38%
Grade 9 – 2002	NA	NA	0.97%	0.39%

### Youth Interview DSM IV Mental Disorders Boys: Grades 6-12

DSM IV Mental Disorders	Child		Parent	
	Lifetime	Past Year	Lifetime	Past Year
<b>Conduct Disorder</b>				
Grade 6 – 1999	6.45%	5.38%	5.04%	4.32%
Grade 7 – 2000	7.09%	6.76%	5.99%	3.51%
Grade 8 – 2001	10.85%	7.80%	8.33%	4.17%
Grade 9 – 2002	11.42%	10.38%	9.72%	5.90%
Grade 10 – 2003	13.97%	10.66%	NA	NA
Grade 11 – 2004	10.60%	6.71%	NA	NA
Grade 12 – 2005	10.37%	4.36%	NA	NA
	Past Year	Past Month	Past Year	Past Month
<b>Major Depression</b>				
Grade 6 – 1999	1.79%	1.43%	NA	1.45%
Grade 7 – 2000	0.00%	0.00%	3.89%	1.06%
Grade 8 – 2001	0.68%	0.00%	1.39%	1.05%
Grade 9 – 2002	0.69%	0.35%	2.11%	0.70%
Grade 10 – 2003	1.84%	1.47%	NA	NA
Grade 11 – 2004	1.41%	0.71%	NA	NA
Grade 12 – 2005	1.34%	0.73%	NA	NA
<b>Dysthymia</b>				

Grade 6 – 1999	0.00%	NA	NA	NA
Grade 7 – 2000	1.35%	NA	0.71%	NA
Grade 8 – 2001	0.00%	NA	0.00%	NA
Grade 9 – 2002	0.69%	NA	0.00%	NA
Grade 10 – 2003	0.37%	NA	NA	NA
Grade 11 – 2004	0.71%	NA	NA	NA
Grade 12 – 2005	0.35%	NA	NA	NA
<b>Panic Disorder</b>				
Grade 9 – 2002	0.00%	0.00%	NA	NA
Grade 10 – 2003	0.37%	0.00%	NA	NA
Grade 11 – 2004	0.35%	0.35%	NA	NA
Grade 12 – 2005	0.67%	0.67%	NA	NA
<b>Suicidal Ideation</b>				
Grade 6 – 1999	1.47%	0.74%	NA	NA
Grade 7 – 2000	0.68%	0.34%	NA	NA
Grade 8 – 2001	1.02%	0.00%	NA	NA
Grade 9 – 2002	1.04%	0.35%	NA	NA
Grade 10 – 2003	1.85%	1.85%	NA	NA
Grade 11 – 2004	1.77%	1.41%	NA	NA
Grade 12 – 2005	1.34%	0.67%	NA	NA
<b>Generalized Anxiety</b>				
Grade 6 – 1999	NA	NA	NA	1.09%
Grade 7 – 2000	NA	NA	1.77%	0.35%
Grade 8 – 2001	NA	NA	0.69%	0.35%
Grade 9 – 2002	NA	NA	0.70%	0.35%

### Youth Interview DSM IV Mental Disorders Girls: Grades 6-12

DSM IV Mental Disorders	Child		Parent	
	Lifetime	Past Year	Lifetime	Past Year
<b>Conduct Disorder</b>				
Grade 6 – 1999	1.65%	1.65%	3.40%	1.70%
Grade 7 – 2000	2.80%	1.60%	5.74%	4.92%
Grade 8 – 2001	4.00%	2.40%	5.44%	2.93%
Grade 9 – 2002	5.83%	3.75%	8.15%	1.72%
Grade 10 – 2003	6.96%	5.65%	NA	NA
Grade 11 – 2004	3.45%	1.72%	NA	NA

Grade 12 – 2005	7.27%	1.82%	NA	NA
	<b>Past Year</b>	<b>Past Month</b>	<b>Past Year</b>	<b>Past Month</b>
<b>Major Depression</b>				
Grade 6 – 1999	3.29%	0.41%	NA	0.43%
Grade 7 – 2000	2.01%	0.00%	3.32%	0.41%
Grade 8 – 2001	1.20%	0.40%	2.52%	0.42%
Grade 9 – 2002	1.67%	1.67%	2.62%	0.00%
Grade 10 – 2003	1.30%	0.87%	NA	NA
Grade 11 – 2004	0.43%	0.43%	NA	NA
Grade 12 – 2005	0.36%	0.36%	NA	NA
<b>Dysthymia</b>				
Grade 6 – 1999	0.00%	NA	NA	NA
Grade 7 – 2000	0.00%	NA	0.00%	NA
Grade 8 – 2001	0.40%	NA	0.00%	NA
Grade 9 – 2002	0.00%	NA	0.00%	NA
Grade 10 – 2003	0.00%	NA	NA	NA
Grade 11 – 2004	0.00%	NA	NA	NA
Grade 12 – 2005	0.00%	NA	NA	NA
<b>Panic Disorder</b>				
Grade 9 – 2002	0.42%	0.00%	NA	NA
Grade 10 – 2003	0.00%	0.00%	NA	NA
Grade 11 – 2004	0.43%	0.00%	NA	NA
Grade 12 – 2005	1.09%	0.36%	NA	NA
<b>Suicidal Ideation</b>				
Grade 6 – 1999	3.32%	1.25%	NA	NA
Grade 7 – 2000	2.41%	0.40%	NA	NA
Grade 8 – 2001	2.01%	1.20%	NA	NA
Grade 9 – 2002	2.94%	2.08%	NA	NA
Grade 10 – 2003	1.78%	1.32%	NA	NA
Grade 11 – 2004	0.86%	0.43%	NA	NA
Grade 12 – 2005	1.32%	1.01%	NA	NA
<b>Generalized Anxiety</b>				
Grade 6 – 1999	NA	NA	NA	1.70%
Grade 7 – 2000	NA	NA	1.24%	1.24%
Grade 8 – 2001	NA	NA	0.84%	0.42%
Grade 9 – 2002	NA	NA	1.29%	0.43%

## Youth Interview DSM IV Mental Disorders Blacks: Grades 6-12

DSM IV Mental Disorders	Child		Parent	
	Lifetime	Past Year	Lifetime	Past Year
<b>Conduct Disorder</b>				
Grade 6 – 1999	4.39%	3.73%	3.56%	2.67%
Grade 7 – 2000	4.85%	4.01%	5.03%	3.28%
Grade 8 – 2001	8.21%	5.68%	5.88%	3.05%
Grade 9 – 2002	9.68%	7.96%	8.81%	3.96%
Grade 10 – 2003	10.71%	8.43%	NA	NA
Grade 11 – 2004	7.96%	4.87%	NA	NA
Grade 12 – 2005	9.20%	3.40%	NA	NA
	Past Year	Past Month	Past Year	Past Month
<b>Major Depression</b>				
Grade 6 – 1999	2.63%	0.88%	NA	0.68%
Grade 7 – 2000	0.85%	0.00%	3.09%	0.22%
Grade 8 – 2001	0.63%	0.21%	1.31%	0.44%
Grade 9 – 2002	0.86%	0.65%	2.01%	0.22%
Grade 10 – 2003	1.37%	0.91%	NA	NA
Grade 11 – 2004	0.88%	0.66%	NA	NA
Grade 12 – 2005	1.00%	0.60%	NA	NA
<b>Dysthymia</b>				
Grade 6 – 1999	0.00%	NA	NA	NA
Grade 7 – 2000	0.85%	NA	0.44%	NA
Grade 8 – 2001	0.00%	NA	0.00%	NA
Grade 9 – 2002	0.22%	NA	0.00%	NA
Grade 10 – 2003	0.23%	NA	NA	NA
Grade 11 – 2004	0.44%	NA	NA	NA
Grade 12 – 2005	0.20%	NA	NA	NA
<b>Panic Disorder</b>				
Grade 9 – 2002	0.22%	0.00%	NA	NA
Grade 10 – 2003	0.23%	0.00%	NA	NA
Grade 11 – 2004	0.44%	0.22%	NA	NA
Grade 12 – 2005	0.80%	0.60%	NA	NA
<b>Suicidal Ideation</b>				
Grade 6 – 1999	2.46%	0.90%	NA	NA
Grade 7 – 2000	1.69%	0.42%	NA	NA
Grade 8 – 2001	1.27%	0.42%	NA	NA

Grade 9 – 2002	1.51%	0.65%	NA	NA
Grade 10 – 2003	1.61%	1.37%	NA	NA
Grade 11 – 2004	1.33%	1.11%	NA	NA
Grade 12 – 2005	1.20%	0.60%	NA	NA
<b>Generalized Anxiety</b>				
Grade 6 – 1999	NA	NA	NA	1.12%
Grade 7 – 2000	NA	NA	1.32%	0.88%
Grade 8 – 2001	NA	NA	0.44%	0.22%
Grade 9 – 2002	NA	NA	1.11%	0.44%

### Youth Interview DSM IV Mental Disorders Blacks: Whites 6-12

DSM IV Mental Disorders	Child		Parent	
	Lifetime	Past Year	Lifetime	Past Year
<b>Conduct Disorder</b>				
Grade 6 – 1999	3.03%	3.03%	9.38%	6.25%
Grade 7 – 2000	6.94%	6.94%	11.27%	9.86%
Grade 8 – 2001	4.29%	2.86%	14.71%	7.35%
Grade 9 – 2002	3.13%	3.13%	10.45%	4.48%
Grade 10 – 2003	11.11%	7.94%	NA	NA
Grade 11 – 2004	3.17%	1.59%	NA	NA
Grade 12 – 2005	6.76%	1.37%	NA	NA
	Past Year	Past Month	Past Year	Past Month
<b>Major Depression</b>				
Grade 6 – 1999	1.52%	1.52%	NA	3.13%
Grade 7 – 2000	1.39%	0.00%	7.04%	4.23%
Grade 8 – 2001	2.86%	0.00%	5.88%	2.94%
Grade 9 – 2002	3.13%	3.13%	4.55%	1.52%
Grade 10 – 2003	3.17%	3.17%	NA	NA
Grade 11 – 2004	1.59%	0.00%	NA	NA
Grade 12 – 2005	0.00%	0.00%	NA	NA
<b>Dysthymia</b>				
Grade 6 – 1999	0.00%	NA	NA	NA
Grade 7 – 2000	0.00%	NA	0.00%	NA
Grade 8 – 2001	1.43%	NA	0.00%	NA
Grade 9 – 2002	1.56%	NA	0.00%	NA
Grade 10 – 2003	0.00%	NA	NA	NA

Grade 11 – 2004	0.00%	NA	NA	NA
Grade 12 – 2005	0.00%	NA	NA	NA
<b>Panic Disorder</b>				
Grade 9 – 2002	0.00%	0.00%	NA	NA
Grade 10 – 2003	0.00%	0.00%	NA	NA
Grade 11 – 2004	0.00%	0.00%	NA	NA
Grade 12 – 2005	1.35%	0.00%	NA	NA
<b>Suicidal Ideation</b>				
Grade 6 – 1999	1.54%	1.54%	NA	NA
Grade 7 – 2000	0.00%	0.00%	NA	NA
Grade 8 – 2001	2.86%	1.43%	NA	NA
Grade 9 – 2002	4.69%	4.69%	NA	NA
Grade 10 – 2003	3.33%	3.33%	NA	NA
Grade 11 – 2004	1.59%	0.00%	NA	NA
Grade 12 – 2005	2.70%	2.70%	NA	NA
<b>Generalized Anxiety</b>				
Grade 6 – 1999	NA	NA	NA	3.13%
Grade 7 – 2000	NA	NA	2.82%	0.00%
Grade 8 – 2001	NA	NA	2.94%	1.47%
Grade 9 – 2002	NA	NA	0.00%	0.00%